

**REGULAR STRENGTH PAIN RELIEF- acetaminophen tablet**  
**Geri-Care Pharmaceutical Corp**

-----  
**gc101 (104)**

**Active Ingredients**

Acetaminophen 325 mg

**Purpose**

Pain Reliever/Fever Reducer

**Uses**

- temporarily relieves minor aches and pains
- temporarily reduces fever

**Warnings**

**Liver warning:**

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg (12 tablets) of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use** if you have liver disease

**Ask a doctor or pharmacist before use if you**

are taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptom occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- do not take more than directed
- adults and children 12 years and over: Take 2 tablets every 4-6 hours, as needed; not more than 10 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
- children under 12 years: ask a doctor

### **Other Information**

- **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**
- store at 20°C-25°C (68°F-77°F)

### **Inactive Ingredients**

povidone, sodium starch glycolate, starch, stearic acid.

### **Questions or comments?**

**1-800-540-3765**

### **Package Label**

**Drug Facts****Active ingredient (in each tablet)** **Purposes**Acetaminophen 325 mg ..... Pain Reliever /  
Fever Reducer**Uses** • temporarily relieves minor aches and pains  
• temporarily reduces fever**Warnings****Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg (12 tablets) of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include: • skin reddening • blisters • rash If a skin reaction occurs, stop use and seek medical help right away.**Do not use** • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.**Ask a doctor before use if you have** liver disease.**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin.**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition. ▶

NDC 57896-104-10



REGULAR STRENGTH  
**ACETAMINOPHEN**  
**325 mg**

PAIN RELIEVER/ FEVER REDUCER

Compare to the active ingredient in  
Regular Strength **TYLENOL®** Tablets\***1000 Tablets****Drug Facts (continued)****If pregnant or breast-feeding**, ask a health professional before use.**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.**Directions** • do not take more than directed

Adults and children 12 years of age and over	Take 2 tablets every 4-6 hours, as needed; not more than 10 tablets in 24 hours. Do not take for more than 10 days unless directed by a doctor.
Children under 12 years	Ask a doctor.

**Other information** • **TAMPER EVIDENT: Do not use if imprinted seal under cap is missing or broken.**  
• store at 20°C-25°C (68°F-77°F)**Inactive ingredients:** povidone, sodium starch glycolate, starch, stearic acid.**Questions or comments 1-800-540-3765**\*This product is not manufactured or distributed by the owner of the registered trademark **TYLENOL®**.  
DIST. BY: **GERI-CARE PHARMACEUTICALS CORP.**  
1650 63rd Street, Brooklyn, NY 11204

REV 0621L

**REGULAR STRENGTH PAIN RELIEF**

acetaminophen tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:57896-104
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z 65AP)	

**Product Characteristics**

<b>Color</b>	white (WHITE)	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND (Round)	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	44;104
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57896-104-01	100 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
2	NDC:57896-104-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	
3	NDC:57896-104-20	200 in 1 BOTTLE; Type 0: Not a Combination Product	04/01/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/01/2020	

**Labeler** - Geri-Care Pharmaceutical Corp (611196254)

**Registrant** - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023

Geri-Care Pharmaceutical Corp