

BONDI SANDS FRAGRANCE FREE SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
BONDI SANDS (USA) INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bondi Sands Fragrance Free SPF 50 Sunscreen

Drug Facts

Active Ingredients

Avobenzone 1.8%, Homosalate 9%, Octisalate 3%, Octocrylene 6%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.
- Retains SPF after 80 minutes of activity in the water.

Warnings

For external use only.

Do not use

on damaged or broken skin.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

When using this product

keep out of eyes. Rinse with water to remove

Stop use and ask a doctor

if rash occurs

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or

higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Other information

- Avoid spraying in eyes.
- Contents under pressure.
- Do not puncture or incinerate.
- Do not store at temperature above 120 °F.
- Use only as directed.
- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm.

Inactive Ingredients

Dimethyl Ether, Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Cetyl Dimethicone, C12-15 Alkyl Benzoate, Cocoglycerides, PEG-15 Cocamine, Glycerin, PEG-40 Stearate, Phenoxyethanol, Saccharide Isomerate, Caprylyl Glycol, Disodium EDTA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Caprylhydroxamic Acid, Tocopheryl Acetate, Aloe Barbadosis Extract, Citric Acid, Sodium Citrate, Potassium Sorbate, Sodium Benzoate.

Questions?

888-266-0772 or visit bondisands.com

Company Information

Made in Australia.

Distributed by Bondi Sands USA

Wilmington, 19808, DE.

bondisands.com

Product Packaging

bondi sands

The Australian tan

BROAD SPECTRUM

SPF 50

VERY WATER RESISTANT 80 MINUTES

FRAGRANCE FREE

SUNSCREEN SPRAY

REEF FRIENDLY

72HR HYDRATION

SUITABLE FOR SENSITIVE SKIN

Australian Made

Net wt. 5.64 OZ. (160g)

Non-greasy. Fast absorbing. Invisible finish.
Sulfate & Paraben free. Contains Vitamin E.
Dermatologically tested.

The Australian tan

BROAD SPECTRUM
SPF 50
VERY WATER RESISTANT 80 MINUTES

FRAGRANCE FREE

SUNSCREEN SPRAY

REEF FRIENDLY
72HR HYDRATION
SUITABLE FOR SENSITIVE SKIN

Australian Made

Net wt. 5.64 OZ. (160g)

DRUG FACTS

Active Ingredients	Purpose
Avobenzone 1.8%, Homosalate 9%, Octisalate 3%, Octocrylene 6%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- Retains SPF after 80 minutes of activity in the water.

Warnings

For external use only. Do not use on damaged or broken skin.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
When using this product keep out of eyes. Rinse with water to remove.
Stop use and ask a doctor if rash occurs.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit time in the sun, especially from 10 a.m. - 2 p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Other information

- Avoid spraying in eyes.
- Contents under pressure.
- Do not puncture or incinerate.
- Do not store at temperature above 120 °F.
- Use only as directed.
- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-266-0772; Monday - Friday, 9 am - 5 pm.

Inactive Ingredients

Dimethyl Ether, Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Cetyl Dimethicone, C12-15 Alkyl Benzoate, Cocoglycerides, PEG-15 Cocamine, Glycerin, PEG-40 Stearate, Phenylethanol, Saccharide Isomerate, Caprylyl Glycol, Disodium EDTA, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Triethanolamine, Caprylylhydroxamic Acid, Tocopheryl Acetate, Aloe Barbadensis Extract, Citric Acid, Sodium Citrate, Potassium Sorbate, Sodium Benzoate.

Questions?
888-266-0772 or visit bondisands.com

Made in Australia.
Distributed by Bondi Sands USA®
Wilmington, 19808, DE.
bondisands.com

BONDI SANDS FRAGRANCE FREE SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79950-003
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	18 mg in 1 g
OCTISALATE (UNII: 4X49 Y0596W) (OCTISALATE - UNII:4X49 Y0596W)	OCTISALATE	30 mg in 1 g
OCTOCRYLENE (UNII: 5A68 WGF6 WM) (OCTOCRYLENE - UNII:5A68 WGF6 WM)	OCTOCRYLENE	60 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
DIMETHYL ETHER (UNII: AM13FS69BX)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
PEG-15 COCAMINE (UNII: 8L6LB12TSJ)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
SACCHARIDE ISOMERATE (UNII: W8K377W98I)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
COCO-GLYCERIDES (UNII: ISE9I7DNUG)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
GLYCERIN (UNII: PDC6A3C0OX)
EDETATE DISODIUM (UNII: 7FLD91C86K)
TROLAMINE (UNII: 9O3K93S3TK)
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)
ALOE VERA WHOLE (UNII: KIZ4X2EHYX)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
PEG-40 STEARATE (UNII: ECU18C66Q7)
WATER (UNII: 059QF0KO0R)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
CETYL DIMETHICONE 45 (UNII: IK315POC44)
CARBOMER COPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 809Y72KV36)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79950-003-01	160 g in 1 CAN; Type 0: Not a Combination Product	01/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2021	

Labeler - BONDI SANDS (USA) INC. (117596864)

Revised: 8/2020

BONDI SANDS (USA) INC.