

BONDI SANDS FRAGRANCE FREE FACE SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion
BONDI SANDS (USA) INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bondi Sands Fragrance Free Face SPF 50 Sunscreen Lotion

Drug Facts

Active Ingredients

Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 8%

Purpose

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protections measures (see Directions), decreases the risk of cancer and early skin aging caused by the sun.
- Retains SPF after 80 minutes of activity in the water.

Warnings

For external use only

Do not use

on damaged or broken skin.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash or irritation develops and lasts.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or

higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.
- You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm.

Inactive Ingredients

Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Cetareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Chloride, Citric Acid.

Questions?

888-266-0772 or visit bondisands.com

Company Information

Made in Australia.

Distributed by Bondi Sands USA

Wilmington, 19808, DE.

bondisands.com

Product Packaging

bondi sands

The Australian tan

DAILY MOISTURIZING

FACE

SPF 50

BROAD SPECTRUM

VERY WATER RESISTANT 80 MINUTES

FRAGRANCE FREE

SUNSCREEN LOTION

REEF FRIENDLY

72HR HYDRATION

SUITABLE FOR SENSITIVE SKIN

Australian Made

2.53 FL. OZ. (75mL)



DAILY MOISTURIZING

FACE

SPF 50

BROAD SPECTRUM
VERY WATER RESISTANT 80 MINUTES

FRAGRANCE FREE

SUNSCREEN LOTION

REEF FRIENDLY
72HR HYDRATION
SUITABLE FOR SENSITIVE SKIN

Australian Made 

2.53 FL. OZ (75mL)

End Seal



8 mm

Non-greasy. Fast absorbing. Invisible finish.
Sulfate & Paraben free. Contains Vitamin E.
Dermatologically tested.
Non-comedogenic - won't clog pores.





DRUG FACTS	
Active Ingredients Avobenzone 3%, Homosalate 10%, Octisalate 5%, Octocrylene 8%	Purpose Sunscreen
Uses <ul style="list-style-type: none"> Helps prevent sunburn If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. Retains SPF after 80 minutes of activity in the water. 	
Warnings For external use only Do not use on damaged or broken skin Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. When using this product keep out of eyes. Rinse with water to remove Stop use and ask a doctor if rash or irritation develops and lasts.	
Directions <ul style="list-style-type: none"> Apply liberally 15 minutes before sun exposure. Reapply: <ul style="list-style-type: none"> after 80 minutes of swimming or sweating immediately after towel drying at least every 2 hours. Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> Limit time in the sun, especially from 10 a.m.-2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months: Ask a doctor. 	
Other Information <ul style="list-style-type: none"> Protect the product in this container from excessive heat and direct sun. You may report a serious adverse reaction to 888-266-0772; Monday – Friday, 9 am – 5 pm. 	
Inactive Ingredients Water/Aqua/Eau, Beeswax/Cera Alba/Cire d'abeille, Aloe Barbadensis Leaf Juice, Isopropyl Palmitate, Cetearyl Alcohol, Cyclopentasiloxane, Cyclohexasiloxane, Ceteareth-20, Hydroxyacetophenone, Carbomer, Benzyl Alcohol, Saccharide Isomerate, Phenoxyethanol, Sodium Stearoyl Glutamate, Triethanolamine, Tocopheryl Acetate, Sodium Chloride, Citric Acid.	
Questions? 888-266-0772 or visit bondisands.com	



8 1002017027 6

Made in Australia.
 Distributed by Bondi Sands USA® Wilmington, 19008, DE.
bondisands.com

BONDI SANDS FRAGRANCE FREE FACE SPF 50 SUNSCREEN

avobenzone, homosalate, octisalate, octocrylene lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79950-006
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	80 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
SACCHARIDE ISOMERATE (UNII: W8K377W98I)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER HOMO POLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
WATER (UNII: 059QF0KO0R)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYOXYL 20 CETOSTEARYL ETHER (UNII: YRC528SWUY)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
TROLAMINE (UNII: 9O3K93S3TK)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79950-006-01	75 mL in 1 TUBE; Type 0: Not a Combination Product	01/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/01/2021	

Labeler - BONDISANDS (USA) INC. (117596864)

Revised: 8/2020

BONDISANDS (USA) INC.