

ZINC OXIDE 20%- zinc oxide ointment
Chain Drug Marketing Association Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Quality Choice Zinc Oxide Ointment USP

Drug Facts

Active Ingredient

Zinc Oxide 20%

Purpose

Skin Protectant

Uses

- Protects skin
- Protects and relieves chafed skin due to diaper rash - helps seal out wetness
- Dries the oozing and weeping of poison ivy, oak and sumac

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center immediately.

Warnings

For External Use Only

- When using this product avoid contact with eyes
- Stop use and ask a doctor if condition worsens or does not improve within 7 days. This may be a sign of a serious condition.

Directions

- Apply ointment liberally as often as necessary
- For the treatment of diaper rash, change wet and soiled diapers promptly
- Cleanse the diaper area and allow to dry
- Apply with each diaper change, especially at bedtime or anytime when exposure to wet diaper may be prolonged

Other Information

- Store at controlled room temperature 15° - 30°C (59° - 86°F)

Inactive Ingredients

Mineral Oil, Petrolatum

Distributed By:

Distributed by CDMA Inc.

43157 W 9 Mile Rd

Novi, MI. 48375

Product of PRC

www.qualitychoice.com

Questions: 800-935-2362

OUTSIDE BOX

DRUG FACTS (continued) <ul style="list-style-type: none"> • Stop use and ask a doctor if condition worsens or does not improve within 7 days. This may be a sign of a serious condition. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. 		DRUG FACTS (continued) <ul style="list-style-type: none"> • For the treatment of diaper rash, change wet and soiled diapers promptly • Cleanse the diaper area and allow to dry • Apply with each diaper change, especially at bedtime or anytime when exposure to wet diaper may be prolonged 		LOT: EXP:
Directions <ul style="list-style-type: none"> • Apply ointment liberally as often as necessary 		Other Information <ul style="list-style-type: none"> • Store at controlled room temperature 15°- 30°C (59° - 86°F) 		

DRUG FACTS (continued) Inactive Ingredients Mineral oil, Petrolatum	 Distributed by C.D.M.A., Inc.® 43157 W 9 Mile Rd Novak, MI 48375 www.qualitychoice.com Questions: 800-935-2362 Product of PRC	 6 35515 99197 2
---	--	--

NDC: 63868-686-02



Zinc Oxide ointment USP

Skin Protectant

Relieves & Protects Chafed Skin
Promoted Healing | Smooth Application & Removal | Hypoallergenic

2 oz (Net WT 57 g)

DRUG FACTS Active ingredient Zinc Oxide 20%		Purpose Skin Protectant	DRUG FACTS (continued) <ul style="list-style-type: none"> • Protects and relieves chafed skin due to diaper rash and helps seal out wetness 	
Uses <ul style="list-style-type: none"> • Protects skin • Dries the oozing and weeping of poison ivy, oak and sumac 		Warnings For external use only <ul style="list-style-type: none"> • When using this product avoid contact with eyes 	Other Information For external use only <ul style="list-style-type: none"> • When using this product avoid contact with eyes 	

INNER TUBE



Zinc Oxide ointment USP

Skin Protectant

Relieves & Protects Chafed Skin
Promoted Healing | Smooth Application & Removal | Hypoallergenic

2 oz (Net WT 57 g)

Active ingredient Zinc Oxide 20%	Purpose Skin Protectant	Directions <ul style="list-style-type: none"> • Apply ointment liberally as often as necessary • For the treatment of diaper rash, change wet and soiled diapers promptly • Cleanse the diaper area and allow to dry • Apply with each diaper change, especially at bedtime or anytime when exposure to wet diaper may be prolonged
Uses <ul style="list-style-type: none"> • Protects skin • Dries the oozing and weeping of poison ivy, oak and sumac • Protects and relieves chafed skin due to diaper rash and helps seal out wetness 	Warnings For external use only <ul style="list-style-type: none"> • When using this product avoid contact with eyes • Stop use and ask a doctor if condition worsens or does not improve within 7 days. This may be a sign of a serious condition. Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center immediately. 	Other Information For external use only <ul style="list-style-type: none"> • Store at controlled room temperature 15°- 30°C (59° - 86°F)


 Distributed by C.D.M.A., Inc.®
 43157 W 9 Mile Rd
 Novak, MI 48375
 www.qualitychoice.com
 Questions: 800-935-2362
 Product of PRC

ZINC OXIDE 20%

zinc oxide ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-686
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	0.2 g in 1 g
---	------------	--------------

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-686-02	1 in 1 BOX	08/14/2020	
1		57 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part347	08/14/2020	

Labeler - Chain Drug Marketing Association Inc. (011920774)

Registrant - Trifecta Pharmaceuticals USA LLC (079424163)

Revised: 5/2023

Chain Drug Marketing Association Inc.