

**COLD AND FLU SEVERE DAY TIME / NIGHT TIME- acetaminophen,  
chlorpheniramine maleate, dextromethorphan hbr, guaifenesin,  
phenylephrine hcl  
DOLGENCORP, LLC**

-----  
**Dollar General 44-503A473C**

***Active ingredients (in each caplet) (Daytime Cold & Flu Severe)***

Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg  
Guaifenesin 200 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Cough suppressant  
Expectorant  
Nasal decongestant

***Active ingredients (in each caplet) (Nighttime Cold & Flu Severe)***

Acetaminophen 325 mg  
Chlorpheniramine maleate 2 mg  
Dextromethorphan HBr 10 mg  
Phenylephrine HCl 5 mg

***Purpose***

Pain reliever/fever reducer  
Antihistamine  
Cough suppressant  
Nasal decongestant

***Uses***

- temporarily relieves these common cold and flu symptoms:
  - cough
  - headache
  - sore throat
  - minor aches and pains
  - nasal congestion
  - sinus congestion and pressure
  - sneezing and runny nose (***Nighttime only***)
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive (***Daytime only***)

- helps clear nasal passages
- relieves cough to help you sleep
- temporarily reduces fever

## **Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

## **Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

## **Ask a doctor before use if you have**

- high blood pressure
- liver disease
- diabetes
- thyroid disease
- heart disease
- glaucoma (**Nighttime only**)
- cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- a breathing problem such as emphysema or chronic bronchitis (**Nighttime only**)

## **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

- taking sedatives or tranquilizers (**Nighttime only**)

### **When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children (**Nighttime only**)
- marked drowsiness may occur (**Nighttime only**)
- avoid alcoholic beverages (**Nighttime only**)
- use caution when driving a motor vehicle or operating machinery (**Nighttime only**)
- alcohol, sedatives, and tranquilizers may increase drowsiness (**Nighttime only**)

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Do not take DAYTIME and NIGHTTIME products at the same time.**

### **Directions**

- **do not take more than directed**
- adults and children 12 years and over
  - take 2 caplets every 4 hours
  - swallow whole – do not crush, chew, or dissolve
  - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

### **Other information**

- **each caplet contains:** sodium 3 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### **Inactive ingredients (Daytime only)**

corn starch, crospovidone, D&C yellow #10 aluminum lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

***Inactive ingredients (Nighttime only)***

corn starch, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

***Questions or comments?***

**1-888-309-9030**

***Principal display panel***

**DG™ | health**

**Compare to  
active ingredients of  
Tylenol® COLD + FLU  
SEVERE Day & Night\***

<b>Severe • Day Time Cold &amp; Flu Acetaminophen, Dextromethorphan HBr, Guaifenesin, Phenylephrine HCl Pain Reliever/Fever Reducer, Cough Suppressant, Expectorant, Nasal Decongestant 16 Caplets Actual Caplet Size</b>	<b>Severe • Night Time Cold &amp; Flu Acetaminophen, Chlorpheniramine Maleate, Dextromethorphan HBr, Phenylephrine HCl Pain Reliever/Fever Reducer, Antihistamine, Cough Suppressant, Nasal Decongestant 8 Caplets Actual Caplet Size</b>
---	---

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS  
TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Tylenol® COLD + FLU SEVERE Day & Night.

50844                      REV0922B50347308

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100% Satisfaction Guaranteed!**  
(888)309-9030

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

Do Not Take Daytime and  
Nighttime Products at the  
Same Time.

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

<p><b>Drug Facts</b></p> <p><b>Active ingredients (in each caplet)</b> <b>(Daytime Cold &amp; Flu Severe)</b></p> <p>Acetaminophen 325 mg.....Pain reliever/fever reducer Dextromethorphan HBr 10 mg.....Cough suppressant Guaifenesin 200 mg.....Expectorant Phenylephrine HCl 5 mg.....Nasal decongestant</p> <p><b>Active ingredients (in each caplet)</b> <b>(Nighttime Cold &amp; Flu Severe)</b></p> <p>Acetaminophen 325 mg.....Pain reliever/fever reducer Chlorpheniramine maleate 2 mg.....Antihistamine Dextromethorphan HBr 10 mg.....Cough suppressant Phenylephrine HCl 5 mg.....Nasal decongestant</p> <p><b>Uses</b> ■ temporarily relieves these common cold and flu symptoms: ■ cough ■ headache ■ sore throat ■ nasal congestion ■ minor aches and pains ■ sinus congestion and pressure ■ sneezing and runny nose (Nighttime only)</p>	<p><b>Drug Facts (continued)</b></p> <p>■ helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive (Daytime only) ■ helps clear nasal passages ■ relieves cough to help you sleep ■ temporarily reduces fever</p> <p><b>Warnings</b> <b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product <b>Allergy alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away. <b>Sore throat warning:</b> If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p><b>Do not use</b> ■ with any other drug containing acetaminophen (prescription or</p>
--	--

PEEL HERE FOR MORE DRUG FACTS

**Severe Cold & Flu**

**Severe Cold & Flu**

B-0315-503A7303R  
REV0228503A7303

NEVER TAKE MORE THAN ONE CAPLET AT A TIME. DO NOT TAKE MORE THAN ONE CAPLET EVERY 4 HOURS. DO NOT TAKE MORE THAN 6 CAPLETS IN 24 HOURS.

**DG health**

Compare to active ingredients of Tylenol® COLD + FLU SEVERE Day & Night\*

100% Satisfaction Guaranteed!  
(888) 309-9030

**Severe • Day Time Cold & Flu**

Acetaminophen,  
Dextromethorphan HBr,  
Guaifenesin, Phenylephrine HCl

Pain Reliever/Fever Reducer, Cough Suppressant,  
Expectorant, Nasal Decongestant

**16 Caplets**  
Actual Caplet Size

**Severe • Night Time Cold & Flu**

Acetaminophen,  
Chlorpheniramine Maleate,  
Dextromethorphan HBr, Phenylephrine HCl

Pain Reliever/Fever Reducer, Antihistamine,  
Cough Suppressant, Nasal Decongestant

**8 Caplets**  
Actual Caplet Size

**Severe Cold & Flu**

**Severe Cold & Flu**

**Severe Cold & Flu**

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

**Do Not Take Daytime and Nighttime Products at the Same Time.**

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

DISTRIBUTED BY  
OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV0228503A7303

50644 REV0228503A7303

**100% Satisfaction Guaranteed!**  
(888) 309-9030

50644 REV022

**Drug Facts (continued)**

nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use if you have**

- high blood pressure
- liver disease
- diabetes
- thyroid disease
- heart disease
- glaucoma (Nighttime only)
- cough that occurs with too much phlegm (mucus)
- difficulty in urination due to enlargement of the prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- a breathing problem such as emphysema or chronic bronchitis (Nighttime only)

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

**Drug Facts (continued)**

■ taking sedatives or tranquilizers (Nighttime only)

**When using this product**

- do not exceed recommended dosage
- excitability may occur, especially in children (Nighttime only)
- marked drowsiness may occur (Nighttime only)
- avoid alcoholic beverages (Nighttime only)
- use caution when driving a motor vehicle or operating machinery (Nighttime only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (Nighttime only)

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- new symptoms occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts (continued)**

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Do not take DAYTIME and NIGHTTIME products at the same time.

**Directions**

- do not take more than directed
- adults and children 12 years and over
- take 2 caplets every 4 hours
- swallow whole - do not crush, chew, or dissolve
- do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- each caplet contains: sodium 3 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Drug Facts (continued)**

**Inactive ingredients (Daytime only)**

corn starch, croscopolone, D&C yellow #10 aluminum lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

**Inactive ingredients (Nighttime only)**

corn starch, croscopolone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, flavor, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

**Questions or comments? 1-888-309-9030**

50844  
REV0922850347308  
R-0315-503A473C-08-0FR

Dollar General 44-503A473C

## COLD AND FLU SEVERE DAY TIME / NIGHT TIME

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, guaifenesin, phenylephrine hcl kit

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-573
---------------------	----------------	---------------------------	---------------

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-573-08	1 in 1 CARTON; Type 0: Not a Combination Product	08/04/2005	

### Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	2 BLISTER PACK	16
Part 2	1 BLISTER PACK	8

## Part 1 of 2

### COLD AND FLU SEVERE DAY TIME

acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl tablet, film coated

#### Product Information

Route of Administration ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

#### Product Characteristics

<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	19mm
<b>Flavor</b>	MENTHOL	<b>Imprint Code</b>	44;503
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
---	-----------	---------------------	----------------------	--------------------

1	8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
---	--	--	--

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/04/2005	

## Part 2 of 2

### COLD AND FLU SEVERE NIGHT TIME

acetaminophen, chlorpheniramine maleate, dextromethorphan hbr, phenylephrine hcl tablet, film coated

## Product Information

**Route of Administration** ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>CHLORPHENIRAMINE MALEATE</b> (UNII: V1Q0O9OJ9Z) (CHLORPHENIRAMINE - UNII:3U6IO1965U)	CHLORPHENIRAMINE MALEATE	2 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>FD&amp;C BLUE NO. 2 ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	



TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

### Product Characteristics

<b>Color</b>	blue	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>	MENTHOL	<b>Imprint Code</b>	44;473
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/25/2005	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/04/2005	

**Labeler** - DOLGENCORP, LLC (068331990)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-573) , pack(55910-573)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-573)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55910-573)

Revised: 7/2024

DOLGENCORP, LLC