

ALOE-DIP - iodine liquid
EXL Laboratories, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Directions Contents

1% IODINE POST-MILKING TEAT DIP OR SPRAY

When used as directed, this product effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE: POST DIPPING: As soon as possible after removal of milking unit, apply teat dip with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.

CONTENTS:

Active Ingredient 1% Titratable Iodine

Contains 10% emollients

DO NOT DILUTE TEAT DIP __ USE AT FULL STRENGTH. IF TEAT DIP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH DIP. DO NOT RETURN CONTAMINATED DIP TO ITS ORIGINAL CONTAINER. If frozen, thaw completely and mix well before using.

Caution First Aid

CAUTION

KEEP OUT OF THE REACH OF CHILDREN.

Contains materials which may cause eye damage. May be harmful or fatal if swallowed. Individuals with sensitive skin may experience skin irritation. Protect eyes and skin when handling. Do not take internally. Avoid breathing vapors. Do not mix with any other chemical products. Refer to Material Safety Data Sheet (MSDS).

FIRST AID:

If in Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly then give small amount/glass of milk or water (4 – 6 oz. child/ 10 – 12 oz. adult) (120 – 180 ml child/ 300 – 360 ml adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: While removing contaminated clothing and shoes, flush with large volumes of water for at least 15 minutes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing is difficult or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

Product Label

A and L
Laboratories

ALOE - DIP™

Part # 822355

Manufactured by:

EXL Laboratories, LLC. 1001 Glenwood Ave, Minneapolis, MN 55405
 Net Contents: 15 GALLONS (56.8 L) Lot # 00010312A Expires: 10/2014



ALOE – DIP™



1% IODINE POST-MILKING TEAT DIP OR SPRAY

When used as directed, this product effectively aids in reducing the spread of mastitis.

DIRECTIONS FOR USE: POST DIPPING As soon as possible after removal of milking unit, apply teat dip with either a dip cup or sprayer completely covering the entire teat with the teat dip solution.

CONTENTS:

Active Ingredient.....1% Titratable Iodine

Contains 10% emollients

DO NOT DILUTE TEAT DIP – USE AT FULL STRENGTH. IF TEAT DIP BECOMES CLOUDY OR DIRTY IN APPEARANCE, DISCARD AND REPLACE WITH FRESH DIP. DO NOT RETURN CONTAMINATED DIP TO ITS ORIGINAL CONTAINER. If frozen, thaw completely and mix well before using.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

Contains materials which may cause eye damage. May be harmful or fatal if swallowed. Individuals with sensitive skin may experience skin irritation. Protect eyes and skin when handling. Do not take internally. Avoid breathing vapors. Do not mix with any other chemical products. Refer to Material Safety Data Sheet (MSDS).

FIRST AID:

In Eyes: Flush with large volumes of water for at least 15 minutes. Call a physician immediately.

If Swallowed: DO NOT induce vomiting. Rinse mouth promptly then give small amount/ glass of milk or water (4 - 6 oz. child / 10 - 12 oz. adult) (120 - 180 ml child / 300 - 360 ml adult). Avoid alcohol. Call a physician immediately. DO NOT give anything by mouth to an unconscious or convulsing person.

If on Skin: While removing contaminated clothing and shoes, flush with large volumes of water for at least 15 minutes. If irritation develops and persists, get medical attention.

Inhalation of Vapors: If breathing difficulty or irritation occurs, remove to fresh air. If symptoms persist, get medical attention.

TOLL FREE EMERGENCY NUMBER: 1-800-424-9300

Manufactured by:
 EXL Laboratories, LLC
 1001 Glenwood Avenue,
 Minneapolis, MN 55405

BAÑO/AEROSOL DE PEZON POSTERIOR AL ORDEÑO 1.0% YODO

INSTRUCCIONES PARA EL USO: POST SELLADO: Aplique el sellador usando o una copa de inmersión o un rociador de manera que cubra completamente el pezón con la solución selladora, inmediatamente después de remover la unidad de ordeño.

CONTENIDO:

Ingrediente activo.....1% de yodo titulable

Contiene 10% de emollient

NO DILUIR EL SELLADOR DE PEZONES – USAR A PLENA CONCENTRACIÓN. SI APARECE TUBIDEZ O SUCIEDAD, DESCARTAR Y REPONER CON PRODUCTO SELLADOR FRESCO. NO DEVOLVER EL PRODUCTO SELLADOR CONTAMINADO A SU ENVASE ORIGINAL. En caso de congelamiento, descongele y mezcle completamente antes del uso.

ADVERTENCIA

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

Contiene ingredientes que pueden causar daño en los ojos. Puede ser nocivo o fatal si se traga. Individuos con piel sensible pueden sufrir irritación. Protéjase los ojos y la piel durante la manipulación. No lo ingiera. Evite respirar los vapores. No lo mezcle con otros productos químicos. Consulte las hoja de información de seguridad del producto (MSDS).

PRIMEROS AUXILIOS:

Si en los ojos: Enjuáguese con grandes volúmenes de agua durante por lo menos 15 minutos. Consulte a un médico inmediatamente.

Si se ha tragado: NO induzca el vómito. Enjuague la boca inmediatamente, luego dé en pequeñas cantidades / vaso de leche o agua (120 – 180 ml niños / 300 – 360 ml adultos) (4 - 6 oz. niños / 10 - 12 oz. adultos.) Evite el alcohol. Consulte a un médico inmediatamente. NO dé nada vía oral a una persona inconsciente o con convulsiones. **Si en la piel:** Mientras se remueve la ropa y zapatos contaminados, enjuáguese con grandes volúmenes de agua durante por lo menos 15 minutos. Si aparece y persiste irritación, consiga atención médica.

Inhalación de vapores: Se tiene dificultad para respirar o irritación, saiga a un lugar con aire fresco. Si los síntomas persisten, consiga atención médica.

NUMERO DE EMERGENCIA SIN COSTO: 1-800-424-9300

Net Contents: 15 GALLONS (56.8 L)
 Lot #: 00010312A Expires: 10/2014

Part#:



822355

ALOE-DIP

iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:50 138-355
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	10000 mg in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50 138-355-01	9.5 L in 1 JUG		
2	NDC:50 138-355-02	19 L in 1 JUG		
3	NDC:50 138-355-03	56.8 L in 1 DRUM		
4	NDC:50 138-355-04	114 L in 1 DRUM		
5	NDC:50 138-355-05	208.2 L in 1 DRUM		

6	NDC:50 138-355-06	946 L in 1 DRUM		
7	NDC:50 138-355-07	1003 L in 1 DRUM		
8	NDC:50 138-355-08	1040 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/01/1998	

Labeler - EXL Laboratories, LLC (927483458)

Registrant - EXL Laboratories, LLC (927483458)

Establishment

Name	Address	ID/FEI	Business Operations
EXL Laboratories, LLC		927483458	api manufacture, manufacture

Revised: 1/2013

EXL Laboratories, LLC