

**CHILDRENS CHEWABLES- acetaminophen tablet, chewable**  
**Strategic Sourcing Services, LLC (Health Mart)**

-----  
**Health Mart 44-450**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

**Ask a doctor before use if your child has**

liver disease.

**Ask a doctor or pharmacist before use if your child is**

taking the blood thinning drug warfarin.

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

**Other information**

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**Health Mart®**

NDC 62011-0339-1

Compare to  
Children's Tylenol®  
active ingredient†

**AGES 2-11**

**Children's Chewables**  
**Acetaminophen 160 mg**  
**Chewable Tablets**

Pain Reliever/Fever Reducer

Aspirin Free • Ibuprofen Free  
Bubblegum Flavored

Chew or crush tablets  
completely before swallowing.

Do not swallow tablets whole.

Actual Size

**24** Chewable Tablets

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

†This product is not manufactured or distributed by

Johnson & Johnson Corporation, owner of the  
registered trademark Children's Tylenol®.

50844 REV1018C45008

Distributed by McKesson Corp., via  
Strategic Sourcing Services LLC,  
Memphis, TN 38141

© 2011 McKesson Corporation

[www.healthmart.com](http://www.healthmart.com)

Money Back Guarantee

**Children's Chewables**  
**Acetaminophen 160 mg**  
 Chewable Tablets  
 Pain Reliever/Fever Reducer

24 Chewable Tablets



ACTUAL SIZE

Chew or crush tablets completely before swallowing. Do not swallow tablets whole.

**Aspirin Free • Ibuprofen Free**  
**Bubblegum Flavored**

**24 Chewable Tablets**

Rev. 11/21

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.  
 50844 REV1018045008  
 Distributed by McKesson Corp., via Strategic Sourcing Services LLC, Memphis, TN 38141  
 © 2011 McKesson Corporation  
 www.healthmart.com  
 Money Back Guarantee

**Drug Facts (continued)**  
**Inactive ingredients** citric acid, croscollidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrans hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose  
**Questions or comments?**  
 Call 1-800-426-9391 8:30 AM-4:00 PM ET  
 Monday-Friday

NDC 62011-0339-1

Compare to Children's Tylenol® active ingredient†



no print / no varnish area  
 lot no. & exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

**Drug Facts**  
**COMPLETE PRODUCT INFORMATION**  
**Active ingredient** (in each chewable tablet) Acetaminophen 160 mg.....Pain reliever/fever reducer  
**Purpose** Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.  
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.  
**Warnings** Liver warning: This product contains acetaminophen.  
 Severe throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Drug Facts (continued)**  
 Do not use  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ if your child is allergic to acetaminophen or any of the inactive ingredients in this product.  
 Ask a doctor before use if your child has liver disease.  
 Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.  
 When using this product do not exceed recommended dosage.  
 Stop use and ask a doctor if  
 ■ pain gets worse or lasts more than 5 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 ■ these could be signs of a serious condition.  
 Keep out of reach of children. In case of accidental overdose, get medical help or contact Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**Directions** ■ this product does not contain directions or complete warnings for adult use  
 ■ do not give more than directed

**Drug Facts (continued)**  
 Find the right dose on chart below. If possible, use weight to dose; otherwise, use age.  
 ■ chew or crush tablets completely before swallowing; do not swallow tablets whole  
 ■ repeat dose every 4 hours while symptoms last  
 ■ do not give more than 5 times in 24 hours  
 ■ do not give for more than 5 days unless directed by a doctor.  
 Weight (lb) Age (yr) Dose (chewable tablets)  
 Under 24 Under 2 Ask a doctor  
 2-3 2-3 1 tablet  
 24-35 4-5 1 1/2 tablets  
 36-47 4-5 2 tablets  
 48-59 6-8 2 tablets  
 60-71 9-10 2 1/2 tablets  
 72-95 11 3 tablets

**Other information**  
 ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid high humidity  
 ■ see end flap for expiration date and lot number

B-1241-450-08-R  
 REV1018045008

## CHILDRENS CHEWABLES

acetaminophen tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62011-0339
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

### Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>	BUBBLE GUM	<b>Imprint Code</b>	44;450
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62011-0339-1	4 in 1 CARTON	02/25/2005	02/08/2025
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	02/25/2005	02/08/2025

**Labeler** - Strategic Sourcing Services, LLC (Health Mart) (116956644)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(62011-0339)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(62011-0339) , pack(62011-0339)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(62011-0339)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(62011-0339)

Revised: 12/2023

Strategic Sourcing Services, LLC (Health Mart)