

OXYGEN - oxygen gas
Airgas Intermountain Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

oxygen

PRODUCED BY AIR LIQUEFACTION


OXYGEN, COMPRESSED LIQUID USP UN1072 MEDICAL GAS OXYGEN 2

AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

CAUTION: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION. Keep oil, grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52C (125F). C.A.S. NO. 7782-44-7 Use in accordance with the Material Safety Data Sheets (MSDS). DO NOT REMOVE THIS PRODUCT LABEL



Form 850110 (07/04)

OXYGEN, COMPRESSED LIQUID USP UN1072 DO NOT REMOVE THIS PRODUCT LABEL
OXYGEN 2 816033 (08/04)

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

CAUTION: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: HIGH PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION.

Keep oil, grease away. Open valve slowly. Store and use with adequate ventilation. Use only with equipment cleaned for oxygen service and rated for cylinder pressure. Use back flow preventive device in the piping. Close valve after each use and when empty. Cylinder temperature should not exceed 52C (125F). Use in accordance with the Material Safety Data Sheets (MSDS). CAS: 7782-44-7
RETURN WITH 25 PSIG
AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION DO NOT CHANGE OR FORCEFIT CONNECTIONS.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

CAUTION: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE.

VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52C (125F). Close valve after each use and when empty. Use back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheets (MSDS). **FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.** CAS: 7782-44-7 **DO NOT REMOVE THIS PRODUCT LABEL.**

AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800
841533 (10/04)

REFRIGERATED LIQUID

**OXYGEN,
REFRIGERATED
LIQUID
USP**



UN1073

**↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

CAUTION: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the pipeline. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7782-44-7
DO NOT REMOVE THIS PRODUCT LABEL.

Airgas Puritan Medical

Airgas Intermountain, Inc.
Denver, CO 80216
(303) 370-7800

841033
(1/04/04)

OXYGEN, REFRIGERATED LIQUID USP UN1073 OXYGEN 2
ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx only.

CAUTION: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Produced by Air Liquefaction.

WARNING: EXTREMELY COLD, OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheets (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

AIRGAS PURITAN MEDICAL Airgas Intermountain, Inc. Denver, CO 80216 (303) 370-7800 40136 (04/02)

OXYGEN, REFRIGERATED LIQUID**USP****UN1073****↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑**

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **Rx only.**

CAUTION: Federal law prohibits dispensing without prescription. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment.

Produced by Air Liquidefaction.

WARNING: EXTREMELY COLD OXIDIZING LIQUID AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATES COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPL. CODE ON IGNITION OR IMPACT CAN CAUSE SEVERE FROSTBITE.

Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IN CASE OF FROSTBITE, obtain medical treatment immediately.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL.

Airgas Intermountain, Inc.
 Denver, CO 80216
 (303) 370-7800

40138 (04/2017)

OXYGEN

oxygen gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:58420-001
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	992 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58420-001-01	3540 L in 1 CYLINDER		
2	NDC:58420-001-02	3313 L in 1 CYLINDER		
3	NDC:58420-001-03	4417 L in 1 CYLINDER		
4	NDC:58420-001-04	4021 L in 1 CYLINDER		
5	NDC:58420-001-05	147 L in 1 CYLINDER		
6	NDC:58420-001-06	168 L in 1 CYLINDER		
7	NDC:58420-001-07	595 L in 1 CYLINDER		
8	NDC:58420-001-08	1707 L in 1 CYLINDER		
9	NDC:58420-001-09	188 L in 1 CYLINDER		
10	NDC:58420-001-10	20 L in 1 CYLINDER		
11	NDC:58420-001-11	205 L in 1 CYLINDER		
12	NDC:58420-001-12	7957 L in 1 CYLINDER		
13	NDC:58420-001-13	236 L in 1 CYLINDER		
14	NDC:58420-001-14	9542 L in 1 CYLINDER		
15	NDC:58420-001-15	30 L in 1 CYLINDER		
16	NDC:58420-001-16	35 L in 1 CYLINDER		

17	NDC:58420-001-17	1303 L in 1 CYLINDER		
18	NDC:58420-001-18	40 L in 1 CYLINDER		
19	NDC:58420-001-19	45 L in 1 CYLINDER		
20	NDC:58420-001-20	57 L in 1 CYLINDER		
21	NDC:58420-001-21	113 L in 1 CYLINDER		
22	NDC:58420-001-22	170 L in 1 CYLINDER		
23	NDC:58420-001-23	198 L in 1 CYLINDER		
24	NDC:58420-001-24	255 L in 1 CYLINDER		
25	NDC:58420-001-25	425 L in 1 CYLINDER		
26	NDC:58420-001-26	623 L in 1 CYLINDER		
27	NDC:58420-001-27	680 L in 1 CYLINDER		
28	NDC:58420-001-28	708 L in 1 CYLINDER		
29	NDC:58420-001-29	1614 L in 1 CYLINDER		
30	NDC:58420-001-30	1784 L in 1 CYLINDER		
31	NDC:58420-001-31	2690 L in 1 CYLINDER		
32	NDC:58420-001-32	1707 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/01/1975	

Labeler - Airgas Intermountain Inc (019714331)

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		072198059	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		084208433	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		943069948	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		883003915	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		090327250	manufacture

Establishment

Name	Address	ID/FEI	Business Operations

Airgas Intermountain Inc		182466243	manufacture
--------------------------	--	-----------	-------------

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		054313408	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		618581441	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		859665069	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		128647740	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		020467911	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		126606222	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		847756426	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		165006818	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		149496028	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		806310637	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		946412723	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		082728627	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		791450422	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		097765218	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		190164744	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		789145745	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		611965146	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		793984089	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		790441885	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		028348386	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		931891407	manufacture

Establishment			
Name	Address	ID/FEI	Business Operations
Airgas Intermountain Inc		607551355	manufacture