SKINMD LABORATORIES REVITOX BLUE- adenosine, tranexamic acid liquid Revires co Co., Ltd.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ACTIVE INGREDIENT

Active ingredients: Adenosine 0.04%, Tranexamic acid 0.01%

INACTIVE INGREDIENT

Inactive ingredients:

Water, Panthenol, Elaeagnus Glabra Extract, Copper Tripeptide-1, Hydrolyzed Hyaluronic Acid, Acetyl Hexapeptide-8, Propanediol, Sodium Hyaluronate, Beta-Glucan, Rhodiola Sacra Root Extract, Butylene Glycol, Caprylyl/Capryl Glucoside, Hydroxyacetophenone, Sodium Cocoyl Glutamate, Glyceryl Caprylate, 1,2-Hexanediol, Sodium Surfactin, Citric Acid, Polyglyceryl-6 Oleate, Glycerin, Isopropyl Alcohol

PURPOSE

Purpose: Anti wrinkle

WARNINGS

Warnings:

- 1. Stop use if the following symptoms appear, continued use can worsen the situation. And please visit a doctor.
- Red spot, swelling, itching generate when using it.
- Above symptoms generates on applied area causing by UV.
- 2. Avoid applying to wound area, eczema, skin disease and so on.
- 3. Cautions for usage and storage
- Please cover the cap after use.
- Keep it out of reach of children.
- Keep it store in shadow and avoid heat and cold place to store.

KEEP OUT OF REACH OF CHILDREN

Keep it out of reach of children

Uses

Uses: For anti-wrinkle

Directions

Directions:

- 1. Clean your face carefully and remove the water remains.
- 2. Open the lid of the vial.
- 3. Put the transparent lid which can be found in the box on the solution bottle.

- 4. Take 2cc Revitoxblue solution on the back of your hand.
- 5. Smear Revitoxblue solution on the face where you want and pat the face to help absorb.
- 6. After using, please cover the transparent lid and store it in refrigerator.
- 7. Using it every morning and night.


Questions

Questions:

+82-2-1522-4259

PACKAGE LABEL

Caton Image 1



PACKAGE LABEL

Carton Image 2

스킨엠디 레비톡스블루

프로-리프팅 엑티베이터 | 주름개선 기능성 화장품

레비톡스블루 프로-리프팅 엑티베이터™는 스킨엠디만의 EWG 그린등급의 천연방부시스템을 사용하여 피부에 자극이 없으며 「카퍼트리펩타 이드, 아세틸헥사펩타이드, 초저분자&고분자 이중 히알루론산, 트라넥사믹애씨드, 홍경천추출물, 베타글루칸 등의 신개념 성분 복합체」이 피부 톤을 맑게 해주고 주름 개선, 피부 탄력, 모공 감소에 도움을 줍니다.

[효능성분] 아데노신

[효능효과] 피부 주름개선에 도움을 준다.

[용법용량] 본품 적당량을 취해 피부에 골고루 펴 바른다.

• 카퍼트리펩다이드-1 ······ 1,000ppm

전성분: 정제수, 판테놀, 보리장나무추출물, 카퍼트라이펩타이드-1, 트라넥사믹에씨드, 하이드롤 라이즈드하이알루로닉애씨드, 아세틸헥사펩타이드-8, 프로판다이올, 소듐하이알루로네이트, 베 타-글루칸, 전판홍경천뿌리추출물, 아데노신, 부틸렌글라이콜, 카프릴릴/카프릴글루코사이드, 하 이드록시아세토페논, 소듐코코일글루타메이트, 글리세릴카프릴레이트, 1,2-헥산다이올, 소듐서 팩틴, 시트릭애씨드, 폴리글리세릴-6올리에이트, 글리세린, 아이소프로필알코올

사용 시의 주의사항

1. 화장품 사용 시 또는 사용 후 직사광선에 의하여 사용부위가 붉은 반점, 부어오름 또는 가려움증 등의 이상 증상이나 부작용이 있는 경우 전문의 등과 상담할 것 2. 상처가 있는 부위 등에는 사용을 자제할 것 3. 보관 및 취급 시의 주의사항 가) 어린이의 손이 닿지 않는 곳에 보관할 것 나) 직사광선을 피해서 보관할 것

본 상품에 이상이 있을 경우, 공정거래위원회 고시 '소비자 분쟁 해결 기준'에 의해 보상해 드립니다. 소비자 상담실: 1522-4259

사용방법: 제품 안쪽면에 상세기입 제조번호 및 사용기한 : 별도 표시

[제조업자] 에스겔화장품 인천광역시 남동구 남동서로 113번길 28-47 남동공단 81B-5 [제조판매업자] ㈜레비레스코

기업부설연구소: 서울특별시 구로구 디지털로 26길 5, 1204호 본사: 제주특별자치도 제주시 산천단동길 16, 102호 [연구개발] ㈜레비레스코

l. Stop use if the following symptoms appear, continued use can worsen the situation. And please visit a doctor. 1) Red spoi swelling, itching generate when using it. 2) Above symptoms generates on applied area causing by UV. 2. Avoid applying to wound area, eczema, skin disease and so on. 3. Cautions for usage and storage 1) Please cover the cap after use. 2) Keep it ut of reach of children. 3) Keep it store in shadow and avoid heat and cold place to store.

Infections: Clean your face carefully and remove the water remains. 2. Open the lid of the vial. 3. Put the transparent lid which can be found in to leave on the solution bottle. 4. Take 2cn Revitoshibe solution on the back of your hand. 5. Smear Revitoshibe solution on the face there you want and pat the face to their plassors. 6. The using, please cover the transparent lid and store in the refugerator. 7. Using it

active ingredients

Water, Panthenol, Elaeagnus Glabra Extract, Copper Tripeptide-1, Hydrolyzed Hyaluronic Acid, Acetyl Hexapeptide-8, Propanediol, Sodium Hyaluronate, Beta-Slucun, Rhodiolis Sacra Root Extract, Butylene Glycol, Capryly(Cary) Glucoside, Hydroxyacetophenone, Sodium Cooxyl Gutamate, Glycery Caprylate, 12. Hexanediol, Sodium Surbatin, Chris Acid, Polyglycery1-6 Oleate, Glyceryn, Isopropy

82-2-1522-4259

Manufactured for Reviresco Co. Ltd.

5 Digital-ro 26-gil, Guro-gu, Seoul, 08389, Korea

Manufactured by EZEKIEL COSMETIC CO.,LTD

53. Hwanggeum 3-ro 7beon-ail. Yangchon-eup. Gimpo. Gyeonggi-do 10048. Kon

10 ml x 10 vials MADE IN KOREA www.skinmd-lab.com





Purpose Anti wrinkle

SKINMD LABORATORIES REVITOX BLUE

adenosine, tranexamic acid liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71974-040

TOPICAL **Route of Administration**

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength Adenosine (UNII: K72T3FS567) (ADENOSINE - UNII:K72T3FS567) Adenosine 0.004 g in 10 mL Tranexamic acid (UNII: 6T84R30KC1) (TRANEXAMIC ACID - UNII:6T84R30KC1) Tranexamic acid 0.001g in 10 mL

Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Panthenol (UNII: WV9CM0O67Z)	

Packaging							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:71974-040-02	10 in 1 CARTON	12/01/2017				
1	NDC:71974-040-01	10 mL in 1 VIAL; Type 0: Not a Combination Product					
Marketing Information							

Marketing Start Date Marketing End Date

12/0 1/20 17

Application Number or Monograph Citation

Labeler - Reviresco Co., Ltd. (693937110)

Marketing Category

unapproved drug other

Registrant - Reviresco Co., Ltd. (693937110)

Establishment							
Name	Address	ID/FEI	Business Operations				
EZEKIELCOSMETIC CO.,LTD		689851966	manufacture(71974-040)				

Revised: 11/2018 Reviresco Co., Ltd.