

**INFLAMMATION - FEVER - anthracinum, pyrogenium, aconitum nap., aloe, apis mel., arnica, arsenicum alb., baptisia, belladonna, bryonia, cantharis, chelidonium majus, crotalus horridus, ferrum phosphoricum, gaultheria procumbens, hepar sulph. calc., iodium, lachesis, nux vom., phosphorus, pulsatilla, rhus toxicodendron, veratrum viride, verbasum, echinacea pellet
Newton Laboratories, Inc.**

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Inflammation - Fever

INDICATIONS & USAGE SECTION

Inflammation - Fever Formulated for symptoms associated with abscesses, ulcerations, cellulitis, sepsis, fever and other inflammatory and infectious processes.

DOSAGE & ADMINISTRATION SECTION

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

ACTIVE INGREDIENT SECTION

Anthracinum 35x, Pyrogenium 35x, Aconitum nap. 20x, Aloe 20x, Apis mel. 20x, Arnica 20x, Arsenicum alb. 20x, Baptisia 20x, Belladonna 20x, Bryonia 20x, Cantharis 20x, Chelidonium majus 20x, Crotalus horridus 20x, Ferrum phosphoricum 20x, Gaultheria procumbens 20x, Hepar sulph. calc. 20x, Iodium 20x, Lachesis 20x, Nux vom. 20x, Phosphorus 20x, Pulsatilla 20x, Rhus toxicodendron 20x, Veratrum viride 20x, Verbasum 20x, Apis mel. 8x, Echinacea 8x, Apis mel. 3x, Echinacea 3x.

PURPOSE SECTION

Formulated for symptoms associated with abscesses, ulcerations, cellulitis, sepsis, fever and other inflammatory and infectious processes.

INACTIVE INGREDIENT SECTION

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

QUESTIONS? SECTION

www.newtonlabs.net Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30012

Questions? 1.800.448.7256

WARNINGS SECTION

Warning: Do not use if tamper - evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

PREGNANCY OR BREAST FEEDING SECTION

Consult a licensed healthcare professional if pregnant or nursing or if symptoms worsen or persist for more than a few days.

KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

PACKAGE LABEL

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warning: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics™ **PRO**
NDC# 55714-4503-1 *Nurturing Naturally Since 1987™*

Inflammation ~Fever

Formulated for symptoms associated with abscesses, ulcerations, cellulitis, sepsis, fever and other inflammatory and infectious processes.

1 oz (28.35 g)

Dispensed by healthcare professionals only.
Not for over-the-counter sale.

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

Active Ingredients: Anthracinum 35x, Pyrogenium 35x, Aconitum nap. 20x, Aloe 20x, Apis mel. 20x, Arnica 20x, Arsenicum alb. 20x, Baptisia 20x, Belladonna 20x, Bryonia 20x, Cantharis 20x, Chelidonium majus 20x, Crotalus horridus 20x, Ferrum phosphoricum 20x, Gaultheria procumbens 20x, Hepar sulph. calc. 20x, Iodum 20x, Lachesis 20x, Nux vom. 20x, Phosphorus 20x, Pulsatilla 20x, Rhus toxicodendron 20x, Veratrum viride 20x, Verbascum 20x, Apis mel. 8x, Echinacea 8x, Apis mel. 3x, Echinacea 3x.

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# R052 Lot#

www.newtonlabs.net
Newton Laboratories, Inc. FDA Est#1051203 • Conyers, GA 30012
Questions? 1.800.448.7256
Warning: Do not use if tamper-evident seal is broken or missing. Consult a licensed healthcare professional if pregnant, nursing or if symptoms worsen or persist for more than a few days. Keep out of reach of children.

NEWTON
homeopathics™ **PRO**
NDC# 55714-4503-1 *Nurturing Naturally Since 1987™*

Inflammation ~Fever

Formulated for symptoms associated with abscesses, ulcerations, cellulitis, sepsis, fever and other inflammatory and infectious processes.

1 oz (28.35 g)

Dispensed by healthcare professionals only.
Not for over-the-counter sale.

Directions: Ages 12 and up, take 6 pellets orally (ages 0 to 11, give 3 pellets) as needed or as directed by a healthcare professional. Under age 2, crush or dissolve pellets in purified water.

Active Ingredients: Anthracinum 35x, Pyrogenium 35x, Aconitum nap. 20x, Aloe 20x, Apis mel. 20x, Arnica 20x, Arsenicum alb. 20x, Baptisia 20x, Belladonna 20x, Bryonia 20x, Cantharis 20x, Chelidonium majus 20x, Crotalus horridus 20x, Ferrum phosphoricum 20x, Gaultheria procumbens 20x, Hepar sulph. calc. 20x, Iodum 20x, Lachesis 20x, Nux vom. 20x, Phosphorus 20x, Pulsatilla 20x, Rhus toxicodendron 20x, Veratrum viride 20x, Verbascum 20x, Apis mel. 8x, Echinacea 8x, Apis mel. 3x, Echinacea 3x.

Inactive Ingredients: Gluten-free, non-GMO, beet-derived sucrose pellets.

Stock# R052 Lot#

INFLAMMATION - FEVER

anthracinum, pyrogenium, aconitum nap., aloe, apis mel., arnica, arsenicum alb., baptisia, belladonna, bryonia, cantharis, chelidonium majus, crotalus horridus, ferrum phosphoricum, gaultheria procumbens, hepar sulph. calc., iodium, lachesis, nux vom., phosphorus, pulsatilla, rhus toxicodendron, veratrum viride, verbascum, echinacea pellet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:55714-4503
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Bacillus Anthracis Immunoserum Rabbit (UNII: 41LZ22DD4N) (Bacillus Anthracis Immunoserum Rabbit - UNII:41LZ22DD4N)	Bacillus Anthracis Immunoserum Rabbit	35 [hp_X] in 1 g
Rancid Beef (UNII: 29SUH5R3HU) (Rancid Beef - UNII:29SUH5R3HU)	Rancid Beef	35 [hp_X] in 1 g
Aconitum Napellus (UNII: U0NQ8555JD) (Aconitum Napellus - UNII:U0NQ8555JD)	Aconitum Napellus	20 [hp_X] in 1 g
Aloe (UNII: V5VD430YW9) (Aloe - UNII:V5VD430YW9)	Aloe	20 [hp_X] in 1 g
Apis Mellifera (UNII: 7S82P3R43Z) (Apis Mellifera - UNII:7S82P3R43Z)	Apis Mellifera	20 [hp_X] in 1 g
Arnica Montana (UNII: O80TY208ZW) (Arnica Montana - UNII:O80TY208ZW)	Arnica Montana	20 [hp_X] in 1 g
Arsenic Trioxide (UNII: S7V92P67HO) (Arsenic Cation (3+) - UNII:C96613F5AV)	Arsenic Trioxide	20 [hp_X] in 1 g
Baptisia Tinctoria Root (UNII: 5EF0HWI5WU) (Baptisia Tinctoria Root - UNII:5EF0HWI5WU)	Baptisia Tinctoria Root	20 [hp_X] in 1 g
Atropa Belladonna (UNII: WQZ3G9PF0H) (Atropa Belladonna - UNII:WQZ3G9PF0H)	Atropa Belladonna	20 [hp_X] in 1 g
Bryonia Alba Root (UNII: T7J046YI2B) (Bryonia Alba Root - UNII:T7J046YI2B)	Bryonia Alba Root	20 [hp_X] in 1 g
Lytta Vesicatoria (UNII: 3Q034RO3BT) (Lytta Vesicatoria - UNII:3Q034RO3BT)	Lytta Vesicatoria	20 [hp_X] in 1 g
Chelidonium Majus (UNII: 7E889U5RNN) (Chelidonium Majus - UNII:7E889U5RNN)	Chelidonium Majus	20 [hp_X] in 1 g
Crotalus Horridus Horridus Venom (UNII: YHA2XLJ956) (Crotalus Horridus Horridus Venom - UNII:YHA2XLJ956)	Crotalus Horridus Horridus Venom	20 [hp_X] in 1 g
Ferrosoferric Phosphate (UNII: 91GQH8I5F7) (Ferrosoferric Phosphate - UNII:91GQH8I5F7)	Ferrosoferric Phosphate	20 [hp_X] in 1 g
Gaultheria Procumbens Top (UNII: 830295X963) (Gaultheria Procumbens Top - UNII:830295X963)	Gaultheria Procumbens Top	20 [hp_X] in 1 g
Calcium Sulfide (UNII: 1MBW07J51Q) (Calcium Sulfide - UNII:1MBW07J51Q)	Calcium Sulfide	20 [hp_X] in 1 g
Iodine (UNII: 9679TC07X4) (Iodine - UNII:9679TC07X4)	Iodine	20 [hp_X] in 1 g
Lachesis Muta Venom (UNII: VSW71SS07I) (Lachesis Muta Venom - UNII:VSW71SS07I)	Lachesis Muta Venom	20 [hp_X] in 1 g
Strychnos Nux-vomica Seed (UNII: 269XH13919) (Strychnos Nux-vomica Seed - UNII:269XH13919)	Strychnos Nux-vomica Seed	20 [hp_X] in 1 g
Phosphorus (UNII: 27YLU75U4W) (Phosphorus - UNII:27YLU75U4W)	Phosphorus	20 [hp_X] in 1 g
Pulsatilla Vulgaris (UNII: I76KB35JEV) (Pulsatilla Vulgaris - UNII:I76KB35JEV)	Pulsatilla Vulgaris	20 [hp_X] in 1 g

Toxicodendron Pubescens Leaf (UNII: 6IO182RP7A) (Toxicodendron Pubescens Leaf - UNII:6IO182RP7A)	Toxicodendron Pubescens Leaf	20 [hp_X] in 1 g
Veratrum Viride Root (UNII: 197B3Q7T5Q) (Veratrum Viride Root - UNII:197B3Q7T5Q)	Veratrum Viride Root	20 [hp_X] in 1 g
Verbascum Thapsus (UNII: C9TD27U172) (Verbascum Thapsus - UNII:C9TD27U172)	Verbascum Thapsus	20 [hp_X] in 1 g
Echinacea, Unspecified (UNII: 4N9P6CC1DX) (Echinacea, Unspecified - UNII:4N9P6CC1DX)	Echinacea, Unspecified	8 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
Sucrose (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-4503-1	28.35 g in 1 BOTTLE, GLASS		
2	NDC:55714-4503-2	56.7 g in 1 BOTTLE, GLASS		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/01/2011	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	MANUFACTURE(55714-4503)