

VIRBANTEL- pyrantel pamoate/praziquantel tablet, chewable
Virbac AH, Inc

Virbantel® Flavored Chewables

Package contents:

Bottle of 50 flavored chewables

Drug Facts

Active Ingredients (in each chewable): pyrantel pamoate (114 mg) and praziquantel (114 mg)

Purpose: De-wormer for Medium and Large Dogs Only (Greater than 25 pounds)

Uses: For the treatment and control of:

- Roundworms (*Toxocara canis*, *Toxascaris leonina*)
- Hookworms (*Ancylostoma caninum*, *Ancylostoma braziliense*, and *Uncinaria stenocephala*)
- Tapeworms (*Dipylidium caninum*, *Taenia pisiformis*)

When Using This Product:

- Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism.
- Do not de-worm a dog or puppy that is sick. Consult a veterinarian for diagnosis of the illness.
- **Virbantel** Flavored Chewables are safe for use in puppies 12 weeks or older and adult dogs. Safety in breeding dogs and pregnant bitches has not been tested.

You May Notice:

Vomiting, loose stools (with or without blood) and decreased activity following treatment. If you notice these signs, contact a veterinarian.

Human Warning:

Keep this and all medication out of the reach of children. To obtain product information, including a Safety Data Sheet (SDS), call 1-800-338-3659.

Directions:

Each flavored chewable contains 114 mg of pyrantel pamoate and 114 mg of praziquantel. The dose for each drug is 2.27 mg per pound of body weight (5 mg/kg).

Please refer to the following dosing table for help finding the right dose for your dog.

VIRBANTEL Flavored Chewables Dosing Table

Dog Weight	Number of Chewables
6.0 to 25 pounds	Use the 30 mg size.
25.1 to 50 pounds	1
50.1 to 100 pounds	2
100.1 to 150 pounds	3
150.1 to 200 pounds	4

You should weigh your dog to make sure you are giving the right dose.

- Virbanel Flavored Chewables are palatable if offered by hand. If your dog does not voluntarily eat the chewable, you can hide the chewable in a small amount of food or place it in the back of the dog's mouth for forced swallowing.
- Make sure that the dog eats the complete dose.
- Watch your dog for a few minutes after dosing to make sure the chewable is not rejected.

Other Information:

Recommended De-Worming Schedule: Consult your veterinarian for assistance in the diagnosis, treatment, and control of parasitism. De-worming schedules may vary depending on the climate where you live and the activity of your dog.

Re-treatment: Re-treatment of your dog may be necessary as determined by laboratory fecal examination and/or if your dog is living where re-infections are likely to occur. Consult your veterinarian for assistance in the diagnosis and prevention of re-infection. In case of re-infection with tapeworms (*Dipylidium caninum*), consult your veterinarian for advice on how to remove fleas from the dog and the environment.

Manufactured by:

Virbac AH, Inc.
Fort Worth, TX 76137

Storage:

Store at controlled room temperature of 59-86°F (15-30°C).

Questions? Comments?

To report a suspected adverse reaction, call
1-800-338-3659.

2/2019 301799-03

Approved by FDA under NADA # 141-261

© 2019 Virbac Corporation. All Rights Reserved.
 VIRBANTEL is a registered trademark of Virbac S.A.



VIRBANTEL

pyrantel pamoate/praziquantel tablet, chewable

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:51311-741
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	114 mg
PRAZIQUANTEL (UNII: 6490C9U457) (PRAZIQUANTEL - UNII:6490C9U457)	PRAZIQUANTEL	114 mg

Product Characteristics

Color	brown	Score	2 pieces
Shape	ROUND	Size	14mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51311-741-10	1 in 1 BOX		
1		50 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141261	09/03/2007	

