

WELMATE ANTI DIARRHEAL LOPERAMIDE HCL SOFTGELS- loperamide hydrochloride capsule
YYBA CORP

WELMATE Anti-Diarrheal (Loperamide HCl) Softgels

Drug Facts

Active ingredient (in each softgel)

Loperamide HCl 2 mg

Purpose

Anti-diarrheal

Use

Controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings

Allergy alert: Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl.

Heart alert: Taking more than directed can cause serious heart problems or death.

Do not use:

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have:

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm
- **Ask a doctor before use if you are** taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product

tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts more than 2 days

- you get abdominal swelling or bulging. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- **adults and children 12 years and over:** 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

Other information

- do not use if blister unit is torn or open
- store at 20° - 25°C (68° - 77°F)

Inactive ingredients

butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water.

Questions?

call toll-free 1-800-935-6737

Package Labeling:



THIS PRODUCT IS PACKAGED IN A CHILD-RESISTANT AND TAMPER EVIDENT PACKAGE. USE ONLY IF BLISTERS ARE INTACT.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: **Wellspring**
Airmont, NY 10952
USA

24 softgels*



- controls symptoms of diarrhea
- easy to swallow
- suitable for adults and children 12 years and over

Anti-Diarrheal Softgels

Compare to the active ingredient in **Imodium® A-D†**

NDC 73581-102-24

*Each liquid-filled capsule contains 2 mg loperamide HCl
07911-024-103-0

†This product is not manufactured or distributed by the owner of the registered trademark Imodium® A-D

Anti-Diarrheal Softgels | 24 softgels | Loperamide HCl, 2 mg |



Why pay more?
wellspringmeds.com

Drug Facts

Active ingredient (in each softgel)	Purpose
Loperamide HCl 2 mg.....	Anti-diarrheal

Use
Controls symptoms of diarrhea, including Travelers' Diarrhea

Warnings
Allergy alert: Do not use if you have ever had a rash or other allergic reaction to Loperamide HCl.

Heart alert: Taking more than directed can cause serious heart problems or death.

Do not use:

- if you have bloody or black stool
- in children under 12 years of age

Ask a doctor before use if you have:

- fever
- mucus in the stool
- a history of liver disease
- a history of abnormal heart rhythm

Ask a doctor before use if you are taking a prescription drug. Loperamide may interact with certain prescription drugs.

When using this product tiredness, drowsiness or dizziness may occur. Be careful when driving or operating machinery.

Stop use and ask a doctor if

- symptoms get worse
- diarrhea lasts more than 2 days
- you get abdominal swelling or bulging. These may be signs ▶

Drug Facts (continued)

of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- **drink plenty of clear fluids to help prevent dehydration caused by diarrhea**
- **not for use in children under 12 years of age**
- **adults and children 12 years and over:** 2 softgels after the first loose stool; 1 softgel after each subsequent loose stool; but no more than 4 softgels in 24 hours

Other information

- do not use if blister unit is torn or open
- store at 20° - 25°C (68° - 77°F)

Inactive ingredients
butylated hydroxyanisole, edible ink, FD&C Blue #1, gelatin, glycerin, glyceryl caprylate, polyoxyl 40 hydrogenated castor oil, purified water.

Questions? call toll-free 1-800-935-6737

WELMATE ANTI DIARRHEAL LOPERAMIDE HCL SOFTGELS

loperamide hydrochloride capsule

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73581-102
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LOPERAMIDE HYDROCHLORIDE (UNII: 77TI35393C) (LOPERAMIDE - UNII:6X9OC3H4II)	LOPERAMIDE HYDROCHLORIDE	2 mg

Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL CAPRYLATE (UNII: TM2TZD4G4A)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	9mm
Flavor		Imprint Code	LP2
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-102-24	2 in 1 CARTON	08/22/2020	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA021855	08/22/2020	

Labeler - YYBA CORP (006339772)