# RHEUMATISM- radium bromide pellet Natural Health Supply

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

-----

### **Indications**

**Indications:** To be used for acute self-limiting conditions according to standard homeopathic indications

### **Active Ingredient**

**RADIUM BROMATUM** 

### **Directions**

Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner.

Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth. Children and infants: 1-5 pellets.

### **Keep Out of Reach of Children**

Keep these and all medications out of the reach of children.

### Warning

If pregnant or nursing, consult a practitioner before using.

### **Inactive Ingredients**

Inactive Ingredients - Lactose, Sucrose

### **Purpose**

Purpose: Rheumatism

### **Package Label**

Est. No. 1724217

Natural Health Supply

505-474-9175

Homeopathic Medicated Pellets

Do not use if clear bottle seal is broken

**RADIUM BROMATUM 30C** 

Rheumatism

Lot#

# Natural Health Supply 505-474-9175

### Homeopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications.

Directions: Take at onset of symptoms. Repeat every 2 hours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets.

Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

7.5ML(1/40Z)LOT #

Rheumatism

Est. No. 1724217
Natural Health Supply
505-474-9175
Homoopathic Medicated Pellets

Indications: to be used for acute, self-limiting conditions according to standard homeopathic indications. Directions: Take at onset of

briections: Take at onset of symptoms. Repeat every 2 bours or as needed until relieved. If condition persists or worsens discontinue use and consult a practitioner. Adults: dissolve 5-10 pellets in 1 oz. of filtered water or take dry by mouth; Children and Infants: 1-5 pellets. Warning: Keep these and all medicines out of the reach of children; if pregnant or nursing, consult a practitioner before using.

1.875 ml (1/16 oz.)

LOT #

RADIUM BROMATUM
30C
Rheumatism

res

### RHEUMATISM

radium bromide pellet

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:64117-173

Route of Administration ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name

Basis of Strength

RADIUM BROMIDE (UNII: R7407T8569) (RADIUM CATION - UNII:05456MVL7T)

RADIUM BROMIDE

30 [hp\_C] in 1 mL

### **Inactive Ingredients**

Ingredient Name

LACTOSE (UNII: J2B2A4N98G)

SUCROSE (UNII: C151H8 M554)

### **Packaging**

-1	I	denaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1	NDC:64117-173- 01	1.875 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/04/1998			

2 NDC:64117-173- 02	7.5 mL in 1 BOTTLE, GLASS; Type 0: Not a Combina Product	tion 06/04/1998						
Marketing Information								
Marketing Cate	gory Application Number or Monograph Cit	ation Marketing Start Date	Marketing End Date					
unapproved homeop	athic	06/04/1998						

# Labeler - Natural Health Supply (018504618)

# Registrant - Natural Health Supply (018504618)

Establishment									
Name	Address	ID/FEI	Business Operations						
Natural Health Supply		0 18 50 46 18	manufacture(64117-173)						

Revised: 1/2021 Natural Health Supply