

ITCH RELIEF- hydrocortisone cream
STRATEGIC SOURCING SERVICES LLC

Itch Relief Cream

Drug Facts

Active ingredient

Hydrocortisone 1%

Purpose

Anti-itch

Uses

- temporarily relieves itching associated with minor skin irritations, inflammation, and rashes due to:
 - eczema
 - psoriasis
 - poison ivy, oak, sumac
 - insect bites
 - detergents
 - jewelry
 - cosmetics
 - soaps
 - seborrheic dermatitis
- temporarily relieves external anal and genital itching
- other uses of this product should only be under the advice and supervision of a doctor

Warnings

For external use only

Do not use

- in the genital area if you have a vaginal discharge. Consult a doctor.
- for the treatment of diaper rash. Consult a doctor.

When using this product

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor
- do not put directly into the rectum by using fingers or any mechanical device or applicator

Stop use and ask a doctor if

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor
- rectal bleeding occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- **for itching of skin irritation, inflammation, and rashes:**
 - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
 - children under 2 years of age: ask a doctor
- **for external anal and genital itching, adults:**
 - when practical, clean the affected area with mild soap and warm water and rinse thoroughly
 - gently dry by patting or blotting with toilet tissue or a soft cloth before applying
 - apply to affected area not more than 3 to 4 times daily
 - children under 12 years of age: ask a doctor

Other information

- to open: unscrew cap, pull tab to remove foil seal, and screw cap back onto tube
- store at 20° to 25° C (68° to 77° F)
- see carton or tube crimp for lot number and expiration date

Inactive ingredients

aloe powder, cetearyl alcohol/sodium lauryl sulfate/sodium cetearyl sulfate, chamomile oil, citric acid, corn oil, glycerin, glyceryl monostearate, isopropyl palmitate, maltodextrin, methylparaben, mineral oil, paraffin wax, propylene glycol, propylparaben, purified water, stearyl alcohol, vitamin A & vitamin D3 liquid, vitamin E, white petrolatum.

Questions?

call **833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141

PRINCIPAL DISPLAY PANEL - 28.4 g Tube Carton

Foster & Thrive™

MAXIMUM STRENGTH + 12 MOISTURIZERS
Itch Relief Cream

Hydrocortisone Cream 1%

ANTI-ITCH

NET WT 1 OZ (28.4 g)

NDC 70677-1215-1

COMPARE TO THE ACTIVE INGREDIENT IN CORTIZONE-10® PLUS*

Foster & Thrive™

MAXIMUM STRENGTH + 12 MOISTURIZERS

Itch Relief Cream

Hydrocortisone Cream 1%
ANTI-ITCH

Enriched with Vitamins A, D & E

Fast Itch Relief due to: Dry & Itchy Skin • Skin Irritation & Rashes • Eczema & Psoriasis

5242696
1023
28

Foster & Thrive™

MAXIMUM STRENGTH + 12 MOISTURIZERS

Itch Relief Cream

Hydrocortisone Cream 1%
ANTI-ITCH

NET WT 1 OZ (28.4 g)

728
B523
ENG19J07

© 2023 McKesson Corporation
Distributed by: McKesson Corp.,
via Strategic Sourcing Services LLC.
Memphis, TN 38141
Money Back Guarantee
www.fosterandthrive.com
Product of Canada

*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Cortizone-10® Plus.

AND EX DATE PRINT
LOT FOR FLAP SHL
NO COPY ON / SHIN
ON / SHIN VARIATION

Drug Facts (continued) Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.	Drug Facts Active ingredient Hydrocortisone 1% Anti-itch
Directions For itching of skin irritation, inflammation, and rashes: • Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily. • Children under 2 years of age: ask a doctor. • For external anal and genital itching, adult: • When practical, clean the affected area with mild soap and warm water and rinse thoroughly. • Gently dry, patting or blotting with tissue or a soft cloth before applying. • Apply to affected area not more than 3 to 4 times daily. • Children under 12 years of age: ask a doctor.	Uses Temporarily relieves itching associated with minor skin irritation, inflammation, and rashes due to: • eczema • psoriasis • contact dermatitis • allergic reactions • insect bites • hemorrhoids • itching of the scalp and genital area • other uses of this product should only be under the advice and supervision of a doctor. Warnings For external use only. Do not use • In the genital area if you have a vaginal discharge. Consult a doctor. • For the treatment of diaper rash. Consult a doctor. When using this product • Avoid contact with eyes. • Do not use more than directed unless told to do so by a doctor. • Do not puncture the red unit by using finger or any mechanical device or applicator. Stop use and ask a doctor if • Condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days and do not begin use of any other hydrocortisone product unless you have asked a doctor. • Reddening, swelling, or itching occurs. • Rash spreads or becomes more severe. • Rash is accompanied by oozing, crusting, or bleeding. • Rash is accompanied by fever, chills, or other symptoms. Questions? Call 1-833-568-6831 Monday to Friday 9:00am to 7:00pm CST.

ITCH RELIEF

hydrocortisone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1215
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Hydrocortisone (UNII: W4X0X7BPJ) (Hydrocortisone - UNII:W4X0X7BPJ)	Hydrocortisone	1 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
cetostearyl alcohol (UNII: 2DMT128M1S)	
sodium lauryl sulfate (UNII: 368GB5141J)	
sodium cetostearyl sulfate (UNII: 7ZBS06BH4B)	
chamomile flower oil (UNII: 60F80Z61A9)	
citric acid monohydrate (UNII: 2968PHW8QP)	
corn oil (UNII: 8470G57WFM)	
glycerin (UNII: PDC6A3C0OX)	
glyceryl monostearate (UNII: 230OU9XXE4)	
isopropyl palmitate (UNII: 8CRQ2TH63M)	
maltodextrin (UNII: 7CVR7L4A2D)	
methylparaben (UNII: A2I8C7HI9T)	
mineral oil (UNII: T5L8T28FGP)	
paraffin (UNII: I9O0E3H2ZE)	
petrolatum (UNII: 4T6H12BN9U)	
propylene glycol (UNII: 6DC9Q167V3)	
propylparaben (UNII: Z8IX2SC1OH)	
water (UNII: 059QF0KO0R)	
stearyl alcohol (UNII: 2KR89I4H1Y)	
Vitamin A (UNII: 81G40H8B0T)	
.ALPHA.-TOCOPHEROL (UNII: H4N855PNZ1)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1215-1	1 in 1 CARTON	01/10/2024	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/10/2024	

Labeler - STRATEGIC SOURCING SERVICES LLC (116956644)

Revised: 1/2024

STRATEGIC SOURCING SERVICES LLC