

**TOLNAFTATE- antifungal liquid spray aerosol, spray**  
**Rite Aid Corporation**

-----  
**Rite Aid Antifungal Tolnaftate Liquid Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis)
- prevents the recurrence of most athlete's foot with daily use
- for effective relief of itching, cracking and burning

***Warnings***

**For external use only.**

**Flammable:**

Contents under pressure. Avoid spraying in eyes. Do not use or store near heat or flame. Do not puncture or incinerate container. Do not store at temperature above 120°F. Keep out of the reach of children. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth
- use only as directed

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot and ringworm

**Do not use**

on children under 2 years of age unless directed by a doctor.

**Keep out of the reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks
- if condition persists, consult a doctor
- to prevent athlete's foot: wash the feet and dry thoroughly; spray a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

### ***Other information***

store between 20° and 30°C (68° and 86°F)

### ***Inactive ingredients***

BHT, isobutane, PPG-12-buteth-16, SD alcohol 40-B

### ***Questions?***

**Call 1-866-964-0939**

### **Principal Display Panel**

#### **Antifungal**

#### **Liquid Spray**

tolnaftate 1%

Cures most athlete's foot & prevents recurrences

Relieves itching, cracking & burning

NET WT 5.3 OZ (150g)

Compare to the active ingredient in Tinactin®  
Athlete's Foot Liquid Spray\*

**ANTIFUNGAL LIQUID SPRAY**

**tolnaftate 1%**

Cures most athlete's foot & prevents recurrences

Relieves itching, cracking & burning



NET WT  
5.3 OZ (150 g)

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Tinactin®.

**Drug Facts**

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses** ■ proven clinically effective in the treatment of athlete's foot (tinea pedis) and ringworm (tinea corporis) ■ prevents the recurrence of athlete's foot with daily use ■ for effective relief of itching, cracking and burning

**Warnings**  
For external use only.

**Flammable:** Contents under pressure. Avoid spraying in eyes. Do not use or store near heat or open flame. Do not puncture or incinerate container. Do not store at temperature above 120°F. Keep out of reach of children. Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

**When using this product** ■ avoid contact with the eyes or mouth ■ use only as directed

**Stop use and ask a doctor if** ■ irritation occurs ■ no improvement within 4 weeks for athlete's foot and ringworm

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer of the product over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily
- for athlete's foot and ringworm, use daily for 4 weeks
- if condition persists, consult a doctor
- to prevent athlete's foot: wash the feet and dry thoroughly; spray a thin layer of the product to the feet once or twice daily (morning and/or night)
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

**Other information** store between 20° and 30°C (68° and 86°F)

**Inactive ingredients**  
BHT, Isobutane, PPG-12-buteth-16, SD alcohol 40-B

**Questions? Call 1-866-964-0939**

DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011  
www.riteaid.com  
MADE IN USA WITH U.S. AND IMPORTED PARTS

**SATISFACTION GUARANTEE:**  
If you're not satisfied, we'll happily refund your money.




0 1822 30240 1

50-021RA

<b>TOLNAFTATE</b>			
antifungal liquid spray aerosol, spray			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-0780
<b>Route of Administration</b>	TOPICAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name		Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)		TOLNAFTATE	1.5 g in 150 g
<b>Inactive Ingredients</b>			
Ingredient Name			Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)			
ISOBUTANE (UNII: BXR49TP611)			
PPG-12-BUTETH-16 (UNII: 58CG7042J1)			
ALCOHOL (UNII: 3K9958V90M)			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0780-5	150 g in 1 CANISTER; Type 0: Not a Combination Product	02/01/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	02/01/2021	

**Labeler** - Rite Aid Corporation (014578892)

Revised: 2/2024

Rite Aid Corporation