# AQUNOVA. WATER INNOVATION- hypochlorous acid liquid Agricultural Company Corporation, Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

80542-201

## **ACTIVE INGREDIENTS**

Hypochlorous Acid 0.1%

## **PURPOSE**

Antiseptic

## **USES**

Multi purpose sterilization, disinfection

## **WARNINGS**

For external use only

When using this product

- Keep out of eyes. In case of contact with eyes, flush thoroughly with water.
- Avoid contact with broken skin.
- Do not inhale or ingest.

## WARNINGS

- Stop immediately and consult a doctor it you experience skin imitation or rash develops.

## **WARNINGS**

- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

## **DIRECTIONS**

- Spray the sterilizing object in a wide range
- Please supervise when using the product by children, the elderly, the disabled, etc.


## OTHER INFORMATION

- Read the directions and warmings before use
- If exposed to the air, sterilization may be reduced due to water-soluble, so keep the container sealed.
- Avoid freezing and excessive heat above 40 degreee C (104 degree F) 40C(104F)

## **INACTIVE INGREDIENTS**

Water

## **PACKAGE LABEL**





Liquid(Spary)

**MULTI PURPOSE SANITIZER** 



60ml

## **Drug Facts**

Active ingredients
Hypochlorous acid 0.1%

Purpose Antiseptic

Uses
- Multi purpose sterilization, disinfection

- Warning
  For external use only
  When using this product
  Ksep out of eyes, in case of contact with eyes, flit
  thoroughly with water
   Avoid contact with broken skin
   Oo not inhale or ingest
   Stop immediately and consult a doctor it you
  experience skin imitatiou or rash develops
   Ksep out of reach of children, if swallowed, get
  medical help or contact a poison control center
  right away

### Directions

Directions

- Spray the sterilizing object in a wide rangr
- Please supervise when using the product by children, the elderly, the disabled, etc.

- Other information

   Read the directions and warnings before use
   If exposed to the air, sterilization may be reduced due
  to water-soluble, so keep the container sealed.
   Avoid freezing and excessive heat about 40 degree C
  (104 degree F) 40 °C (104 °F)

Inactive ingredient Water



MADE IN KOREA



## MULTI PURPOSE SANITIZER

SAFE HYGIENE CONTROL ANTIVIRUS & BACTERIAL STERILIZATION EFFECT





## **Drug Facts**

Active ingredients Hypochlorous acid 0.1%

Purpose Antiseptic

Uses - Multi purpose sterilization, disinfection

- awous contact with broken skin
  Do nat inhale or inges
  Stop immediately and consult a doctor it you
  experience skin mittatior or rash develops
  Keep out of reach of children, if swallowed, get
  medical help or contact a poison control center
  right away

Directions
- Spray the sterilizing object in a wide rangr
- Please supervise when using the product by children, the elderly, the disabled, etc.

Other information

- Read the directions and warnings before use

- Read the directions and warnings before use

- fl exposed to the air, sterilization may be reduced due
to water-soluble, so keep the container sealed.

- Avoid freezing and excessive heat about 40 degree C
(104 degree F) 40°C(104°F)

Inactive ingredient Water



MADE IN KOREA



Liquid(Spary)

## MULTI PURPOSE SANITIZER

SAFE HYGIENE CONTROL **ANTIVIRUS & BACTERIAL** STERILIZATION EFFECT



300ml

## **Drug Facts**

Active ingredients

**Purpose** 

Hypochlorous acid 0.1%

Antiseptic

- Multi purpose sterilization, disinfection

Warning For external use only

- When using this product

- When using this product

   Keep out of eyes, in case of contact with eyes, flush
  thoroughly with water

   Avoid contact with broken skin

   Do not inhale or ingest

   Stop immediately and consult a doctor it you
  experience skin imitatiov or rash develops

   Keep out of reach of children, if swallowed, get
  medical help or contact a poison control center
  right away

### **Directions**

- Spray the sterilizing object in a wide rangr Please supervise when using the product by children, the elderly, the disabled, etc.

- Other information

  Read the directions and warnings before use

  If exposed to the air, sterilization may be reduced due to water-soluble, so keep the container sealed.

  Avoid freezing and excessive heat about 40 degree C (104 degree F) 40°C(104°F)







Daeyul System, an agricultural corporation Na-dong, 289, Danam-ro, Eomo-myeon, Gimcheon-si, Gyeongsangbuk-do, S. Korea



Liquid(Spary)

## MULTI PURPOSE SANITIZER

SAFE HYGIENE CONTROL ANTIVIRUS & BACTERIAL STERILIZATION EFFECT



500ml

## **Drug Facts**

### Active ingredients

**Purpose** 

## Hypochlorous acid 0.1%

Antiseptic

- Multi purpose sterilization, disinfection

For external use only

- When using this product

   Keep out of eyes, in case of contact with eyes, flush thoroughly with water

   Avoid contact with broken skin

- AVoid contact with broken skin
   Do not inhale or ingest
   Stop immediately and consult a doctor it you experience skin imitation or rash develops
   Keep out of reach of children, if swallowed, get medical help or contact a poison control center sight source. right away

- Spray the sterilizing object in a wide rangr Please supervise when using the product by children, the elderly, the disabled, etc.

- Other information

   Read the directions and warnings before use
   If exposed to the air, sterilization may be reduced due
  to water-soluble, so keep the container sealed.
   Avoid freezing and excessive heat about 40 degree C
  (104 degree F) 40°C(104°F)









Liquid(Spary)

## MULTI PURPOSE SANITIZER

SAFE HYGIENE CONTROL ANTIVIRUS & BACTERIAL STERILIZATION EFFECT



1,000ml

## **Drug Facts**

Active ingredients
Hypochlorous acid 0.1%

*Purpose* Antiseptic

- Multi purpose sterilization, disinfection

- Warning
  For external use only
  When using this product
   Keep out of eyes, in case of contact with eyes, flush thoroughly with water
   Avoid contact with broken skin
   Do not inhale or ingest
   Stop immediately and consult a doctor it you experience skin imitatiov or rash develops
   Keep out of reach of children, if swallowed, get medical help or contact a poison control center right away

- Spray the sterilizing object in a wide rangr - Please supervise when using the product by children, the elderly, the disabled, etc.

- Other information

   Read the directions and warnings before use
   If exposed to the air, sterilization may be reduced due
  to water-soluble, so keep the container sealed.
   Avoid freezing and excessive heat about 40 degree C
  (104 degree F) 40 °C (104 °F)

Inactive ingredient Water



MADE IN KOREA mobile : m. dysystem.net





**MADE IN KOREA** 



Liquid(Spary)

## MULTI PURPOSE SANITIZER

SAFE HYGIENE CONTROL ANTIVIRUS & BACTERIAL STERILIZATION EFFECT





3L



## **Drug Facts**

## Active ingredients

**Purpose** 

Hypochlorous acid 0.1%

Antiseptic

- Multi purpose sterilization, disinfection

### Warning

For external use only

When using this product

- Keep out of eyes, in case of contact with eyes, flush thoroughly with water
   Avoid contact with broken skin
- No not inhale or ingest
   Stop immediately and consult a doctor it you experience skin imitatiov or rash develops
   Keep out of reach of children, if swallowed, get
- medical help or contact a poison control center right away

### **Directions**

- Spray the sterilizing object in a wide rangr
   Please supervise when using the product by children, the elderly, the disabled, etc.

### Other information

- Read the directions and warnings before use
   If exposed to the air, sterilization may be reduced due to water-soluble, so keep the container sealed.
   Avoid freezing and excessive heat about 40 degree C (104 degree F) 40 ℃ (104°F)

**MADE IN KOREA** 



Liquid(Spary)

## MULTI PURPOSE SANITIZER

SAFE HYGIENE CONTROL ANTIVIRUS & BACTERIAL STERILIZATION EFFECT







## **Drug Facts**

## Active ingredients

Hypochlorous acid 0.1%

**Purpose** Antiseptic

- Multi purpose sterilization, disinfection

### Warning

For external use only

When using this product

- Keep out of eyes, in case of contact with eyes, flush thoroughly with water
   Avoid contact with broken skin
- Do not inhale or ingest
- Stop immediately and consult a doctor it you
- experience skin imitatiov or rash develops
  Keep out of reach of children, if swallowed, get
  medical help or contact a poison control center right away

### **Directions**

- Spray the sterilizing object in a wide rangr Please supervise when using the product by children, the elderly, the disabled, etc.

### Other information

- Read the directions and warnings before use
- If exposed to the air, sterilization may be reduced due to water-soluble, so keep the container sealed.
- Avoid freezing and excessive heat about 40 degree C (104 degree F) 40 °C (104° F)

### **MADE IN KOREA**

## Active ingredients

Hypochlorous acid 0.1%

## **Purpose**

Antiseptic

- Multi purpose sterilization, disinfection

## Warning

For external use only

When using this product

- Keep out of eyes, in case of contact with eyes, flush thoroughly with water

**Drug Facts** 

- Avoid contact with broken skin
- Do not inhale or ingest
- Stop immediately and consult a doctor it you
- experience skin imitatiov or rash develops
   Keep out of reach of children, if swallowed, get medical help or contact a poison control center right away

### **Directions**

- Spray the sterilizing object in a wide rangr Please supervise when using the product by children, the elderly, the disabled, etc.

### Other information

- Read the directions and warnings before use
   If exposed to the air, sterilization may be reduced due to water-soluble, so keep the container sealed.
- Avoid freezing and excessive heat about 40 degree C (104 degree F) 40  $^{\circ}$  (104  $^{\circ}$  F)

Inactive ingredient Water



Liquid(Spary)

## MULTI PURPOSE SANITIZER


SAFE HYGIENE CONTROL ANTIVIRUS & BACTERIAL STERILIZATION EFFECT





10L





## **Drug Facts**

## Active ingredients

**Purpose** 

Hypochlorous acid 0.1%

Antiseptic

### Uses

- Multi purpose sterilization, disinfection

## Warning

For external use only

When using this product

- Keep out of eyes, in case of contact with eyes, flush thoroughly with water
- Avoid contact with broken skin
- Do not inhale or ingest
- Stop immediately and consult a doctor it you experience skin imitation or rash develops
- Keep out of reach of children, if swallowed, get medical help or contact a poison control center right away

### **Directions**

- Spray the sterilizing object in a wide rangr
- Please supervise when using the product by children, the elderly, the disabled, etc.

### Other information

- Read the directions and warnings before use
- If exposed to the air, sterilization may be reduced due to water-soluble, so keep the container sealed.
- Avoid freezing and excessive heat about 40 degree C (104 degree F) 40  $^{\circ}$  C (104  $^{\circ}$  F)

Inactive ingredient Water

## **AQUNOVA. WATER INNOVATION**

hypochlorous acid liquid

## **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:80542-201

Route of Administration TOPICAL

## Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

HYPOCHLOROUS ACID (UNII: 712K4CDC10) (HYPOCHLOROUS ACID UNII:712K4CDC10)

HYPOCHLOROUS
ACID

0.1 g in 100 mL

## **Inactive Ingredients**

Ingredient Name Strength

WATER (UNII: 059QF0KO0R)

-		-			•	
v	3	$\boldsymbol{c}$	ka	a	III	a
	а		NO	2	ш	2

Itam Code Package Description Marketing Start Marketing End

#	Item Code	rackage Description	Date	Date
1	NDC:80542-201- 01	40 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/12/2020	
2	NDC:80542-201- 02	60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/12/2020	
3	NDC:80542-201- 03	160 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	09/12/2020	
4	NDC:80542-201- 04	300 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	
5	NDC:80542-201- 05	500 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	
6	NDC:80542-201- 06	1000 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	
7	NDC:80542-201- 07	3000 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	
8	NDC:80542-201- 08	5000 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	
9	NDC:80542-201- 09	10000 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	
10	NDC:80542-201- 10	20000 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/12/2020	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		09/12/2020		

# Labeler - Agricultural Company Corporation, Inc (695005948)

# $\pmb{Registrant -} \ \, \textbf{Agricultural Company Corporation, Inc (695005948)}$

Establishment						
Name	Address	ID/FEI	Business Operations			
Agricultural Company Corporation, Inc		695005948	manufacture (80542-201)			

Revised: 9/2020 Agricultural Company Corporation, Inc