

**PETER THOMAS ROTH CC LIGHT TO MEDIUM- titanium dioxide and zinc oxide lotion**  
**June Jacobs Laboratories LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Peter Thomas Roth CC Cream - Light/Medium**

Drug Facts

<b>Active Ingredients</b>	<b>Purpose</b>
Titanium Dioxide 10.26%	Sunscreen
Zinc Oxide 5.76%	Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if involved in swimming or intense physical activities where sweating will occur
- reapply at least every 2 hours
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

**Inactive Ingredients**

Alcohol, Aluminum Hydroxide, Arbutin, Butylene Glycol, Butylene Glycol Dicaprylate/Dicaprate, Calcium Stearate, Caprylyl Glycol, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipropylene Glycol, Disodium EDTA, Disteardimonium Hectorite, Ethylhexylglycerin, Glycerin, 1,2-Hexanediol, Hexyl Laurate, Hydrolyzed Collagen, Iron Oxides (CI 77491, CI 77492, CI 77499), Magnesium Sulfate, Mica, Myrciaria Dubia Fruit Extract, PEG-10 Dimethicone, Phenoxyethanol, Phenyl Trimethicone, Polysorbate 80, Propylene Carbonate, Stearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Water.

## **Other Information**

- protect this product from excessive heat and direct sun

## **Questions or comments?**

Call toll free 1-800-PTR-SKIN (787-7546)

Dist. by: ©PETERTHOMASROTH® Labs LLC

New York New York 10022

## **PRINCIPAL DISPLAY PANEL - 50 mL Bottle Label**

**PETERTHOMASROTH**

**CLINICAL**

**SKIN**

**CARE**

**30 × VITAMIN  
OF AN ORANGE C**

**CC**

**CREAM**

**broad spectrum**

**SPF 30**

**COMPLEXION**

**CORRECTOR**

anti-aging

sunscreen

complexion

corrector &

tint in one

help

protect

brighten &

moisturize

camu camu &

arbutin

help

improve

the appearance of

uneven skin tone

imperfections

fine lines & wrinkles

50 ML / 1.7 FL OZ



LIGHT TO MEDIUM


CLINICAL SKIN CARE

**PETER THOMAS ROTH**

**PETER THOMAS ROTH**  
CLINICAL SKIN CARE  
**30x VITAMIN C**  
**OF AN ORANGE**  
**CC CREAM**  
broad spectrum SPF 30  
COMPLEXION CORRECTOR  
CORRECTEUR DE COMPLEXION  
anti-aging sunscreen complexion corrector & tint in one help protect brighten & moisturize camu camu & arbutin help improve the appearance of uneven skin tone imperfections fine lines & wrinkles

50 ML / 1.7 FL OZ

The Amazonian Camu Camu berry has 30 times the vitamin C of an orange



Anti-aging treatment, sunscreen, complexion corrector, moisturizer and tint in one. With Arbutin and **Camu Camu**, an Amazonian superfruit that has 30 times the vitamin C of an average orange. Vitamin C helps improve collagen creating the appearance of firmer, brighter, younger-looking skin over time. Vitamin C and Arbutin also help even out the appearance of skin tone. Tinted complexion corrector instantly minimizes the look of imperfections. Broad spectrum SPF 30 protects skin from the sun's harmful rays. Anti-oxidant vitamins C and E help fight free radical attack and keep skin healthy looking.

← PRODUCT ACTUAL SIZE

# SPOT G ON LAYER TO SEE



## CORRECTEUR DE COMPLEXION

La double action de l'écran solaire anti-âge & du correcteur de teint aide à protéger, à éclaircir et à hydrater la peau. Le camu camu et l'arbutine contribuent à unifier visiblement le teint et à atténuer l'apparence des imperfections, rides et ridules.

**Avvertissements :** Pour usage externe seulement. Garder hors de la portée des enfants.

**Mode d'emploi :** Appliquer généreusement sur le visage et le cou 15 minutes avant l'exposition au soleil. Appliquer de nouveau au moins toutes les deux heures.

## CORRECTOR DE COMPLEXIÓN

Protector solar antienvjecimiento, corrector de complexión y tinte en uno ayuda a proteger, iluminar y humectar. El camu camu y la arbutina ayudan a mejorar la apariencia del tono irregular de la piel, las imperfecciones, las líneas finas y las arrugas.

**Advertencias:** Solo para uso externo. Manténgase fuera del alcance de los niños.

**Instrucciones:** Aplique generosamente en la cara y cuello 15 minutos antes de la exposición al sol. Vuelva a aplicar cada dos horas.

## CORRETTORE DI CARNAGIONE

Protezione solare antietà, correttore di carnagione e contemporaneamente tinta aiuta a proteggere, illuminare e idratare. Il camu camu e l'arbutina aiutano a migliorare l'aspetto irregolare, le imperfezioni e le rughe profonde e leggere della pelle.

**Precauzioni:** Solo per uso esterno. Tenere fuori dalla portata dei bambini.

**Istruzioni:** Applicare generosamente sul viso e sul collo 15 minuti prima di esporsi al sole. Ripetere l'applicazione almeno ogni due ore.

## TEINT-AUFHELLER

Anti-aging Sonnencreme, Teint-Aufheller und Tönung in einem, schützend, aufhellend und feuchtigkeitsspendend. Camu Camu & Arbutin unterstützen den Ausgleich eines unregelmäßigen Hauttons und die Reduzierung feiner Linien & Fältchen.

**Warnhinweise:** Nur zur äußeren Anwendung. Für Kinder unzulänglich aufbewahren.

**Anwendung:** Auf Gesicht und Hals

### Drug Facts

Active Ingredients	Purpose
Titanium Dioxide [0.26%	Sunscreen
Zinc Oxide 5.76%	Sunscreen

### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

### Warnings

#### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.


### Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if involved in swimming or intense physical activities where sweating will occur
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats, and sunglasses
  - children under 6 months: Ask a doctor

### Inactive Ingredients

Alcohol, Aluminum Hydroxide, Arbutin, Butylene Glycol, Butylene Glycol Dicaprylate/Dicaprate, Calcium Stearate, Caprylyl Glycol, Cyclohexasiloxane, Cyclopentasiloxane, Dimethicone, Dimethicone/Vinyl Dimethicone Crosspolymer, Dipropylene Glycol, Disodium EDTA, Distearardimonium Hectorite, Ethylhexylglycerin, Glycerin, 1,2-Hexanediol, Hexyl Laurate, Hydrolyzed Collagen, Iron Oxides (CI 77491, CI 77492, CI 77499), Magnesium Sulfate, Mica, Myricaria Dubia Fruit Extract, PEG-10 Dimethicone, Phenoxyethanol, Phenyl Trimethicone, Polysorbate 80, Propylene Carbonate, Stearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Water.

### Other Information



## PETER THOMAS ROTH CC LIGHT TO MEDIUM

titanium dioxide and zinc oxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65278-007
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	102.6 mg in 1 mL
<b>Zinc Oxide</b> (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	57.6 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>Water</b> (UNII: 059QF0KO0R)	
<b>Cyclomethicone 5</b> (UNII: 0THT5PC10R)	
<b>Glycerin</b> (UNII: PDC6A3C0OX)	
<b>Phenyl Trimethicone</b> (UNII: DR0K5NOJ4R)	
<b>Dipropylene Glycol</b> (UNII: E107L85C40)	
<b>Cyclomethicone 6</b> (UNII: XHK3U310BA)	
<b>Dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>Arbutin</b> (UNII: C5INA23HXF)	
<b>Butylene Glycol Dicaprylate/Dicaprate</b> (UNII: 75D21FL1PI)	
<b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)	
<b>Magnesium Sulfate</b> (UNII: DE08037SAB)	
<b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>Stearic Acid</b> (UNII: 4ELV7Z65AP)	
<b>Polysorbate 80</b> (UNII: 6OZP39ZG8H)	
<b>Caprylyl Glycol</b> (UNII: 00YIU5438U)	
<b>Calcium Stearate</b> (UNII: 776XM7047L)	

<b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>Propylene Carbonate</b> (UNII: 8D08K3S51E)
<b>Ethylhexylglycerin</b> (UNII: 147D247K3P)
<b>.Alpha.-Tocopherol Acetate</b> (UNII: 9E8X80D2L0)
<b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)
<b>Edetate Disodium</b> (UNII: 7FLD91C86K)
<b>Myrciaria Dubia Fruit</b> (UNII: YSW4EMIEKP)
<b>Alcohol</b> (UNII: 3K9958V90M)
<b>Mica</b> (UNII: V8A1AW0880)
<b>Butylene Glycol</b> (UNII: 3XUS85K0RA)
<b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>Ferric Oxide Red</b> (UNII: 1K09F3G675)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:65278-007-15	1 in 1 CARTON		
1		50 mL in 1 TUBE		
2	NDC:65278-007-16	15 mL in 1 TUBE		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	02/22/2013	

**Labeler** - June Jacobs Laboratories LLC (082439410)

### Establishment

Name	Address	ID/FEI	Business Operations
Cosmecca Korea Co. LTD		688830827	MANUFACTURE(65278-007)

Revised: 1/2013

June Jacobs Laboratories LLC