# CALAMINE PLUS PRAMOXINE HCL- calamine plus spray aerosol, spray Topco Associates LLC

-----

### **TopCare Calamine Plus Spray**

### Active ingredient

Calamine 8%
Pramoxine HCl 1%

#### **Purpose**

Skin protectant External analgesic

#### Uses

temporarily relieves pain and itching associated with:

- insect bites
- rashes
- minor skin irritations
- minor cuts
- dries the oozing and weeping of poison ivy, poison oak and poison sumac

### Warnings

For external use only. Use only as directed. Intentional misuse by deliberately concentrating and inhailing contents can be harmful or fatal.

### When using this product

- do not get into eyes
- ask a doctor before using on children under 2 years of age

### Stop use and ask a doctor if

- conditions worsens
- symtomps last more than 7 days or clear up and occur again in a few days

### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- shake well before using
- adults and children 2 years of age and older: apply as needed to the affected area, not more than 3 or 4 times daily
- cleanse the skin with soap and water

- let dry before use
- children under 2 years of age: consult a doctor

#### Other information

store between 20° to 25°C (68° to 77°F)

### Inactive ingredients

benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

#### Questions?

Call 1-866-964-0939

**Principal Display Panel** 

**TopCare** 

**NO TOUCH** 

**Calamine Plus Spray** 

**Calamine 8% - Skin Protectant** 

**Promoxine HCL 1% - External Analgesic** 

Drying action plus itch relief

Ideal for: poison ivy/oak/sumac

insect bites, minor skin irritations & cuts

SHAKE WELL BEFORE USE

**NET WT 4.1 OZ (116 g)** 





IDC 36800-398-41



# **Calamine Spray Plus**

CALAMINE 8% / SKIN PROTECTANT PRAMOXINE HCI 1% / EXTERNAL ANALGESIC

Itch Relief from:

- · Poison Ivy, Oak & Sumac
- Insect Bites
- Soothes Minor **Skin Irritations**

SHAKE WELL BEFORE USE

NET WT 4.1 OZ (116 g)





is not manufactured or

product

\*This !

Scan here for more information distributed by Valeant Pharmaceuticals North America LLC. Drug Facts Active ingredients Purpose alamine 8 Skin protectar Pramoxine HCl 1% External analge Uses temporarily relieves pain and itching associated with:
■ insect bites ■ rashes ■ minor skin irritations ■ minor cuts
■ dries the cozing and weeping of poison ivy, poison oak and poison surrac

Warnings
For external use only.

Flammable: Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperatures above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

When using this product ■ do not get into eyes ask a doctor before using on children under 2 years of age

Stop use and ask a doctor if condition worsens symptoms last more than 7 days or clear up and occur again in a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- shake well before using
   adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily
- cleanse the skin with soap and water
   let dry before use
   children under 2 years of age: consult a doctor

Other information store between 20° to 25°C (68° to 77°F)

Inactive ingredients benzyl alcohol, camphor, disteardimonium hectorite, fragrance, hydrated silica, isobutane, oleyl alcohol, SD alcohol 40-B, sorbitan trioleate

#### Questions? Call 1-888-423-0139

DISTRIBUTED BY TOPCO ASSOCIATES LLC, ELK GROVE VILLAGE, IL 6000 GTOPCO PBAA0818 QUESTIONS? 1-888-423-0139

GEODEO PBAA0818 QUESTIONS? 1-888-423-0139

topcare@topco.com www.topcarebrand.com
MADE IN USA WITH U.S. AND IMPORTED PARTS

GUARANTEED



50-074TC-04

### CALAMINE PLUS PRAMOXINE HCL

calamine plus spray aerosol, spray

#### **Product Information**

HUMAN OTC DRUG **Item Code (Source) Product Type** NDC:36800-398

**Route of Administration** TOPICAL

#### **Active Ingredient/Active Moiety Ingredient Name Basis of Strength** Strength FERRIC OXIDE RED (UNII: 1K09F3G675) (FERRIC OXIDE RED -0.345 mg FERRIC OXIDE RED UNII:1K09F3G675) in 116 g 24.16 mg **ZINC OXIDE** (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37) ZINC CATION in 116 g PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE -**PRAMOXINE** 2.72 mg UNII:068X84E056) **HYDROCHLORIDE** in 116 g

Inactive Ingredients		
Ingredient Name	Strength	
BENZYL ALCOHOL (UNII: LKG8494WBH)		
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
HYDRATED SILICA (UNII: Y6O7T4G8P9)		

ISOBUTANE (UNII: BXR49TP611)	
OLEYL ALCOHOL (UNII: 172F2WN8DV)	
ALCOHOL (UNII: 3K9958V90M)	
SORBITAN TRIOLEATE (UNII: QE6F49RPJ1)	

I	Packaging					
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
		NDC:36800-398- 41	116 g in 1 CANISTER; Type 0: Not a Combination Product	01/01/2017		

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
M017	01/01/2017				
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date			

## Labeler - Topco Associates LLC (006935977)

Revised: 2/2024 Topco Associates LLC