

ACID REDUCER- ranitidine tablet, film coated
Good Sense

Drug Facts

ACTIVE INGREDIENT (IN EACH TABLET)

Ranitidine 75 mg (as ranitidine hydrochloride, USP 84 mg)

PURPOSE

Acid reducer

USES

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

WARNINGS

Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers.

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding

Ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

DIRECTIONS

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water
 - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
 - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

OTHER INFORMATION

- TAMPER EVIDENT: DO NOT USE IF THE CARTON OR INDIVIDUAL BLISTER UNIT IS OPEN OR TORN.**
- store at 20° - 25° C (68° - 77° F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

INACTIVE INGREDIENTS

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol 400, talc, titanium dioxide

QUESTIONS?

Call 1-800-406-7984

PRINCIPAL DISPLAY PANEL

GOODSENSE®

NDC 50804-352-31

Regular Strength

Ranitidine Tablets, USP 75 mg

Acid Reducer


Prevents & Relieves Heartburn Associated with Acid Indigestion & Sour Stomach

30 Tablets

Compare to active ingredient of Zantac 75®†

Distributed by: Geiss, Destin and Dunn, Inc

5105600/1013



5105600

Drug Facts (continued)

Warnings
Do not use if you are allergic to ranitidine or other acid reducers.

Do not use
if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have
frequent chest pain
frequent wheezing, particularly with heartburn
unexplained weight loss
nausea or vomiting
stomach pain
had heartburn over 3 months. This may be a sign of a more serious condition.

5105600

Drug Facts (continued)

Directions
adults and children 12 years and over:
to relieve symptoms, swallow 1 tablet with a glass of water
to prevent symptoms, swallow 1 tablet with a glass of water 30 to 60 minutes before eating food or drinking beverages that cause heartburn
can be used up to twice daily (do not take more than 2 tablets in 24 hours)
children under 12 years: ask a doctor

Other Information
TAMPER EVIDENT: DO NOT USE IF THE CARTON OR INDIVIDUAL BUSTER UNIT IS

5105600

Drug Facts

Active ingredient (in each tablet)
Ranitidine 75 mg (as ranitidine hydrochloride, USP 84 mg) Acid reducer

Purpose
relieves heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

Uses
relieves heartburn associated with acid indigestion and sour stomach
prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages

5105600

Drug Facts (continued)

Warnings
Do not use if you are allergic to ranitidine or other acid reducers.

Do not use
if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have
frequent chest pain
frequent wheezing, particularly with heartburn
unexplained weight loss
nausea or vomiting
stomach pain
had heartburn over 3 months. This may be a sign of a more serious condition.

GOODSENSE®

Ranitidine Tablets, USP 75 mg

Acid Reducer

GOODSENSE® NDC 50804-352-31

Regular Strength

Ranitidine Tablets, USP 75 mg

Acid Reducer

Prevents & Relieves Heartburn Associated with Acid Indigestion & Sour Stomach

actual size

30 Tablets

Compare to active ingredient of **Zantac 75[®]†**

100%

SATISFACTION GUARANTEED

Expiration Date:

Batch No.

NON VARNISH

†All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Zantac 75[®].

GLUTEN FREE

Distributed by: Geiss, Destin and Dunn, Inc
Peachtree City, GA 30269
www.valuelabels.com
(866) 696-0957

MADE IN INDIA 1013 8 46036 00712 1

ACID REDUCER
ranitidine tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50804-352
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	75 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MAGNESIUM STEARATE (UNII: 70097M6B30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	8mm
Flavor		Imprint Code	OR;606
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50804-352-08	1 in 1 CARTON		
1		80 in 1 BOTTLE		
2	NDC:50804-352-31	3 in 1 CARTON		
2		10 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA201745	10/11/2013	

Labeler - Good Sense (076059836)**Registrant** - Ranbaxy Pharmaceuticals Inc. (937890044)**Establishment**

Name	Address	ID/FEI	Business Operations
Shasun Pharmaceuticals Limited		915786829	manufacture(50804-352)

