

MUCUS RELIEF DM- guaifenesin, dextromethorphan hbr tablet, extended release

Strategic Sourcing Services LLC

Drug Facts

Active ingredients (in each extended-release tablet)

Dextromethorphan HBr 30 mg

Guaifenesin 600 mg

Purpose

Cough Suppressant

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves
 - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
 - the intensity of coughing
 - the impulse to cough to help you get to sleep

Warnings

Do not use

- for children under 12 years of age
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by too much phlegm (mucus)

When using this product,

do not use more than directed.

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not crush, chew, or break tablet
- take with a full glass of water
- this product can be administered without regards for timing of meals
- adults and children 12 years of age and older: 1 or 2 tablet every 12 hours; not more than 4 tablets in 24 hours
- children under 12 years of age: do not use

Other information

- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc

Questions or comments?

Call **1-833-358-6431** Monday to Friday 9:00am to 7:00pm EST

Principal Display Panel

COMPARE TO MUCINEX® DM ACTIVE INGREDIENTS*

Mucus Relief DM

Guaifenesin 600 mg

Dextromethorphan HBr 30 mg

EXPECTORANT

COUGH SUPPRESSANT

12-Hour Relief OF:

- Controls cough
- Thins & loosen mucus

EXTENDED-RELEASE TABLETS



*This product is not manufactured or distributed Reckitt Benckiser LLC, distributor of Mucinex® DM.

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by McKesson Corp.,
via Strategic Sourcing Services LLC,
Memphis, TN 38141
www.fosterandthrive.com

Package Label

<p>Drug Facts</p> <table border="1"><thead><tr><th>Active ingredients (in each extended-release tablet)</th><th>Purposes</th></tr></thead><tbody><tr><td>Dextromethorphan HBr 30 mg</td><td>Cough Suppressant</td></tr><tr><td>Guaifenesin 600 mg</td><td>Expectorant</td></tr></tbody></table> <p>Uses</p> <ul style="list-style-type: none">helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productivetemporarily relieves<ul style="list-style-type: none">cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritantsthe intensity of coughingthe impulse to cough to help you get to sleep <p>Warnings</p> <p>Do not use</p> <ul style="list-style-type: none">for children under 12 years of ageif you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none">persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysemacough accompanied by too much phlegm (mucus) <p>When using this product, do not use more than directed.</p> <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These could be signs of a serious illness.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).</p> <p>Directions</p> <ul style="list-style-type: none">do not crush, chew, or break tablettake with a full glass of waterthis product can be administered without regard for timing of mealsadults and children 12 years of age and older: 1 or 2 tablets every 12 hours; not more than 4 tablets in 24 hourschildren under 12 years of age: do not use <p>Other information ■ store between 20° to 25°C (68° to 77°F)</p> <p>Inactive ingredients carbomer, colloidal silicon dioxide, D&C yellow #10 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, povidone, talc</p> <p>Questions or comments? Call 833-358-6431 Monday to Friday 9:00am to 7:00pm EST</p> <p><small>*This product is not manufactured or distributed by Reckitt Benckiser LLC, distributor of Mucinex® DM.</small></p> <p>©2023 McKesson Corporation Distributed by: McKesson Corp., via Strategic Sourcing Services LLC, Memphis, TN 38141 Money Back Guarantee www.fosterandthrive.com Rev 03/23</p> <p>PLD-A519A FC008545 Product of India</p>  <p>0 10939 95571 5</p> <p>PARENTS: Learn about how medicine works. www.StopMucinexAbuse.org</p>	Active ingredients (in each extended-release tablet)	Purposes	Dextromethorphan HBr 30 mg	Cough Suppressant	Guaifenesin 600 mg	Expectorant	<p>NDC 70677-1050-1</p> <p>COMPARE TO MUCINEX® DM ACTIVE INGREDIENTS*</p> <p>Foster & Thrive™</p> <h1>Mucus Relief DM</h1> <p>Guaifenesin 600 mg Dextromethorphan HBr 30 mg EXPECTORANT COUGH SUPPRESSANT</p> <p>12 hour relief of:</p> <ul style="list-style-type: none">Controls CoughThins and Loosens Mucus  <p>ACTUAL SIZE</p> <p>20 EXTENDED-RELEASE TABLETS</p>
Active ingredients (in each extended-release tablet)	Purposes						
Dextromethorphan HBr 30 mg	Cough Suppressant						
Guaifenesin 600 mg	Expectorant						

Foster & Thrive™ Mucus Relief DM

TAMPER EVIDENT: DO NOT USE IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Lot No.:
Exp. Date:

FOSTER & THRIVE Mucus Relief DM

MUCUS RELIEF DM

guaifenesin, dextromethorphan hbr tablet, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70677-1050(NDC:65162-038)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	600 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CARBOMER 934 (UNII: Z135WT9208)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POVIDONE (UNII: FZ989GH94E)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	yellow (light yellow)	Score	no score
Shape	OVAL	Size	16mm
Flavor		Imprint Code	AN038
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70677-1050-1	20 in 1 CARTON	03/31/2023	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209692	03/31/2023	

