MILK OF MAGNESIA- magnesium hydroxide suspension CARDINAL HEALTH

ldr mom org

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose

Saline laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are taking a prescription drug.

This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed

by a doctor

• drink a full glass (8 oz) of liquid with each dose

age	dose
adults and children 12 years and over	30 mL to 60 mL
children 6 to 11 years	15 mL to 30 mL
children under 6 years	ask a doctor

Other information

- each 15 mL tablespoonful contains: magnesium 500 mg
- avoid freezing
- store at room temperature tightly closed


Inactive ingredients

purified water, sodium hypochlorite

Questions or comments?

1-800-200-6313

package label



TAMPER EVIDENT: Do not use if imprinted neckband is missing Drug Facts | or broken.

Active ingredient (in each 15 mL)

Magnesium hydroxide 1200 mg

Purpose Saline laxative

· relieves occasional constipation (irregularity)

• generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- · kidney disease · stomach pain, nausea or vomiting a magnesium-restricted diet
- a sudden change in bowel habits that lasts over 14 days

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. This product may interact with certain prescription drugs.

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions • shake well before use

- do not exceed the maximum recommended daily dose in a 24 hour period dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- drink a full glass (8 oz) of liquid with each dose

age	dose	
adults and children 12 years and over	30 mL to 60 mL	
children 6 to 11 years	15 mL to 30 mL	
children under 6 years	ask a doctor	

- Other information each 15 mL contains: magnesium 500 mg
- avoid freezing · store at room temperature tightly closed



Inactive ingredients

purified water, sodium hypochlorite

Questions or comments? 1-800-200-6313

*This product is not manufactured or distributed by Bayer Healthcare LLC. distributors of Phillips'® brand Milk of Magnesia.

©2022 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health. All other marks are the property of their respective owners.

DISTRIBUTED BY CARDINAL HEALTH **DUBLIN, 0HIO 43017**

www.myleader.com

1-800-200-6313

995-19112-1 GC1221



MILK OF MAGNESIA

magnesium hydroxide suspension

Product Information

Route of Administration

Product Type HUMAN OTC DRUG Item Code (Source) NDC:70000-0061

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)			

ı	Packaging			
	# Item Code Package Description		Marketing Start Date	Marketing End Date
	1 NDC:70000- 0061-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/01/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/01/2020	

Labeler - CARDINAL HEALTH (063997360)

Registrant - GCP Laboratories (965480861)

Establishment					
Name	Address	ID/FEI	Business Operations		
GCP Laboratories		965480861	manufacture(70000-0061)		

Revised: 11/2023 CARDINAL HEALTH