

**PAIN RELIEVING LIDOCAINE PATCH- lidocaine patch**  
**YYBA CORP**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**YYBA - Welmate Lidocaine Pain Relieving Patch (73581-001)**

**Active ingredient**

Lidocaine 4%

**Purpose**

Topical Anesthetic

**Uses**

Temporarily relieves minor pain

**Warnings**

**For external use only**

**Do Not Use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds or damaged skin
- with a heating pad
- if you are allergic to ingredients of this product

**When Using This Product**

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keeps product away from children or pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop Use and Ask a Doctor if**

- condition worsens
- redness is present
- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied
- symptoms clear up and occur again within few days

### **If Pregnant or Breast Feeding**

ask a health professional before use.

### **Keep Out of Reach of Children and Pets**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

#### **Adults and children over 12 years:**



- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove from the skin after at most 8-hour application
- apply to the affected area not more than 3 to 4 times daily

**children 12 years or younger:**ask a doctor

### **Inactive Ingredients**

dihydroxyaluminium aminoacetate, disodium EDTA, glycerin, methylparaben, polyvinyl alcohol, propyl paraben, propylene glycol, purified water, sodium carboxymethyl cellulose, sodium polyacrylate, tartaric acid, titanium oxide

### **Package/Label Principal Display Panel**



Welmate 40's Count  
L-190 x B-75 x 148 mm

# PAIN RELIEVING LIDOCAINE PATCH

lidocaine patch

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73581-001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg

**Inactive Ingredients**

Ingredient Name	Strength
TARTARIC ACID (UNII: W4888I119H)	
WATER (UNII: 059QF0KO0R)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73581-001-30	30 in 1 CARTON	09/17/2020	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:73581-001-40	40 in 1 CARTON	09/17/2020	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/17/2020	

**Labeler -** YYBA CORP (006339772)