

ACETAMINOPHEN EXTRA STRENGTH- acetaminophen tablet, film coated
CVS PHARMACY

Pain Reliever

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - muscular aches
 - the common cold
 - backache
 - toothache
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- rash
- skin reddening
- blisters

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

♥CVS
Health®

Compare to the active ingredient
in Extra Strength Tylenol®*

Caplets

**EXTRA STRENGTH
ACETAMINOPHEN
Caplets, 500 mg
Pain reliever, Fever reducer**

**Travel
Pack**

**TAMPER EVIDENT:
Use Only if This Blister is Intact**

Actual
Size

10 CAPLETS

*This product is not manufactured
or distributed by Kenvue Inc., owner
of the registered trademark Extra
Strength Tylenol®.

50844 ORG062117503

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

© 2024 CVS/pharmacy

CVS.com® 1-800-SHOP CVS

V-40098

**100% money back
guaranteed
CVS.com/returnpolicy**



Compare to the active ingredient
in Extra Strength Tylenol®*

Caplets

No Print / No Varnish Area
Lot & Exp. Area

EXTRA STRENGTH

Acetaminophen

Caplets, 500 mg

Pain reliever, Fever reducer

Travel
Pack



10 CAPLETS



Actual Size

TAMPER EVIDENT:
Use Only if This Blister is Intact

RETAIN VIAL CARD FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredient (in each caplet) **Purpose**
Acetaminophen 500 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- muscular aches
- backache
- toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- rash
- skin reddening
- blisters

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease.

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur

These could be signs of a serious condition.

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over
- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

Questions or comments?
1-800-426-9391

* This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Extra Strength Tylenol®.

50844 ORG062117503
Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2024 CVS/pharmacy
CVS.com® 1-800-SHOP CVS
V-40098



#173475
0150428108950 7

100% money back guaranteed.
CVS.com/returnpolicy

CVS 44-175

ACETAMINOPHEN EXTRA STRENGTH

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-750
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CASTOR OIL (UNII: D5340Y2I9G)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;175
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-750-03	1 in 1 PACKAGE	04/02/1993	
1		10 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:69842-750-96	2 in 1 PACKAGE	04/02/1993	11/28/2025
2		10 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/02/1993	

Labeler - CVS PHARMACY (062312574)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(69842-750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(69842-750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(69842-750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(69842-750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(69842-750)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117597853	pack(69842-750)

Revised: 4/2024

CVS PHARMACY