HAND SANITIZER GEL WITH FRAGRANCE- isopropyl alcohol gel Tri-Chem Industries

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

This is a hand sanitizer manufactured according to the Temporary Policy for Preparation of Certain Alcohol-Based Hand Sanitizer Products During the Public Health Emergency (CoViD-19); Guidance for Industry.

The hand sanitizer is manufactured using only the following United States Pharmacopoeia (USP) grade ingredients in the preparation of the product (percentage in final product formulation) consistent with World Health Organization (WHO) recommendations:

- a. Isopropyl Alcohol (75%, v/v) in an aqueous solution denatured according to Alcohol and Tobacco Tax and Trade Bureau regulations in 27 CFR part 20.
- b. Glycerol (1.45% v/v).
- c. Hydrogen peroxide (0.125% v/v).
- d. Triethanolamine.
- e. Propylene glycol.
- f. Acrylic copolymer or carbomer.
- g. Fragrance.
- h. Sterile distilled water or boiled cold water.

The formulation meets the required efficacy for the protection of human health from germs and viruses when used in the absence of water and soap.

Active Ingredient(s)

Isopropyl Alcohol 75% v/v. Purpose: Antiseptic

Purpose

Antiseptic, Hand Sanitizer

Use

Hand Sanitizer to help reduce bacteria that potentially can cause disease. For use when soap and water are not available.

Warnings

For external use only. Flammable. Keep away from heat or flame

Do not use

- in children less than 2 months of age
- on open skin wounds

When using this product keep out of eyes, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Stop use and ask a doctor if irritation or rash occurs. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Place enough product on hands to cover all surfaces. Rub hands together until dry.
- Supervise children under 6 years of age when using this product to avoid swallowing.

Other information


- Store between 15-30C (59-86F)
- Avoid freezing and excessive heat above 40C (104F)

Inactive ingredients

glycerin, hydrogen peroxide, triethanolamine, propylene glycol, acrylic copolymer and/or carbomer, fragrance, purified water USP

Package Label - Principal Display Panel





A TRICHEM	Drug Facts Purpose Active ingredient(s) Purpose Isopropyl Alcohol 75% v/v
	Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76035	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
8 oz (236 mL)	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.
	Other information • Store between 59 - 86°F (15 - 30°C) • Avoid freezing and excessive heat above 104°F (40°C)
	In active ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

	Drug Facts Active ingredient(s) Isopropyl Alcohol 75%
	v/vAntiseptic Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76035	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
16 oz (473 mL)	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid
	 Supervise children under 6 years of age when using this product to avoid swallowing. Other information Store between 59 - 86°F (15 - 30°C)
	Avoid freezing and excessive heat above 104°F (40°C)

Inactive ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

	Drug Facts Active ingredient(s) Isopropyl Alcohol 75%
	v/vAntiseptic Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76036	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
5 gal (18,900 mL)	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise shifteen under 6 years of acc when using this product to grid
	 Supervise children under 6 years of age when using this product to avoid swallowing. Other information Store between 59 - 86°F (15 - 30°C)
	Avoid freezing and excessive heat above 104°F (40°C)

In active ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

	Drug Facts Active ingredient(s) Purpose Isopropyl Alcohol 75% v/vAntiseptic
	Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76035	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
55 gal drum (20800 mL)	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.
	Other information • Store between 59 - 86°F (15 - 30°C) • Avoid freezing and excessive heat above 104°F (40°C)
	Inactive ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

	Drug Facts Purpose Active ingredient(s) Purpose Isopropyl Alcohol 75% v/v
	Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76035	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
275 gal tote (1041000 mL)	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.
	Other information • Store between 59 - 86°F (15 - 30°C) • Avoid freezing and excessive heat above 104°F (40°C)
	Inactive ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

	Drug Facts Purpose Active ingredient(s) Purpose Isopropyl Alcohol 75% v/v
	Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76035	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
330 gal tote (1249000 mL)	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.
	Other information • Store between 59 - 86°F (15 - 30°C) • Avoid freezing and excessive heat above 104°F (40°C)
	Inactive ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

	Drug Facts Active ingredient(s) Purpose Isopropyl Alcohol 75% v/vAntiseptic
	Use(s) Hand sanitizer to help reduce bacteria that potentially can cause disease. For us when soap and water are not available.
Alcohol Antiseptic 75% Fragrant Topical Gel Hand Sanitizer	Warnings For external use only. Flammable. Keep away from heat or flame. Do not use In children less than 2 months of age On open skin wounds
Non-Sterile Solution Manufactured by: TriChem Industries 2600 N Cresson Hwy Cresson, TX 76035 6500 gal tanker (24605000 mL)	When using this product keep out of eye, ears, and mouth. In case of contact with eyes, rinse eyes thoroughly with water. Stop use and ask doctor if irritation or rash occurs. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center right away.
	 Directions Place enough product on hands to cover all surfaces. Rub hands together until dry. Supervise children under 6 years of age when using this product to avoid swallowing.
	Other information • Store between 59 - 86°F (15 - 30°C) • Avoid freezing and excessive heat above 104°F (40°C)
	Inactive ingredients Water, Triethanolamine, Propylene glycol, Glycerin, Hydrogen Peroxide, Acrylic copolymer and/or Carbomer, Fragrance

HAND SANITIZER GEL WITH FRAGRANCE
isopropyl alcohol gel

isopropyl alcohol gel					
Product Information					
Product T ype	HUMAN OTC DRUG	Item Code (Sour	ce)	NDC:74	664-007
Route of Administration	TOPICAL				
Active Ingredient/Active Moi	ety				
Ingredient Name Basis of Streng					Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - ISOPROPYL UNII:ND2M416302) ALCOHOL					75 mL in 100 mL
Inactive Ingredients					
Ingredient Name					Strength
ACRYLIC ACID/SODIUM ACRYLATE	COPOLYMER (1:1; 600 MPA.	S AT 0.2%) (UNII: N	/14PPW69Y4H)		
TROLAMINE (UNII: 903K93S3TK)					
PROPYLENE GLYCOL (UNII: 6DC9Q	167V3)				

ALOE (UNII: V5VD430 YW9)	
GLYCERIN (UNII: PDC6A3C0OX)	1.45 mL in 100 mL
HYDRO GEN PERO XIDE (UNII: BBX060AN9V)	0.367 mL in 100 mL
WATER (UNII: 059QF0KO0R)	

Packaging							
#	Item Code		Package Description			ng ite	Marketing End Date
1	NDC:74664- 007-01	118 mL i	n 1 BOTTLE; Type 0: Not a Combination Product		09/18/2020		
2	NDC:74664- 007-02	236 mL i	n 1 BOTTLE; Type 0: Not a Combination Product		09/18/2020		
3	NDC:74664- 007-03	18900 m	L in 1 PAIL; Type 0: Not a Combination Product		09/18/2020		
4	NDC:74664- 007-05		1041000 mL in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK; Type 0: 09/18/2020				
5	NDC:74664- 007-06	1249000 mL in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK; Type 0: 09/18/2020 Not a Combination Product					
6	NDC:74664- 007-07	24605000 mL in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK; Type 0: 09/18/2020					
7	NDC:74664- 007-04	20800 mL in 1 DRUM; Type 0: Not a Combination Product 09/18/2020					
8	NDC:74664- 007-08	473 mL in 1 BOTTLE; Type 0: Not a Combination Product 09/18/2020					
N	Iarketing	Infor	mation				
	Marketing Ca			Marketing	Start Date	Mar	keting End Date
0	TC monograph i	not final	part333A C	9/18/2020			

Labeler - Tri-Chem Industries (798244414)

Registrant - Tri-Chem Industries (798244414)

Establishment					
Name	Address	ID/FEI	Business Operations		
Tri-Chem Industries		798244414	manufacture(74664-007), label(74664-007), pack(74664-007), repack(74664-007), relabel(74664-007)		

Revised: 9/2020

Tri-Chem Industries