

BANANA BOAT ULTRA DEFENSE CLEAR SUNSCREEN BROAD SPECTRUM SPF 100- avobenzone,homosalate,octisalate,octocrylene,oxybenzone spray
Edgewell Personal Care Brands LLC

Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%

Purpose

Sunscreen

Uses

• helps prevent sunburn • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presense of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal

May stain some fabrics

Do not use

on damaged or broken skin

When using this product

• Keep away from face to avoid breathing it • Keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• Hold container 4 to 6 inches from the skin to apply • spray liberally and spread evenly

by hand 15 minutes before sun exposure • **Do not spray directly into face.** Spray on hands then apply to face. • Do not apply in windy conditions • Use in well-ventilated area • Reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • Children under 6 months: Ask a doctor

• **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients

Alcohol Denat., Isobutane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Cyclopentasiloxane, Cyclohexasiloxane, Fragrance, Polyglycerly-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Ascorbyl Palmitate, Methyl Dihydroabietate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract

Other information

• protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-SafeSun, Mon-Fri

Primary Display Panel

BANANA

BOAT (R)

Ultra

Defense (R)

CLEAR SUNSCREEN SPRAY

UVA/UVB BROAD SPECTRUM SPF 100

100

PROTECTS

AGAINST 99%

OF BURNING RAYS

LIGHTWEIGHT

High Endurance vs. Water

Water Resistant

(80 Minutes)

NET WT 6 OZ. (170 g)



Ultra Defense

CLEAR SUNSCREEN SPRAY
UVA/UVB BROAD SPECTRUM SPF 100



PROTECTS AGAINST 99% OF BURNING RAYS

LIGHTWEIGHT

High Endurance vs. Water

Water Resistant (80 Minutes)

NET WT 6 OZ. (170 g)

SUN SAFETY DIRECTIONS

Apply Liberally
 Wait 15 min. About 4 applications per 170g can
 2 HR. Reapply
 Cover Up!

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
For external use only.

Flammable: Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F. Do not use in the presence of a flame or spark. Keep away from sources of ignition - No smoking. **Intentional misuse** by deliberately concentrating and inhaling the contents can be harmful or fatal.

Do not use on damaged or broken skin.

When using this product • Keep away from face to avoid breathing it • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away. May stain some fabrics.

Directions
 ■ Hold container 4 to 6 inches from the skin to apply ■ Spray liberally and spread evenly by hand 15 minutes before sun exposure ■ **Do not spray directly into face.** Spray on hands and then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area ■ Reapply: • after 80 minutes of swimming or sweating ■ Immediately after towel drying ■ At least every 2 hours ■ Children under 6 months: Ask a doctor ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.-2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients: Alcohol Denat., Isobutane, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, Caprylyl Glycol, Cyclopentasiloxane, Cyclohexasiloxane, Fragrance, Polyglyceryl-3 Stearate/Isostearate/Dimer Dilinoleate Crosspolymer, Lauryl PEG-8 Dimethicone, Phenylisopropyl Dimethicone, Ascorbyl Palmitate, Methyl Dihydroabietate, Tocopheryl Acetate, Mineral Oil, Panthenol, Water, Aloe Barbadensis Leaf Extract.

Other Information
 ■ protect this product from excessive heat and direct sun

Questions or comments?
 Call 1-800-SafeSun, Mon-Fri

Distributed by:
EDGEWELL PERSONAL CARE BRANDS, LLC
 Shelton, CT 06484
 www.bananaboat.com
 © 2018 Edgewell

Edgewell™
 93026352 **ACTIVE**
 Recombinonoid as an effective broad spectrum sunscreen DOT 2Q M5655

79656 05081 3

BANANA BOAT ULTRA DEFENSE CLEAR SUNSCREEN BROAD SPECTRUM SPF 100

avobenzone,homosalate,octisalate,octocrylene,oxybenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63354-751
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	6 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
ISOBUTANE (UNII: BXR49TP611)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
LAURYL PEG/PPG-18/18 METHICONE (UNII: ZJ5S27D9NX)	
METHYL DIHYDROABIETATE (UNII: 7666FJ0J9F)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MINERAL OIL (UNII: T5L8T28FGP)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
PANTHENOL (UNII: WW9CM0O67Z)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63354-751-34	170 g in 1 CAN; Type 0: Not a Combination Product	09/25/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	09/25/2020	

Labeler - Edgewell Personal Care Brands LLC (151179769)

Revised: 11/2023

Edgewell Personal Care Brands LLC