

**LEADER POVIDONE-IODINE 10% TOPICAL SOLUTION- povidone iodine prep solution 10% liquid**  
**Cardinal Health**

-----  
**CR-5667761, NDC 70000-0060-1**

***Warnings***

**For external use only**

**Do Not Use**

- if allergic to iodine
- in the eyes

**Stop use and ask a doctor if**

- irritation and redness develop
- condition persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

***Inactive Ingredients***

Citric Acid Anhydrous, Disodium Phosphate Anhydrous, Glycerin, Polysorbate 80, Purified Water, Sodium Citrate USP

***Active Ingredient***

Povidone-iodine 10%

***Purpose***

Healthcare Antiseptic

***Use***

For preparation of the skin prior to surgery. Helps reduce bacteria that potentially can cause skin infection

***Directions***

Clean the area. Apply product to the operative site prior to surgery.

***Other***

Store at controlled room temperature 15°-30°C (59°-86°F).

## Questions?

1-888-396-2739

## Labeling

<h3>Drug Facts</h3>	
<b>Active Ingredient</b> Povidone-iodine 10%.....	<b>Purpose</b> Healthcare Antiseptic
<b>Uses</b> <ul style="list-style-type: none"> <li>For preparation of the skin prior to surgery</li> <li>Helps reduce bacteria that potentially can cause skin infection</li> </ul>	
<b>Warnings</b> For external use only Do not use ■ If allergic to iodine ■ In the eyes Stop use and ask a doctor if <ul style="list-style-type: none"> <li>Irritation and redness develop</li> <li>Condition persists for more than 72 hours</li> </ul> Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Directions</b> Clean the area and apply product to the operative site prior to surgery.	
<b>Other Information</b> Store at room temperature between 15°-30°C (59°-86°F)	
<b>Inactive Ingredients</b> Citric Acid Anhydrous, Disodium Phosphate Anhydrous, Glycerin, Polysorbate 80, Purified Water, Sodium Citrate USP	
<b>Questions and Comments?</b> 1-888-396-2739	

\*This product is not manufactured or distributed by Avrio Health L.P., owner of the registered trademark Betadine®.  
 ©2020 CARDINAL HEALTH, LEADER, and LOGOs are trademarks of Cardinal Health. All other marks are the property of their respective owners.  
 DISTRIBUTED BY CARDINAL HEALTH  
 DUBLIN, OHIO 43007  
 www.myleader.com 1-800-200-6315 Made in Mexico

CIN 5667761 REV. 9/20



0 96295 14015 6



NDC 70000-0060-1

# Povidone-Iodine

## 10% Topical Solution

### Healthcare Antiseptic

Helps Reduce Bacteria That Potentially Can Cause Skin Infection

**COMPARE TO BETADINE®**  
 active ingredient\*

100% Money Back Guarantee

8 FL OZ (237 mL)

## LEADER POVIDONE-IODINE 10% TOPICAL SOLUTION

povidone iodine prep solution 10% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70000-0060
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength

<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70000-0060-1	237 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/25/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	09/25/2020	

**Labeler** - Cardinal Health (063997360)

**Registrant** - Dynarex Corporation (008124539)

Revised: 11/2023

Cardinal Health