


**32OZ ISOPROPYL ALCOHOL- 32oz isopropyl alcohol liquid**  
**Collective Science Integration**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*


-----



1.75" x 4"



1.75" x 4"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



32 FL. OZ. (1 QT) / 946 mL

2" x 4.5"

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



2" x 4.5"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



16 FL. OZ. (1 PT) / 473 mL

## Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

### Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



8 60005 37247 8

1.75" x 4"

1.75" x 4"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



32 FL. OZ. (1 QT) / 946 mL

2" x 4.5"

### Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

### Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



2" x 4.5"



### Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

### Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical


**Ask a doctor before use** for deep or puncture

2" x 4.5"

**ISOPROPYL  
ALCOHOL**

**FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS**

For treatment of minor  
cuts & abrasions



16 FL. OZ. (1 PT) / 473 mL

1.75" x 4"

wounds, animal bites or serious burns

**When using this product** • do not get into eyes  
• do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first


**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org




1.75" x 4"



**ISOPROPYL  
ALCOHOL**

**FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS**

For treatment of minor  
cuts & abrasions



**Drug Facts**

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

**Warnings**  
**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes  
• do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse


**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally


**Inactive ingredients** purified water



2" x 4.5"




2" x 4.5"



1.75" x 4"



1.75" x 4"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



32 FL. OZ. (1 QT) / 946 mL

2" x 4.5"



COLLECTIVE  
SCIENCE  
INTEGRATION

# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



**Flammable** - keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



2" x 4.5"

## Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

## Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



16 FL. OZ. (1 PT) / 473 mL

1.75" x 4"



1.75" x 4"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



32 FL. OZ. (1 QT) / 946 mL

2" x 4.5"

### Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

### Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes  
• do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



2" x 4.5"



### Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

### Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical



1.75" x 4"

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first


**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
 El Monte, CA 91731 Made in USA  
[www.csihealth.org](http://www.csihealth.org)



1.75" x 4"



**Drug Facts**

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
 • minor cuts • scrapes • burns

**Warnings**  
**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.


**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water






2" x 4.5"




2" x 4.5"



1.75" x 4"



1.75" x 4"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



32 FL. OZ. (1 QT) / 946 mL

2" x 4.5"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration

El Monte, CA 91731 Made in USA

[www.csihealth.org](http://www.csihealth.org)



2" x 4.5"

## Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

## Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration

El Monte, CA 91731 Made in USA

[www.csihealth.org](http://www.csihealth.org)

16 FL. OZ. (1 PT) / 473 mL

1.75" x 4"

www.csihealth.org



1.75" x 4"



# ISOPROPYL ALCOHOL

FIRST AID ANTISEPTIC  
KILLS 99% OF GERMS

For treatment of minor  
cuts & abrasions



32 FL. OZ. (1 QT) / 946 mL

2" x 4.5"

### Drug Facts

Active ingredients	Purpose
Isopropyl alcohol 70%.....	First aid antiseptic

**Uses** helps prevent the risk of infection in:  
• minor cuts • scrapes • burns

### Warnings

**For external use only**

**Flammable** • keep away from fire or flame, heat, spark, electrical

**Ask a doctor before use** for deep or puncture wounds, animal bites or serious burns

**When using this product** • do not get into eyes • do not inhale • do not apply over large areas of the body • do not use longer than 1 week

**Stop us and ask a doctor if** • the condition persists or gets worse

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Caution** Fumes can be acutely irritating to skin, eyes and the respiratory system. Do not apply to irritated skin or if excessive irritation develops. Avoid getting into the eyes or mucous membranes. Avoid inhaling this product.

**Directions** • clean the affected area • apply a small amount of product on the affected area 1-3 times a day • may be covered with a sterile bandage • if bandaged, let dry first

**Other information** • does not contain, nor is intended as a substitute for grain or ethyl alcohol • will produce serious gastric disturbances if taken internally

**Inactive ingredients** purified water

Dist. by Collective Science Integration  
El Monte, CA 91731 Made in USA  
www.csihealth.org



2" x 4.5"

## 32OZ ISOPROPYL ALCOHOL

32oz isopropyl alcohol liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:90055-206
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 70 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:90055-206-32	946 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/24/2020	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	09/24/2020	

**Labeler** - Collective Science Integration (133591508)**Establishment**

Name	Address	ID/FEI	Business Operations
P&P International		133591508	manufacture(90055-206)

Revised: 9/2020

Collective Science Integration