

EFFERCEPT- troclosen sodium for solution
Activon

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Package Labeling

DILUTION RATES

PRE/POST TEAT DIP Tab/Gal.

Regular Strength 2/1

Maximum Strength 3/1

BULK DILUTION RATES

Gallons	Regular Strength	Maximum Strength
55 Gallons	220 Tablets (1 bag)	330 Tablets
275 Gallons	1100 Tablets (5 bags)	1650 Tablets

ACTIVE INGREDIENT:

Sodium Dichloro-s-Triazinetrione.....50%

INERT INGREDIENTS:.....50%

Available Chlorine....30% Total.....100%

For Best Results

- Add tablets to any potable water and allow to fully dissolve before use.
- Use maximum strength during first 45 days of use, or if conditions are wet and muddy.
- For extra foaming of teat conditioning, add SoftGuard to solution.
- EfferCept solution may be used for up to 10 days.
- Use a clean container to store EfferCept solution.
- Keep tablets in a dry and tightly closed container between uses.

PRECAUTION: Keep out of reach of children. Do not take Internally. Not for human consumption. Do not mix with bleach, acids, ammonia, or non-ionic detergents.

EYE CONTACT: Flush eyes with clean water. Seek medical advice.

IF SWALLOWED: Drink large quantities of water, do not induce vomiting. Seek medical advice immediately.

DO NOT INHALE VAPORS from closed containers of stored solutions of EfferCept. Open in well ventilated areas.

FILL ADD USE

MAKES UP TO XX GAL

EfferCept

PRE/ POST TEAT DIP

Kills mastitis-causing organisms ON CONTACT

Use as a dip, spray, foam or scrub

Gentle on teats, skin, and udders

1540 TABLETS

(6 g/tablet)

Net WT. 20.37 lbs. (9.24 kg)

FILL **ADD** **USE**

EfferCept

PRE / POST TEAT DIP

- Kills mastitis-causing organisms ON CONTACT
- Use as a dip, spray, foam or scrub
- Gentle on teats, skin, and udders

MAKES UP TO 385 GAL

1540 TABLETS (6 g/tablet) Net Wt. 20.37 lbs. (9.24 kg)

DILUTION RATES: PROPORCIONES A DISOLVER

PRE / POST TEAT DIP Pulverizado/Lavado de la Teta	Tab/Gal.
Regular Strength Potencia Normal	4/1
Maximum Strength Potencia Maxima	6/1

BULK DILUTION RATES

Gallons	Regular Strength	Maximum Strength
55 Gallons	220 Tablets (1 bag)	330 Tablets
275 Gallons	1100 Tablets (5 bags)	1650 Tablets

ACTIVE INGREDIENT:
Sodium Dichloro-s-Triazinetrione 50%

INERT INGREDIENTS: 50%

Available Chlorine.....30% Total.....100%

NPE FREE

For Best Results

- Add tablets to any potable water and allow to fully dissolve before use.
- Use maximum strength during first 45 days of use, or if conditions are wet and muddy.
- For extra foaming or teat conditioning, add SoftGuard to solution.
- EfferCept® solution may be used for up to 10 days.
- Use a clean container to store EfferCept® solution.
- Keep tablets in a dry and tightly closed container between uses.

PRECAUTION: Keep out of reach of children. Do not take internally. Not for human consumption. Do not mix with bleach, acids, ammonia, or non-ionic detergents. **EYE CONTACT:** Flush eyes with clean water. Seek medical advice. **IF SWALLOWED:** Drink large quantities of water, do not induce vomiting. Seek medical advice immediately. **DO NOT INHALE VAPORS** from closed containers of stored solutions of EfferCept®. Open in well ventilated areas.

PRECAUCIÓN: Mantener fuera del alcance de los niños. No ingerir internamente. No apto para el consumo humano. No mezclar con blanqueador, ácido o amoníaco. **CONTACTO EN LOS OJOS:** Limpiese los ojos con agua limpia. Pida asistencia médica. **SI SE INGIERE:** Tome grandes cantidades de agua, no induzca el vómito. Pida asistencia médica inmediatamente. **NO INHALE EL VAPOR** de recipientes cerrados de soluciones almacenadas de EfferCept®. Abrir en lugares bien ventilados.

Manufactured for **Activon** 123 Commercial Drive
Beaver Dam, WI 53916
1-800-841-0410 | EfferCept.com

8 50434 00709 5

EFFERCEPT

troclosene sodium for solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:14925-301
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

TROCLOSENE SODIUM (UNII: 07M9U9U0LK) (CHLORINE - UNII:4R7X1O2820) TROCLOSENE SODIUM 3 g in 6 g

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:14925-301-11	300 g in 1 BOX		
2	NDC:14925-301-12	1320 g in 1 BOX		
3	NDC:14925-301-13	9240 g in 1 BOX		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/13/2014	

Labeler - Activon (126592521)

Establishment

Name	Address	ID/FEI	Business Operations
Longwood Scientific, LLC		116942019	manufacture, api manufacture

Revised: 12/2022

Activon