SENNA S- docusate sodium, sennosides tablet Walgreens

Drug Facts

Active ingredients (in each tablet)

Docusate sodium 50 mg Sennosides 8.6 mg

Purpose

Stool softener

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

Warnings

Do not use

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

Stop use and ask a doctor if

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

• take preferably at bedtime or as directed by a doctor

| age | starting dosage | maximum dosage |
|---|-----------------------|-----------------------|
| adults and children 12 years of age or over | 2 tablets once a day | 4 tablets twice a day |
| children 6 to under 12 years | 1 tablet once a day | 2 tablets twice a day |
| children 2 to under 6 years | 1/2 tablet once a day | 1 tablet twice a day |
| children under 2 years | ask a doctor | ask a doctor |

Other information

- each tablet contains: calcium 30 mg
- each tablet contains: sodium 6 mg LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, silicon dioxide, talc, titanium dioxide

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredients in Senokot-S®^{††}

Senna-S

DOCUSATE SODIUM 50 mg /

STOOL SOFTENER

SENNOSIDES 8.6 mg / LAXATIVE

DUAL ACTION

- Natural Vegetable Laxative
- Gently relieves constipation

TABLETS

††This product is not manufactured or distributed by Atlantis Consumer Healthcare Inc., owner of the registered trademark Senokot-S®.


TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: WALGREENS CO

DEERFIELD, IL 60015

walgreens.com

Product Labeling



| Questions or comm Call 1-877-753-3855 Mon | Inactive ingredients dbasic cabium phosphate aluminum late, hyprometio microcrystaline cellulose, r dioxide, tab, titanium diox | Other information each tablet contains: calcium 30 mg each tablet contains: sodum 6 mg LOW SOORIM store at 25°C (77°F); cooursions permitted boweer 15-30°C (59-86°F) | children under 2 years | under 6 years | under 12 years | ysers of age and over | ade | Directions Iska preleasity at bottme or as directed by a doctor | Drug Facts (continued) If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overfices, get Meep out of reach of children. In case of overficer right area |
|--|---|---|------------------------|--------------------------|--------------------------|--------------------------|----------|--|---|
| nents? day-Friday | croscar dihydrah dihydrah se, mag polyethyl da | 017 ne calcium 30 mg ne socium 6 mg LOW SOCIUM ; cocursions pormitted bolwre | ask a doctor | 1/2 tablet once a day | onos a day | 2 tablets onos a day | starting | te or as directer | JEC) ding, ssk a hes fren. In case of Poison Control C |
| 9MM-SPM EST | mellose sodium, e, FD&C yellow #6 nesium stearate, ene glycol, silicon | w scolum zd between | ask a doctor | 1 tablet twice a day | 2 tablets twice a day | 4 tablets twice a day | dosage | t by a doctor | esth professional of overdicer, get Center right away |

WALGREENS Senna-S

| SENNA S | | | | | | |
|------------------------------|---------------------------|--------------------|-------------|---------|---------------|--|
| docusate sodium, sennoside | s tablet | | | | | |
| | | | | | | |
| Product Information | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | | NDC:036 | NDC:0363-0883 | |
| Route of Administration | ORAL | | | | | |
| | | | | | | |
| Active Incure dia ut/Active | Maiatu | | | | | |
| Active Ingredient/Active | монету | | | | | |
| Ingre | edient Name | | Basis of St | rength | Strength | |
| DOCUSATE SODIUM (UNII: F05Q2 | T2JA0) (DOCUSATE - UNII:M | 7P27195AG) | DOCUSATE SO | DIUM | 50 mg | |

SENNOSIDES

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| CROSCARMELLOSE SODIUM (UNII: M280L1HH48) | |
| DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| HYPROMELLOSES (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ALUMINUM OXIDE (UNII: LMI2606933) | |
| | |

Product Characteristics

| Color | orange | Score | no score |
|----------|--------|--------------|----------|
| Shape | ROUND | Size | 10mm |
| Flavor | | Imprint Code | PSD22 |
| Contains | | | |

Packaging

| # | ltem Code | Package Description | Marketing Start Date | Marketing End Date | | | |
|---|-----------------------|---|-------------------------|-----------------------|--|--|--|
| 1 | NDC:0363- 0883-12 | 1 in 1 BOX | 11/29/2019 | | | | |
| 1 | | 120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | | | | |
| 2 | NDC:0363- 0883-60 | 1 in 1 BOX | 11/29/2019 | | | | |
| 2 | | 60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | | | | | |
| 3 | NDC:0363- 0883-20 | 220 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product | 11/29/2019 | | | | |
| | | | | | | | |
| M | Marketing Information | | | | | | |

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|--------------------|---------------------------------|-----------------|---------------|
| Category | Citation | Date | Date |
| OTC Monograph Drug | 505G(a)(3) | 11/29/2019 | |

Labeler - Walgreens (008965063)