

WELLY QUICK FIX KIT- alcohol, bacitracin zinc, neomycin sulfate, polymyxin b sulfate
Welly Health PBC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Welly Quick Fix Kit

Triple Antibiotic Ointment

Drug Facts

Active ingredient (in each gram)

Bacitracin zinc 400 units

Neomycin sulfate (3.5mg Neomycin)

Polymyxin B sulfate 5000 units

Purpose

First Aid Antibiotics

Uses

First aid to help prevent infection in minor cuts, scrapes and burns

Warnings

For external use only

Do not use

- internally
- in eyes
- over large areas of the body or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if you are allergic to any of the ingredients

Stop use and ask a doctor if:

- a rash or allergic reaction develops
- condition worsens or persists

Keep out of reach of children. If ingested, contact a Poison Control Center right away.

Directions

- clean affected area
- apply a small amount 1 to 3 times daily
- may cover with a sterile bandage

Inactive Ingredients

petrolatum

Instant Hand Sanitizer Gel

Drug Facts

Active ingredient

Ethyl Alcohol 66.5%

Purpose

Antiseptic

Use

For handwashing to decrease bacteria on skin without soap and water.

Warnings

For external use only

Flammable, keep away from fire or flame.

Do not use in eyes, if this happens, rinse thoroughly with water.

Stop use, ask a doctor if, irritation develops and persists for 72 hours.

Keep out of reach of children. If ingested, get medical help or contact a Poison Control Center right away.

Directions

- Wet hands & wrists thoroughly with product and allow to dry without wiping

Inactive ingredients

aloe vera, carbomer, D&C green #5, D&C yellow #10, fragrance, purified water, triethanolamine

ON THE GO FIRST AID KIT

ASSORTED BANDAGES & OINTMENTS

First Aid Kit sized for on-the-go with everything you'll need and nothing you won't.

- Flexible fabric bandages in two sizes and a few colors to cover cuts and scratches.
- Hand Sanitizer helps keep hands clean when there's no sink in sight.
- Triple Antibiotic ointment helps prevent infection.

Product not made with natural rubber latex.

Bandages are sterile unless individual wrapper opened.

Quick Fix Kit

9 BANDAGES - 3/4 x 3 IN (1.9 x 7.6 CM)

9 BANDAGES - 5/8 X 2 1/4 IN (1.6 X 5.7 CM)

3 - TRIPLE ANTIBIOTIC 0.5g (1/57 OZ)

3 - HAND SANITIZER 0.9g (1/32 OZ)

Distributed by: Welly Health PBC
Minneapolis, MN 55402
1-833-BE-WELLY

Recycle me!

Welly™ www.GetWelly.com

Packaging

KIT COMPONENTS LABEL

welly ×
Triple Antibiotic
Ointment
0.5g / 1/57 OZ

Drug Facts
Active ingredient Purpose (in each gram) Bacitracin zinc 400 units Neomycin sulfate (3.5mg Neomycin) Polymyxin B sulfate First Aid 5000 units Antibiotics
Uses First aid to help prevent infection in minor cuts, scrapes, and burns
Warnings For external use only ▶

Drug Facts (continued)
Warnings (continued)
Do not use •internally •in eyes
•over large areas of the body
or on puncture wounds, animal
bites or serious burns •for
more than 1 week unless directed
by a doctor •if you are allergic
to any of the ingredients
Stop use and ask a doctor if
•a rash or allergic reaction develops
•condition worsens or persists
Keep out of reach of children.
If ingested, contact a Poison
Control Center right away.
Directions •clean affected
area •apply a small amount
1 to 3 times daily •may cover
with a sterile bandage
Inactive Ingredients
petrolatum

Welly Health PBC, Minn., MN 55402
1-833-BE-WELLY

welly ×
Instant Hand
Sanitizer
0.9g / 1/32 OZ

Drug Facts
Active ingredient Purpose Ethyl Alcohol 66.5%... Antiseptic
Use For handwashing to decrease bacteria on skin without soap and water.
Warnings For external use only Flammable, keep away from fire or flame. Keep out of reach of children. ▶ Do not use in eyes, if this happens, rinse thoroughly with water.

Drug Facts (continued)
Warnings (continued)
Stop use, ask a doctor if,
irritation develops and persists
for 72 hours. If ingested, get
medical help or contact a Poison
Control Center right away.
Directions •Wet hands &
wrists thoroughly with product
and allow to dry without wiping
Inactive ingredients
aloe vera, carbomer,
D&C green #5, D&C yellow #10,
fragrance, purified water,
triethanolamine

Welly Health PBC, Minn., MN 55402
1-833-BE-WELLY

KIT LABEL



WELLY QUICK FIX KIT

alcohol, bacitracin zinc, neomycin sulfate, polymyxin b sulfate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72663-120
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72663-120-14	1 in 1 KIT; Type 1: Convenience Kit of Co-Package	03/01/2019	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	3 POUCH	2.7 mL
Part 2	3 POUCH	1.5 mL

Part 1 of 2

ANTISEPTIC

alcohol gel

Product Information

Item Code (Source)	NDC:72663-111
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	666 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)	
D&C GREEN NO. 5 (UNII: 8J6RDU8L9X)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
WATER (UNII: 059QF0KO0R)	
TROLAMINE (UNII: 9O3K93S3TK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.9 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	02/25/2019	

Part 2 of 2

ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:72663-560
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	6.0 mg in 1 mL
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 mL
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	0.77 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		0.5 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/25/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/01/2019	

Labeler - Welly Health PBC (116766884)

Revised: 3/2019

Welly Health PBC