

**ALLERGY RELIEF- diphenhydramine hcl liquid**  
**KRAMER NOVIS**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Allergy Relief**

**Drug Facts**

**Active Ingredient (in each 5 mL tsp)**

Diphenhydramine HCL, 12.5 mg

**Purpose**

Antihistamine

**Uses**

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose • sneezing • itchy, watery eyes • itching of the nose or throat

Temporarily relieves these symptoms due to the common cold:

- runny nose • sneezing

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to the enlarged prostate gland

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product:**

- excitability might occur, especially in children
- marked drowsiness may occur • avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness effect
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### ***Directions***

- Take every 4 to 6 hours, or as directed by doctor.
- **Do not exceed recommended dose.**

Adults and Children 12 years of age and over:	take 10 to 20 mL (2 to 4 tsp) not to exceed 300 mg in 24 hours
Children 6 to under 12 years of age:	take 5 to 10 mL (1 to 2 tsp) not to exceed 150 mg in 24 hours
Children under 6 years of age:	consult a doctor

### ***Other information***

- Store at controlled room temperature 15°-30°C (59°-86°F).
- Do not refrigerate. Avoid excessive heat or humidity.
- Protect from light.

### ***Inactive ingredients***

Cherry flavor, citric acid, FD&C Red #40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, and sucralose

### ***Questions or comments?***

Call weekdays from 8 AM to 4 PM AST at **1-787-767-2072** | [www.kramernovis.com](http://www.kramernovis.com)

Manufactured in the USA for Kramer Novis, San Juan, PR 00917

### **Compare to the active ingredient of Benadryl® Allergy Liquid\***

#### **Relieves:**

- ✓ **Runny Nose**
- ✓ **Sneezing**
- ✓ **Itchy, Watery Eyes**
- ✓ **Itchy Throat**

#### **Cherry Flavor**

#### **Alcohol Free**

**\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.**

**TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS TORN, BROKEN OR MISSING.**

### **Packaging**

**Drug Facts**

**Active Ingredient (in each 5 mL tsp)** Diphenhydramine HCl, 12.5 mg.....**Purpose** Antihistamine

**Uses**  
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes  
■ itching of the nose or throat

Temporarily relieves these symptoms due to the common cold:  
■ runny nose ■ sneezing

**Warnings**  
**Do not use**  
■ with any other product containing diphenhydramine, even one used on skin  
■ to make a child sleepy

**Ask a doctor before use if you have**  
■ a breathing problem such as emphysema or chronic bronchitis  
■ glaucoma  
■ trouble urinating due to the enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**

**When using this product:**  
■ excitability might occur, especially in children  
■ marked drowsiness may occur ■ avoid alcoholic drinks  
■ alcohol, sedatives, and tranquilizers may increase drowsiness effect  
■ be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

NDC 52083-665-16

# Allergy Relief

Antihistamine

Diphenhydramine HCl, 12.5 mg/5 mL  
Compare to the active ingredient of Benadryl® Allergy Liquid\*

**Relieves:**

- ✓ Runny Nose
- ✓ Sneezing
- ✓ Itchy, Watery Eyes
- ✓ Itchy Throat



Cherry Flavor  
Alcohol Free



Net Content: 16 fl oz (473 mL)

**Drug Facts (continued)**

**Directions**  
■ Take every 4 to 6 hours, or as directed by doctor  
■ **Do not exceed recommended dose.**

Adults and Children 12 years of age and over:	take 10 to 20 mL (2 to 4 tsp) not to exceed 300 mg in 24 hours
Children 6 to under 12 years of age:	take 5 to 10 mL (1 to 2 tsp) not to exceed 150 mg in 24 hours
Children under 6 years of age:	consult a doctor

**Other information**  
■ Store at controlled room temperature 15° - 30°C (59° - 86°F).  
■ Do not refrigerate. Avoid excessive heat or humidity.  
■ Protect from light.

**Inactive ingredients**  
Cherry flavor, citric acid, FD&C Red #40, glycerin, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sorbitol, and sucralose

**Questions or comments?**  
Call weekdays from 8 AM to 4 PM AST at 1-787-767-2072 | www.kramernovis.com  
Manufactured in the USA for Kramer Novis San Juan, PR 00917

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF SEAL UNDER CAP IS TORN, BROKEN OR MISSING.**



3 52083-665 16 5 Lot No. Exp. Date UNVARNISH AREA

## ALLERGY RELIEF

diphenhydramine hcl liquid

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:52083-665
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
GLYCERIN (UNII: PDC6A3C0OX)		
METHYL PARABEN (UNII: A2I8C7HI9T)		
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
PROPYL PARABEN (UNII: Z8IX2SC1OH)		
WATER (UNII: 059QF0K00R)		
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)		
SORBITOL (UNII: 506T60A25R)		
SUCRALOSE (UNII: 96K6UQ3ZD4)		

Product Characteristics	
Color	Score

<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52083-665-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/02/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	03/02/2020	

**Labeler** - KRAMER NO VIS (090158395)

Revised: 3/2020

KRAMER NOVIS