

COUGH RELIEF- dextromethorphan hbr capsule, liquid filled
Spirit Pharmaceuticals LLC

Cough Relief

Drug Facts

Active ingredient (in each softgel)

Dextromethorphan HBr, USP 15mg

Purpose

Cough suppressant

Use

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than 8 capsules in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

adults and children	take 2 capsules every 6 to 8 hours
---------------------	---------------------------------------

12 years and over	every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

Inactive ingredients

FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, propylene glycol, povidone, sorbitol sorbitan solution, titanium dioxide

Questions or comments?

1-888-333-9792

PRINCIPAL DISPLAY PANEL

Cough Relief

Dextromethorphan HBr 15mg

60 softgels



CABINET:

Cough Relief Refill

COMPARE TO THE ACTIVE INGREDIENT IN:

**Robitussin® Long Acting
Cough Gels®***


Dextromethorphan HBr 15 mg

**COUGH SUPPRESSANT
RELIEVES COUGH UP TO 8 HOURS**

60
Softgels

Non-Drowsy
Non-Narcotic

**PACKAGE IS NOT
CHILD-RESISTANT**



Drug Facts

Active Ingredient (in each softgel) **Purpose**
Dextromethorphan HBr 15 mg Cough suppressant

Uses • temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

• a cough that occurs with too much phlegm (mucus) • a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions • do not take more than 8 softgels in any 24-hour period • this adult product is not intended for use in children under 12 years of age

adults & children 12 years & over	take 2 softgels every 6 to 8 hours, as needed
children under 12 years	do not use

Other Information

• store at 20–25°C (68–77°F) • avoid excessive heat above 40°C (104°F) • protect from light

Inactive ingredients FD&C Red No. 40, gelatin, glycerin, polyethylene glycol 400, propylene glycol, povidone, sorbitol sorbitan solution, titanium dioxide

Questions or comments?
1-888-333-9792

Feel-good, do-good days ahead

Thanks for helping us further our mission to eliminate single-use plastic from the medicine aisle. By purchasing this compostable** refill pouch, you are saving a plastic bottle from entering a landfill or the ocean.

THIS PACKAGE FOR
HOUSEHOLDS WITHOUT
YOUNG CHILDREN

* This product is not manufactured or distributed by Pfizer, Inc., owner of the registered trademark Robitussin® Lingerin Cold Long-Acting Cough Gels®

† Less than the limit of detection and consistent with gluten-free diet labeling per FDA



NDC: 68210-4242-6

ACC-1-10010
Distributed by: Cabinet Health P.B.C.
Question/Comments? 1-888-333-9792
www.cabinethealth.com

Lot / Expiration ▼



Independently
Quality Tested



Gluten-Free
Verified†



Packaging with this logo
will turn into dirt in lomi.

** Compost with an at-home composting device or at your nearest industrial composting facility. Appropriate facilities may not exist in your area.

COUGH RELIEF

dextromethorphan hbr capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-4242	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	15 mg	
Inactive Ingredients				
Ingredient Name			Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
GELATIN (UNII: 2G86QN327L)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
SORBITOL (UNII: 506T60A25R)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
Product Characteristics				
Color	red	Score	no score	
Shape	OVAL	Size	13mm	
Flavor		Imprint Code	404;904	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-4242-6	1 in 1 POUCH	01/03/2023	
1		60 in 1 POUCH; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	01/03/2023		

Labeler - Spirit Pharmaceuticals LLC (179621011)