

**SEVERE CONGESTION AND COUGH- dextromethorphan hbr, guaifenesin,  
phenylephrine hcl solution  
Walgreen Company**

-----  
**Walgreens 44-004**

***Active ingredients (in each 20 mL)***

Dextromethorphan HBr 20 mg  
Guaifenesin 400 mg  
Phenylephrine HCl 10 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

***Warnings***

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland
- heart disease
- diabetes
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

## **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

### ***Other information***

- **each 20 mL contains:** sodium 9 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

### ***Inactive ingredients***

anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal Display Panel***

NDC 0363-8004-45

### ***Walgreens***

WALGREENS PHARMACIST RECOMMENDED†

Compare to the active ingredients  
in Mucinex® FAST-MAX®  
Severe Congestion & Cough††

**Severe  
Congestion  
& Cough**

**DEXTROMETHORPHAN HBr / COUGH SUPPRESSANT  
GUAIFENESIN / EXPECTORANT  
PHENYLEPHRINE HCl / NASAL DECONGESTANT**

Maximum Strength

- Controls cough
- Relieves nasal & chest congestion
- Thins & loosens mucus
- 12 years & older

**6 FL OZ (177 mL)**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)**

DISTRIBUTED BY:

**WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION  
GUARANTEED**

walgreens.com

©2023 Walgreen Co.

†Our pharmacists recommend the Walgreens brand.  
We invite you to compare to national brands.

††This product is not manufactured or distributed by RB Health (US)  
LLC, owner of the registered trademark Mucinex® FAST-MAX®  
Severe Congestion & Cough.

NDC 0363-8004-45

**Walgreens**  
Compare to the active ingredients  
in Mucinex® FAST-MAX®  
Severe Congestion & Cough†

**Severe  
Congestion  
& Cough**

DXTROMETHORPHAN HBr / COUGH SUPPRESSANT  
GUAIFENESIN / EXPECTORANT  
PHENYLEPHRINE HCl / NASAL DECONGESTANT

Maximum Strength

- Controls cough
- Relieves nasal & chest congestion
- Thins & loosens mucus
- 12 years & older

**6 FL OZ (177 mL)**

F-004-45 ORG

**PARENTS:**  
Learn about the medicine from  
[www.DrugFactsOnline.org](http://www.DrugFactsOnline.org)

50844 ORG042300445  
B-004-45 ORG

DISTRIBUTED BY:  
WALGREEN CO.  
DEERFIELD, IL 60015  
100% SATISFACTION  
GUARANTEED  
walgreens.com  
©2023 Walgreen Co.

ITEM 769446 W00000-0000-0

3 11917 03413 3

W3ORG0923-F

†Our pharmacists recommend the Walgreens brand.  
‡We invite you to compare to national brands.  
§This product is not manufactured or distributed by RB Health (US)  
LLC, owner of the registered trademark Mucinex® FAST-MAX®  
Severe Congestion & Cough.

**Drug Facts** TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**Active ingredients (in each 20 mL) Purpose**

Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

No Print / No Varnish Area  
Lot # and Exp. Info

**Drug Facts (continued)**

**Warnings**  
Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland
- heart disease
- diabetes
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- adults and children 12 years and over: 20 mL in dosing cup provided every 4 hours
- children under 12 years: do not use

**Other information**

- each 20 mL contains: sodium 9 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

**Inactive ingredients**  
anhydrous citric acid, FD&C blue #1, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sodium metabisulfite, sorbitol, sucralose, xanthan gum

**Questions or comments?**  
1-800-426-9391

Discard Seal, Empty & Replace Cap

PLASTIC BOTTLE PLASTIC CUP

how2recycle.info

**Walgreens 44-004**

## SEVERE (IN CONGESTION AND COUGH

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-8004
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 20 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0K0OR)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SODIUM METABISULFITE</b> (UNII: 4VON5FNS3C)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	blue	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-8004-45	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	10/04/2023	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/04/2023	

**Labeler** - Walgreen Company (008965063)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(0363-8004) , pack(0363-8004)

Revised: 10/2023

Walgreen Company