

BANOPHEN- diphenhydramine hcl liquid
Proficient Rx LP

Banophen™ Drug Facts

Active ingredient (in each 5 mL)*

Diphenhydramine HCl 12.5 mg

*5 mL = 1 teaspoon (tsp)

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy, watery eyes

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- find right dose on chart below
- use only enclosed dosing cup designed for use with this product. Do not use any other dosing device.
- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

Age (yr)	Dose
children under 2 years	do not use
children 2 to 5 years	do not use unless directed by a doctor
children 6 to 11 years	5 to 10 mL (1 to 2 tsp)

Attention: use only enclosed dosing cup designed for use with this product. Do not use any other dosing device

Other information

- each teaspoon contains: sodium 15 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, high fructose corn syrup, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol solution

Questions or comments?

1-800-616-2471

Principal Display Panel



Scan Here



NDC 63187-315-04

Relabeled By: Proficient Rx LP
Thousand Oaks, CA 91320

3
6318731504
7

Banophen 12.5mg/5ml

4oz (118mL) Syrup

Each 5ml (1tsp) contains: Diphenhydramine HCl USP
12.5mg Antihistamine

See Bottle / Alcohol Free

Product ID: RB031504

Dist. By: Major Pharmaceuticals 17177 N Laurel Park Drive, Suite 233 Livonia, MI 48152

Store at 20°-25°C (68°-77°F)

Keep medication out of the reach of children

Banophen 12.5mg/5ml
4oz (118mL) Syrup
Lot #:00000 SN# MASTER
NDC 63187-315-04 Exp:00/00/00

Banophen 12.5mg/5ml
4oz (118mL) Syrup
Lot #:00000 SN# MASTER
NDC 63187-315-04 Exp:00/00/00

Banophen 12.5mg/5ml
4oz (118mL) Syrup
Lot #:00000 SN# MASTER
NDC 63187-315-04 Exp:00/00/00



GTIN: 00363187315047
SN# MASTER
Exp. 00/00/00
Lot #:00000

BANOPHEN

diphenhydramine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63187-315(NDC:0904-1228)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color	RED (Bluish-Red)	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63187-315-04	1 in 1 CARTON	02/02/2015	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/20/2006	

Labeler - Proficient Rx LP (079196022)

Establishment

Name	Address	ID/FEI	Business Operations
Proficient Rx LP		079196022	RELABEL(63187-315)

Revised: 1/2024

Proficient Rx LP