

ASPIRIN- aspirin tablet
Preferred Pharmaceuticals Inc.

Geri Care 44-249

Active ingredient (in each tablet)

Aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves:

- pain and fever of colds
- headache
- muscle pain
- minor pain of arthritis
- toothache
- menstrual pain

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction, which may include:

- facial swelling
- shock
- hives
- asthma (wheezing)

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you

- are age 60 or older
- take other drugs containing prescription or nonprescription NSAIDs [aspirin, ibuprofen, naproxen, or others]
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed
- have had stomach ulcers or bleeding problems

- take a blood thinning (anticoagulant) or steroid drug

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- you have asthma
- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

Ask a doctor or pharmacist before use if you are

taking a prescription drug for

- gout
- diabetes
- arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - o have bloody or black stools
 - o feel faint
 - o have stomach pain that does not get better
 - o vomit blood
- ringing in the ears or a loss of hearing occurs
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- **do not take more than directed**
- drink a full glass of water with each dose
- adults and children 12 years and over: take 1 or 2 tablets every 4 hours or 3 tablets every 6 hours, not to exceed 12 tablets in 24 hours unless directed by a doctor
- children under 12 years: do not use unless directed by a doctor

Other information

- use by expiration date on package
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

Inactive ingredient

corn starch

Questions or comments?

1-800-540-3765

Principal Display Panel

NDC 68788-8256

GERICARE

ASPIRIN

(NSAID) • 325 mg each

PAIN RELIEVER / FEVER REDUCER

COMPARE TO THE ACTIVE
INGREDIENT OF BAYER® ASPIRIN**

1000 TABLETS

Actual Size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

50844

REV0122D24912

**This product is not manufactured or distributed by
Bayer AG, owner of the registered trademark Bayer®
Aspirin

DISTRIBUTED BY:

GERI-CARE PHARMACEUTICAL CORP.

1650 63 Street, Brooklyn, NY 11204

Repackaged By: Preferred Pharmaceuticals Inc.

Aspirin Tablets 325mg

Generic for Bayer® Aspirin
Each tablet contains: Aspirin 325mg (NSAID)
... pain reliever/fever reducer

Pkg Size: Exp Date:

Lot#:

Batch#:

Ins:

Mfg: Geri-Care; Brooklyn, New York

Prod#:

Warning

Keep out of the reach of children. Reye's syndrome: children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness. Allergy alert: aspirin may cause a severe allergic reaction. Stomach bleeding warning: this product contains an NSAID, which may cause severe stomach bleeding. Do not use if you are allergic to aspirin or other pain relievers/fever reducers. Store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F). Tablet is round, white, imprinted with ASPIRIN 44 249



CAUTION: Federal law PROHIBITS transfer of this drug to any person other than the patient for whom it was prescribed

Aspirin Tablets 325mg

Qty: Ins:
Lot#: Bat#:

Prod# (NDC):

Aspirin Tablets 325mg


Qty: Ins:
Lot#: Bat#:
Prod# (NDC):

Aspirin Tablets 325mg


Qty: Ins:
Insurance NDC:
Lot#: Bat#:

Aspirin Tablets 325mg

Qty: Ins:
Lot#: Bat#:
Prod# (NDC):



Directions English
Take ___ tablet(s)
every ___ hours.



Instrucciones Espanol:
Toma ___ tableta(s)
cada ___ horas.

Gericare 44-249

Log
Chart
Billing
Patient

ASPIRIN

aspirin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68788-8256(NDC:57896-901)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	44;249;ASPIRIN
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68788-8256-2	20 in 1 BOTTLE; Type 0: Not a Combination Product	09/16/2022	

2	NDC:68788-8256-1	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/16/2022	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	343		09/16/2022	

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

Establishment			
Name	Address	ID/FEI	Business Operations
Preferred Pharmaceuticals Inc.		791119022	REPACK(68788-8256)

Revised: 2/2024

Preferred Pharmaceuticals Inc.