

BONNOIR HAIR MEDI - pyrithione zinc, panthenol, niacinamide, biotin shampoo
Cellinbio Co Ltd

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Bonnoir Hair Medi Shampoo

Drug Facts

Active ingredient

Zinc Pyrithione 2.10%

Panthenol 0.50%

Niacinamide 0.30%

Biotin 0.06%

Purpose

Scalp protectant

Keep out of Reach of Children

Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.

Indication & Usage

Directions

Wet hair thoroughly

Apply an appropriate amount all over scalp

Shampoo daily, gently massaging into moisten hair and scalp

Lather and wash for 15-20 seconds

Warnings

Warnings

For extenal use only

Do not use on damaged or broken skin. Your scalp is red, inflamed, infected, irritated or painful

When using this product

Do not apply on other parts of the body

Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water

Dosage & Administration

Uses

This product is fortified with nutrients for the scalp and hair to effectively prevent hair loss and promote hair growth

Inactive Ingredient

Sodium Laureth Sulfate, Water, Sodium Lauryl Sulfate, Cocamidopropyl Betaine, Disodium Cocoamphodiacetate, Dimethicone, Cocamide Dea, Cetrimonium Chloride, Triethanolamine, Glycerin, Polyquaternium-10, Carbomer, Citric Acid, Fragrance, Sodium Xylenesulfonate, Acorus Calamus Root Extract, Cnidium officinale Root Extract, Morus Alba Bark Extract, Laureth-23, Laureth-4, Tocopheryl

Acetate, Peg-55 Stearate, Methylchloroisothiazolinone, Methylisothiazolinone

Bonnoir Hair Medi Shampoo

NRC Bonnoir Hair Medi Shampoo

Net WT. 11.8 FL OZ(350ml)

BONNOIR MEDI SHAMPOO

Drug Facts	
Active ingredient	Purpose
Zinc Pyrithione 2.10%	scalp protectant
Panthenol 0.50%	scalp protectant
Niacinamide 0.30%	scalp protectant
Biotin 0.06%	scalp protectant
Uses • This product is fortified with nutrients for the scalp and hair to effectively prevent hair loss and promote hair growth	
Warnings	
For external use only	
Do not use ■ on damaged or broken skin ■ Your scalp is red, inflamed, infected, irritated or painful	
When using this product ■ Do not apply on other parts of the body ■ Avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water	
Stop use and ask a doctor scalp irritation or redness occurs	
Keep out of reach of children if swallowed, get medical help or contact a Poison Control Center right away.	
Directions ■ Wet hair thoroughly ■ Apply an appropriate amount all over scalp ■ Shampoo daily, gently massaging into moistened hair and scalp ■ Lather and wash for 15-20 seconds	
Other information ■ Store product away from excessive heat and direct sun	
Inactive ingredients Sodium Laureth Sulfate, Water, Sodium Lauryl Sulfate, Cocamidopropyl Betaine, Disodium Cocoamphodiacetate, Dimethicone, Cocamide Dea, Cetrimonium Chloride, Triethanolamine, Glycerin, Polyquaternium-10, Carbomer, Citric Acid, Fragrance, Sodium Xylenesulfonate, Acorus Calamus Root Extract, Cnidium officinale Root Extract, Morus Alba Bark Extract, Laureth-23, Laureth-4, Tocopheryl Acetate, Peg-55 Stearate, Methylchloroisothiazolinone, Methylisothiazolinone	
Questions or comments? 213-325-2780	

Shelf Life 3years
Net WT 11.8 FL OZ (350ml)



[Distributed by] NRC USA INC.

3700 WILSHIRE BLVD SUITE 300 LOS ANGELES, CA 90010 USA

www.nrc-usa.com [Call] 213.325.2780 [R&D Center] CELLINBIO INC

[Manufacturer] KOLMAR KOREA CO., LTD. 170-7, Sojong-Ri, Chonui-Myun, Yongi-Gun, Chungcheongnam-Do, KOREA

Made in Korea

BONNOIR HAIR MEDI

pyrithione zinc, panthenol, niacinamide, biotin shampoo

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:76 173-10 02

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PYRITHIONE ZINC (UNII: R953O2RHZ5) (PYRITHIONE ZINC - UNII:R953O2RHZ5)	PYRITHIONE ZINC	7.35 mL in 350 mL
PANTHENOL (UNII: WV9CM0O67Z) (PANTHENOL - UNII:WV9CM0O67Z)	PANTHENOL	1.75 mL in 350 mL
NIACINAMIDE (UNII: 25X51I8RD4) (NIACINAMIDE - UNII:25X51I8RD4)	NIACINAMIDE	1.05 mL in 350 mL
BIOTIN (UNII: 6SO6U10H04) (BIOTIN - UNII:6SO6U10H04)	BIOTIN	0.21 mL in 350 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM LAURETH SULFATE (UNII: BPV390UAP0)	
WATER (UNII: 059QF0KO0R)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
COCAMIDOPROPYL BETAINE (UNII: 5OCF3O11KX)	
DISODIUM COCOAMPHODIACETATE (UNII: 18L9G3U51M)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
CETRIMONIUM CHLORIDE (UNII: UC9PE95IBP)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYQUATERNIUM-10 (400 CPS AT 2%) (UNII: HB1401PQFS)	
CARBOMER 934 (UNII: Z135WT9208)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM XYLENESULFONATE (UNII: G4LZF950UR)	
ACORUS CALAMUS ROOT (UNII: XY1K7KIQ0F)	
CNIDIUM OFFICINALE ROOT (UNII: 8S3OZD358J)	
MORUS ALBA BARK (UNII: 7O71A48NDP)	
LAURETH-23 (UNII: N72LMW566G)	
LAURETH-4 (UNII: 6HQ855798J)	
.ALPHA.-TOCOPHEROL ACETATE, D- (UNII: A7E6112E4N)	
PEG-12 STEARATE (UNII: 9KU38O8CEK)	
METHYLCHLOROISOTHIAZOLINONE (UNII: DEL7T5QRPN)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	

Product Characteristics

Color	black (silver)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76173-1002-1	350 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		07/27/2011	

Labeler - Cellinbio Co Ltd (557803737)

Registrant - Cellinbio Co Ltd (557803737)

Establishment

Name	Address	ID/FEI	Business Operations
Cellinbio Co Ltd		557803737	relabel

Establishment

Name	Address	ID/FEI	Business Operations
KOLMAR KOREA CO LTD		687846360	manufacture

Revised: 7/2011

Cellinbio Co Ltd