

MAYINGLONG HEMORRHOIDAL- petrolatum, zinc oxide ointment
Mayinglong Pharmaceutical Group Co., Ltd.

Mayinglong Hemorrhoidal Ointment

Drug Facts

Active ingredients

Petrolatum 77.99%

Calamine 7.6%

Purpose

Protectant

Astringent

Uses

- For the temporary relieve of local itching and discomfort associated with hemorrhoids.
- Temporarily forms a protective coating over inflamed tissues to help prevent drying of tissues.
- Temporarily protects irritated areas.
- Temporarily relieves burning.
- Provides temporary relief from skin irritations.
- Temporarily provides a coating for relief of anorectal discomforts.
- Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful.
- Temporarily protects inflamed perianal skin.
- Temporarily relieves the symptoms of perianal skin irritation.

Warnings

For external use and/or intrarectal use only

Do not use

- If allergic to any of the ingredients

When using this product

- Do not exceed the recommended daily dosage unless as directed by a doctor.
- Do not use the product with an applicator if the introduction of the applicator into the rectum causes additional pain. Consult a doctor promptly.

Stop use and ask a doctor if

- Bleeding occurs

- Condition worsens or does not improve within 7 days

Do not use during pregnancy or when breast feeding.

Consult a health professional before use.

Keep out of reach of children

to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away Do not use otherwise than as directed.

Directions

- Adults: When practical, cleanse the affected area with mild soap and warm water, rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of the ointment.
- Apply to the affected area up to 2 times daily or after each bowel movement.
- Apply liberally to the affected area.
- Attach applicator to tube. Lubricate applicator well with ointment, then gently insert applicator into the rectum. **FOR INTRARECTAL USE:**
- Children under 12 years of age: consult a doctor.

Other information

- Store at room temperature, 10 °C to 30°C (50°F to 86°F)
- Keep the container closed tightly

Inactive ingredients

Amber, Artificial bezoar (Bos Taurus Bile, Cholic Acid, D eoxycholic Acid, Taurine, Bilirubin, Cholesterol), Artificial musk (Muscone), Borax, Borneol, Dimethyl sulfoxide, Lanolin, Pear

Questions?

+1-888-915-6789 M-F 9am to 5pm Pacific Time You may report serious side effects to this phone number.

Package Labeling:





NDC: 68511-998-01

**M
A
Y
I
N
G
L
O
N
G**

HEMORRHOIDAL OINTMENT

Used in Asia Since 1582

Made with traditional Chinese ingredients.

- ▶ Rapid Relief for Hemorrhoids
- ▶ Relieves Pain
- ▶ Relieves Itching
- ▶ Relieves Burning
- ▶ Applicators Included

**Net Wt.
0.35 oz (10 g)**

马应龙®

About Mayinglong Hemorrhoidal Ointment

Formulated in China during the Wan Li period of the Ming dynasty (late 16th century), Mayinglong Hemorrhoidal Ointment uses traditional Chinese ingredients.

Mayinglong Hemorrhoidal Ointment provides temporary relief from the itching and discomfort associated with hemorrhoids. It continues to be the most popular hemorrhoidal treatment in Asia.

DISTRIBUTED BY:
TRIFECTA PHARMACEUTICALS USA
101 NE THIRD AVENUE SUITE 1500
FT. LAUDERDALE, FL 33301
MADE IN CHINA

www.mayinglongusa.com

Drug Facts

Active ingredients	Purpose
Petrolatum 77.99%	Protectant
Calamine 7.6%	Astringent

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful
- aids in protecting irritated anorectal areas

Warnings

For external use and/or intrarectal use only
When using this product

- do not exceed the recommended daily dosage unless directed by a doctor
- do not use this product with an applicator if the introduction of the applicator into the rectum causes additional pain. Consult a doctor promptly.

Stop use and ask a doctor if

- bleeding occurs
 - condition worsens or does not improve within 7 days
- Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.
Do not take during pregnancy. If breast-feeding, ask a health professional before use.

Directions

- adults: when practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with toilet tissue or soft cloth before application of this product.
- apply to the affected area up to 2 times daily or after each bowel movement
- FOR INTRARECTAL USE: attach applicator to tube. Lubricate applicator well, then gently insert applicator into the rectum
- apply liberally to the affected area as often as necessary
- children under 12 years of age: consult a doctor

Other information


- Keep container closed tightly
- Store at room temperature 50°F – 86°F (10°C – 30°C)

Inactive ingredients

amber, artificial bezoar, artificial musk, borax, borneol, dimethyl sulfoxide, lanolin, pearl

Questions or Comments?

1-888-296-9067



马应龙

Made in China

LOT:

EXP:

Package Labeling:



DO NOT USE IF SEAL UNDER CAP IS
BROKEN OR MISSING

MAYINGLONG HEMORRHOIDAL OINTMENT



NDC:

MAYINGLONG HEMORRHOIDAL OINTMENT

Used in Asia Since 1582

Made with
traditional
Chinese
ingredients.

- Relief for Hemorrhoids
- Relieves Pain
- Relieves Itching
- Relieves Burning
- Applicators Included

Net Wt.
0.35 oz (10 g)



馬應龍®

About Mayinglong Hemorrhoidal Ointment

Formulated in China during the Wan Li period of the Ming dynasty (late 16th century), Mayinglong Hemorrhoidal Ointment uses traditional Chinese ingredients.

Mayinglong Hemorrhoidal Ointment provides temporary relief from the itching and discomfort associated with hemorrhoids. It continues to be a popular hemorrhoidal treatment in Asia.

DISTRIBUTED BY:
TRIFECTA PHARMACEUTICALS USA
101 NE THIRD AVENUE SUITE 1500
FT. LAUDERDALE, FL 33301
MADE IN CHINA



www.mayinglongusa.com

Drug Facts

Active ingredients	Purpose
Petrolatum 77.99%.....	Protectant
Calamine 7.6%	Astringent

Uses

- For the temporary relieve of local itching and discomfort associated with hemorrhoids.
- Temporarily forms a protective coating over inflamed tissues to help prevent drying of tissues.
- Temporarily protects irritated areas.
- Temporarily relieves burning.
- Provides temporary relief from skin irritations.
- Temporarily provides a coating for relief of anorectal discomforts.
- Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful.
- Temporarily protects inflamed perianal skin.
- Temporarily relieves the symptoms of perianal skin irritation.

Warnings

For external and/or intrarectal use only

Do not use

- If allergic to any of the ingredients

When using this product

- Do not exceed the recommended daily dosage unless as directed by a doctor.
- Do not use the product with an applicator if the introduction of the applicator into the rectum causes additional pain. Consult a doctor promptly.

Stop use and ask a doctor if

- Bleeding occurs
- Condition worsens or does not improve within 7 days

Do not use during pregnancy or when breast feeding. Consult a health professional before use. Keep out of reach of children to avoid accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away.

Do not use otherwise than as directed.

Directions

- Adults: When practical, cleanse the affected area with mild soap and warm water, rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of the ointment.
- Apply to the affected area up to 2 times daily or after each bowel movement.
- Apply liberally to the affected area.
- FOR INTRARECTAL USE: Attach applicator to tube. Lubricate applicator well with ointment, then gently insert applicator into the rectum.
- Children under 12 years of age: consult a doctor.

Other information

- Store at room temperature, 10 °C to 30°C (50°F to 86°F)
- Keep the container closed tightly

Inactive ingredients

Amber, Artificial bezoar (Bos Taurus Bile, Cholic Acid, Deoxycholic Acid, Taurine, Bilirubin, Cholesterol), Artificial musk (Muscone), Borax, Borneol, Dimethyl sulfoxide, Lanolin, Pearl

Questions? +1-888-915-6789

M-F 9am to 5pm Pacific Time, you may report serious side effects to this phone number.



馬應龍

Made in China



NDC: 68511-998-01

Net Wt.
0.35 oz (10 g)

The Original



MAYINGLONG[®]
HEMORRHOIDAL OINTMENT

About Mayinglong Hemorrhoidal Ointment

Formulated in China during the Wan Li period of the Ming dynasty (late 16th century), Mayinglong Hemorrhoidal Ointment provides temporary relief from the itching and discomfort associated with hemorrhoids. It continues to be the most popular hemorrhoidal treatment in Asia.

Drug Facts	
Active ingredients	Purpose
Petrolatum 77.99%.....	Protectant
Calamine 7.6%	Astringent
Uses	
<ul style="list-style-type: none"> ■ For the temporary relieve of local itching and discomfort associated with hemorrhoids. ■ Temporarily forms a protective coating over inflamed tissues to help prevent drying of tissues. ■ Temporarily protects irritated areas. ■ Temporarily relieves burning. ■ Provides temporary relief from skin irritations. ■ Temporarily provides a coating for relief of anorectal discomforts. ■ Temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful. ■ Temporarily protects inflamed perianal skin. ■ Temporarily relieves the symptoms of perianal skin irritation. 	
Warnings	
For external and/or intrarectal use only	
Do not use	
■ If allergic to any of the ingredients	
When using this product	
<ul style="list-style-type: none"> ■ Do not exceed the recommended daily dosage unless as directed by a doctor. ■ Do not use the product with an applicator if the introduction of the applicator into the rectum causes additional pain. Consult a doctor promptly. 	
Stop use and ask a doctor if	
<ul style="list-style-type: none"> ■ Bleeding occurs ■ Condition worsens or does not improve within 7 days 	
Do not use during pregnancy or when breast feeding. Consult a health professional before use.	
Keep out of reach of children to avoid accidental poisoning.	
If swallowed, get medical help or contact a Poison Control Center right away	
Do not use otherwise than as directed.	
Directions	
<ul style="list-style-type: none"> ■ Adults: When practical, cleanse the affected area with mild soap and warm water, rinse thoroughly. Gently dry by patting or blotting with toilet tissue or a soft cloth before application of the ointment. ■ Apply to the affected area up to 2 times daily or after each bowel movement 	

- Apply to the affected area up to 4 times daily or after each bowel movement.
- Apply liberally to the affected area.
- FOR INTRARECTAL USE: Attach applicator to tube. Lubricate applicator well with ointment, then gently insert applicator into the rectum.
- Children under 12 years of age: consult a doctor.

Other information

- Store at room temperature, 10 °C to 30°C (50°F to 86°F) ■ Keep the container closed tightly

Inactive ingredients Amber, Artificial bezoar (Bos Taurus Bile, Cholic Acid, Deoxycholic Acid, Taurine, Bilirubin, Cholesterol), Artificial musk (Muscone), Borax, Borneol, Dimethyl sulfoxide, Lanolin, Pearl

Questions? +1-888-915-6789

M-F 9am to 5pm Pacific Time You may report serious side effects to this phone number.

DISTRIBUTED BY: TRIFECTA PHARMACEUTICALS USA, 101 NE THIRD AVENUE SUITE 1500, FT. LAUDERDALE, FL 33301

MADE IN CHINA

www.mayinglongusa.com

MAYINGLONG HEMORRHOIDAL

petrolatum, zinc oxide ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68511-998
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PETROLATUM (UNII: 4T6H12BN9U) (PETROLATUM - UNII:4T6H12BN9U)	PETROLATUM	779.9 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	76 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
AMBER (UNII: 70J9Z0J26P)	
BOS TAURUS BILE (UNII: ET3651ZLOU)	
CHOLIC ACID (UNII: G1JO7801AE)	
DEOXYCHOLIC ACID (UNII: 005990WHZZ)	
TAURINE (UNII: 1EQV5MLY3D)	
BILIRUBIN (UNII: RFM9X3LJ49)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
MUSCONE (UNII: UPS3C6CV36)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
BORNEOL (UNII: M89NIB437X)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
LANOLIN (UNII: 7EV65EAW6H)	
PEARL (HYRIOPSIS CUMINGII) (UNII: A75L5FZ40U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68511-998-01	1 in 1 BOX	08/01/2018	
1		10 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:68511-998-02	1 in 1 BOX	08/01/2018	
2		10 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	08/01/2018	

Labeler - Mayinglong Pharmaceutical Group Co., Ltd. (526823828)

Establishment

Name	Address	ID/FEI	Business Operations
Mayinglong Pharmaceutical Group Co., Ltd.		526823828	manufacture(68511-998)

Revised: 12/2023

Mayinglong Pharmaceutical Group Co., Ltd.