# MUCUS RELIEF COLD AND FLU- acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet, coated HEB

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### 1198-HEB-2022-1208

## **Drug Facts**

Active ingredients (in each caplet)	Purpose		
Acetaminophen 325 mg	Pain reliever/fever reducer		
Dextromethorphan HBr 10 mg	Cough suppressant		
Guaifenesin 200 mg	Expectorant		
Phenylephrine HCl 5 mg	Nasal decongestant		

#### Uses

- temporarily relieves these common cold and flu symptoms:
  - nasal congestion
  - headache
  - cough
  - minor aches and pains
  - sore throat
  - sinus congestion and pressure
- temporarily reduces fever
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

## **Warnings**

## Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

## Allergy alert

Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

## Sore throat warning

If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

## Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

## When using this product do not use more than directed

## Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

## Keep out of reach of children.

## **Overdose warning**

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do

not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years of age and older: take 2 caplets every 4 hours
- children under 12 years of age: do not use

#### Other information

store between 20-25°C (68-77°F) in a dry place

## Inactive ingredients

colloidal silicon dioxide, corn starch, croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

#### **Questions or comments?**

1-844-705-4384

#### PRINCIPAL DISPLAY PANEL

Compare to Mucinex® Fast-Max® Cold & Flu All-in-One active ingredients†

NDC 37808-598-04

For Ages 12+

**HEB®** 

Maximum Strength

Mucus Relief Cold & Flu

Acetaminophen / Pain Reliever/Fever Reducer

Dextromethorphan HBr / Cough Suppressant

Guaifenesin / Expectorant

Phenylephrine HCI / Nasal Decongestant

All-In-One

Relief of:

- Headache, Body Pain, Sore Throat & Fever
- Cough & Chest Congestion
- Nasal Conegstion

• Sinus Congestion & Sinus Pressure

#### **Actual Size**

#### 20 CAPLETS



### **MUCUS RELIEF COLD AND FLU**

acetaminophen, dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride tablet, coated

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:37808-598	
Route of Administration	ORAL				
Active Ingredient/Active	Majoty				
Active Ingredient/Active Moiety					
Ingredient Name			Basis of Str	ength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)			ACETAMINOPHEN		325 mg
<b>DEXTROMETHORPHAN HYDROB</b> I (DEXTROMETHORPHAN - UNII:7355X	•	)	DEXTROMETHORP HYDROBROMIDE	HAN	10 mg
GUAIFENESIN (UNII: 495W7451VQ)	(GUAIFENESIN - UNII:495W	7451VQ)	GUAIFENESIN		200 mg
PHENYLEPHRINE HYDROCHLORI	<b>DE</b> (UNII: 04JA59TNSJ) (PHE	NYLEPHRINE -	PHENYLEPHRINE		5 ma

UNII:1WS297W6MV) HYDROCHLORIDE

Inactive Ingredients			
Ingredient Name	Strength		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)			
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)			
CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561)			
FD&C RED NO. 40 (UNII: WZB9127XOA)			
ALUMINUM OXIDE (UNII: LMI26O6933)			
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
MALTODEXTRIN (UNII: 7CVR7L4A2D)			
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)			
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)			
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)			
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)			
STARCH, CORN (UNII: O8232NY3SJ)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
TALC (UNII: 7SEV7J4R1U)			
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)			

Product Characteristics				
Color	red	Score	no score	
Shape	OVAL	Size	19mm	
Flavor		Imprint Code	AAA;1165	
Contains				

Packaging						
# I	Item Code	Package Description	Marketing Start Date	Marketing End Date		
	DC:37808- 98-04	2 in 1 CARTON	04/27/2021			
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	04/27/2021		

## **Labeler -** HEB (007924756)

Revised: 12/2022 HEB