

**STOOL SOFTENER LAXATIVE- docusate sodium capsule**  
**United Natural Foods, Inc. dba UNFI**

-----  
**Drug Facts**

**Active ingredient (in each softgel)**

Docusate Sodium 100 mg

**Purpose**

Stool softener laxative

**Uses**

- for temporary relief occasional constipation and irregularity
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

**Do not use**

if you are presently taking mineral oil, unless directed by a doctor

**Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be a signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- take with a glass of water

---

adults and children 12 | take 1 to 3 softgels daily. This dose may be taken as a single

years and over	daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### Other information

- **each softgel contains:** sodium 5 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### Inactive ingredients

edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water sorbitan, sorbitol

### Questions or comments?

Call toll free **1-855-423-2630**

### Principal Display Panel

compare to Dulcolax® Stool Softener active ingredient†

stool softener

docusate sodium 100 mg

stool softener laxative

- comfortable relief of painful, hard, dry stool
- stimulant-free
- constipation relief

Softgels

†This product is not manufactured or distributed by Chattem, Inc., distributor of Dulcolax® Stool Softener

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**DISTRIBUTED BY UNFI**

**PROVIDENCE, RI 02908 USA**

**Product Label**

PLD-6671B  
 F0006778  
 Lot No.:  
 Exp. Date:

0 4 1 1 6 3 4 5 8 2 7 7

**EQUALINE®**

compare to  
**Dulcolax®**  
 Stool Softener  
 active ingredient!  
 NDC 41163-862-25

**stool softener**

docusate sodium 100mg  
 stool softener laxative

- comfortable relief of painful, hard, dry stools
- stimulant-free
- constipation relief



actual size

**25 softgels**

DISTRIBUTED BY UNFI  
 PROVIDENCE, RI 02908 USA

Like it or let us make it right.  
**That's our quality promise.**  
 855-423-2630



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

This product is not manufactured or distributed by Chatten, Inc., distributor of Dulcolax® Stool Softener.

**Drug Facts (continued)**

**Other information**  
 ■ each softgel contains: sodium 5 mg  
 ■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

**Questions or comments?**  
 Call toll free 1-855-423-2630

**Drug Facts**

**Active ingredient (in each softgel)**  
 Docusate sodium 100 mg ..... Stool softener laxative

**Uses**  
 ■ for relief of occasional constipation and irregularity  
 ■ this product generally produces bowel movement in 12 to 72 hours

**Warnings**  
 Do not use if you are presently taking mineral oil, unless directed by a doctor.  
 Ask a doctor before use if you have  
 ■ stomach pain ■ nausea ■ vomiting  
 ■ a sudden change in bowel habits that lasts more than 2 weeks  
 Stop use and ask a doctor if  
 ■ you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.  
 ■ you need to use a laxative for more than 1 week  
 If pregnant or breast-feeding, ask a health professional before use.  
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ take with a glass of water  
 adults and children take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.  
 children 2 to under 12 take 1 softgel daily  
 children under 2 years ask a doctor

**EQUALINE Stool Softener Laxative**

**STOOL SOFTENER LAXATIVE**

docusate sodium capsule

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41163-862
---------------------	----------------	---------------------------	---------------

Route of Administration ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

### Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
SORBITAN (UNII: 6O92ICV9RU)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
GLYCERIN (UNII: PDC6A3C0OX)	

### Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P51
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-862-25	1 in 1 BOX	01/31/2020	
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	01/31/2020	

**Labeler** - United Natural Foods, Inc. dba UNFI (943556183)