

TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin-b sulfate ointment
Rite Aid Corporation

Triple Antibiotic Ointment (Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate)

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc, USP 400 units
Neomycin 3.5 mg
Polymyxin B sulfate, USP 5,000 units

Purpose

First aid antibiotic

Uses

First aid to help prevent infection in minor

- cuts
- scrapes
- burns

Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than one week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center(1-800-222-1222) right away.

Directions

- clean affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- Store at 15°-30°C (59°-86°F), Protect from freezing.
- Before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient

white petrolatum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal display panel

Compare to the active ingredients in Neosporin® Original Ointment*

TRIPLE ANTIBIOTIC OINTMENT

BACITRACIN ZINC

NEOMYCIN SULFATE

POLYMYXIN B SULFATE

FIRST AID ANTIBIOTIC

FOR EXTERNAL USE ONLY

FIRST AID ANTIBIOTIC TO HELP

PREVENT INFECTION IN MINOR CUTS, SCRAPES, AND BURNS

*This product is not manufactured or distributed by Johnson & Johnson Consumer, Inc., distributor of Neosporin® Original Ointment.

DISTRIBUTED BY:

RITE AID, 30 HUTER LANE,

CAMP HILL PA 17011

www.riteaid.com

Package label

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc, USP 400 units
Neomycin 3.5 mg
Polymyxin B sulfate, USP 5,000 units }First aid antibiotic

Purpose

Uses First aid to help prevent infection in minor
■ cuts ■ scrapes ■ burns

Warnings

For external use only.

Drug Facts (continued)

Do not use ■ if you are allergic to any of the ingredients
■ in the eyes ■ over large areas of the body

Ask a doctor before use if you have
■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ you need to use longer than one week
■ condition persists or gets worse
■ rash or other allergic reaction develops

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Drug Facts (continued)

Directions ■ clean the affected area
■ apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
■ may be covered with a sterile bandage

Other information

■ store at 15°-30°C (59°-86°F). Protect from freezing.

Drug Facts (continued)

■ before using any medication, read all label directions. Keep carton, it contains important information.

Inactive ingredient white petrolatum

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by Johnson & Johnson Consumer, Inc., distributor of Neosporin® Original Ointment.

TRIPLE ANTIBIOTIC OINTMENT

BACITRACIN ZINC • NEOMYCIN SULFATE
POLYMYXIN B SULFATE

FIRST AID ANTIBIOTIC

DISTRIBUTED BY:
RITE AID, 30 HUNTER LANE,
CAMP HILL, PA 17011
www.riteaid.com

SATISFACTION GUARANTEE
If you're not satisfied, we'll happily refund your money.

PLD-A6936 FC008007



Code: 00/DRUGS/362 ABC3C/00



FIRST AID ANTIBIOTIC
FOR EXTERNAL USE
PREVENT INFECTION IN
SCRAPE, AND BU

BACITRACIN ZINC
NEOMYCIN SULFATE
POLYMYXIN B SULFATE

TRIPLE
ANTIBIOTIC
OINTMENT

Compare to
Neosporin



RITE AID Triple Antibiotic Ointment

TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin-b sulfate ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-2900
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-2900-5	1 in 1 CARTON	02/25/2022	
1		14 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:11822-2900-1	1 in 1 CARTON	02/25/2022	
2		28 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:11822-2900-2	1 in 1 CARTON	02/25/2022	
3		56 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	02/25/2022	

Labeler - Rite Aid Corporation (014578892)

Revised: 5/2024

Rite Aid Corporation