## AMMONIUM MURIATICUM- ammonium muriaticum pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## AMMONIUM MURIATICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



## AMMONIUM MURIATICUM 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken

00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

## AMMONIUM MURIATICUM 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

# AMMONIUM MURIATICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



## AMMONIUM MURIATICUM 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

## AMMONIUM MURIATICUM 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc.

## AMMONIUM MURIATICUM 30C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea
Keep out of reach
of children
Directions: Take 5
pellets orally once
Inactive ingredients:

00000

sucrose

hnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9

## AMMONIUM MURIATICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



## AMMONIUM MURIATICUM 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken

00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490.
TWIST TO OPEN - USE ONLY IF SEALED

# AMMONIUM MURIATICUM 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc.

## AMMONIUM MURIATICUM 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

hnemann Labs Inc. 1940 Fourth St. San Rafael, CA

# AMMONIUM MURIATICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



## AMMONIUM MURIATICUM 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

# AMMONIUM MURIATICUM 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc.

## AMMONIUM MURIATICUM 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

memann Labs Inc. 1940 Fourth St. San Rafael, CA

# AMMONIUM MURIATICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



# AMMONIUM MURIATICUM 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

# AMMONIUM MURIATICUM 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. 

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc.

## AMMONIUM MURIATICUM 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use:Traditional use
such as nausea
Keep out of reach
of children
Directions: Take 5
pellets orally once

Inactive ingredients:

nemann Labs Inc. 1940 Fourth St. San Rafael, CA

# AMMONIUM MURIATICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. 

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



# AMMONIUM MURIATICUM 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

# AMMONIUM MURIATICUM 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

# AMMONIUM MURIATICUM

Min. net wt: 1g
HOMEOPATHIC
MEDICINE HPUS
Active ingredient:
Listed above
Use: Traditional use
such as nausea
Keep out of reach
of children

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

hnemann Labs Inc. 1940 Fourth St. San Rafael, C.

## AMMONIUM MURIATICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



## AMMONIUM MURIATICUM 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE HPUS

**Drug Facts:** Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

Hahnemann Labs Inc. 1940 Fourth St. San Kafael, CA 94901
TWIST TO OPEN - USE ONLY IF SEALED

## AMMONIUM MURIATICUM 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken



00000

### **AMMONIUM MURIATICUM**

ammonium muriaticum pellet

#### **Product Information**

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:63545-003

**Route of Administration** 

ORAL

**Active Ingredient/Active Moiety** 

	Ingredient Name	Basis of Strength	Strength
AMMONIUM CHLORIDE UNII:54S68520I4)	(UNII: 01Q9PC255D) (AMMONIUM CATION -	AMMONIUM CATION	6 [hp_C]

Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 003-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020		
2	NDC:63545- 003-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020		
3	NDC:63545- 003-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020		

## AMMONIUM MURIATICUM 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/21/2020	

### **AMMONIUM MURIATICUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-954	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>AMMONIUM CHLORIDE</b> (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CATION	500 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color white Score no score						
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains	Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 954-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020		
2	NDC:63545- 954-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020		
3	NDC:63545- 954-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020		
4	NDC:63545- 954-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020		

## AMMONIUM MURIATICUM 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		10/21/2020		

### **AMMONIUM MURIATICUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-951	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
<b>AMMONIUM CHLORIDE</b> (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CATION	30 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63545- 951-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020				
2	NDC:63545- 951-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020				
3	NDC:63545- 951-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020				
4	NDC:63545- 951-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020				

## AMMONIUM MURIATICUM 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/21/2020		

### **AMMONIUM MURIATICUM**

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-950		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AMMONIUM CHLORIDE (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CATION	12 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	3mm			
Flavor		Imprint Code				
Contains	Contains					

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:63545- 950-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020				
2	NDC:63545- 950-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020				
3	NDC:63545- 950-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020				

## AMMONIUM MURIATICUM 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		10/21/2020		

### **AMMONIUM MURIATICUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-952	
Route of Administration	ORAL			

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>AMMONIUM CHLORIDE</b> (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CATION	100 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 952-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020	
2	NDC:63545- 952-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020	
3	NDC:63545- 952-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020	
4	NDC:63545- 952-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020	

## AMMONIUM MURIATICUM 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/21/2020	

### **AMMONIUM MURIATICUM**

ammonium muriaticum pellet

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901 TWIST TO OPEN - USE ONLY IF SEALED

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-953	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AMMONIUM CHLORIDE (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CATION	200 [hp_C]		

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics				
Color white Score no score				
Shape	ROUND	Size	2mm	
Flavor		Imprint Code		
Contains				

P	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545- 953-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020	
2	NDC:63545- 953-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020	
3	NDC:63545- 953-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020	
4	NDC:63545- 953-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020	

## AMMONIUM MURIATICUM 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		10/21/2020	

### **AMMONIUM MURIATICUM**

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-955	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AMMONIUM CHLORIDE (UNII: 01Q9PC255D) (AMMONIUM CATION - UNII:54S68520I4)	AMMONIUM CATION	1 [hp_M]	

Inactive Ingredients		
Ingredient Name	Strength	
SUCROSE (UNII: C151H8M554)		

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description Marketing Start Date		Marketing End Date
1	NDC:63545- 955-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020	
2	NDC:63545- 955-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	10/21/2020	
3	NDC:63545- 955-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020	
4	NDC:63545- 955-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	10/21/2020	

## AMMONIUM MURIATICUM 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE HPUS

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic uses such as for nausea

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422



Marketing Information			
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
	10/21/2020		
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date	

Labeler - Hahnemann Laboratories, Inc. (147098081)

Registrant - Hahnemann Laboratories, Inc. (147098081)

Establishment			
Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-003, 63545-950, 63545-951, 63545-952, 63545-953, 63545-954, 63545-955)

Revised: 12/2022 Hahnemann Laboratories, Inc.