MATTIFYING PRIMER SPF 20- titanium dioxide and zinc oxide liquid Colorescience

Mattifying Primer SPF 20

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 5.0%	Sunscreen
Zinc Oxide 4.5%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- Reapply:
 - After 40 minutes of swimming or sweating.
 - Immediately after towel drying.
 - At least every 2 hours.
- Children under 6 months: ask a doctor.

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Cyclopentasiloxane, Dimethicone Crosspolymer, Caprylic/Capric Triglyceride, Water, Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol Acetate, Mica,

Simmondsia Chinensis (Jojoba) Seed Oil, Hydrolyzed Rice Protein, Dimethiconol, Avena Sativa (Oat) Kernel Protein, Salicylic Acid, Spirulina Maxima Extract, Alumina, Silica, Jojoba Esters, Polyhydroxystearic Acid, Glyceryl Behenate/Eicosadioate, Aloe Barbadensis Leaf Extract, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Palmeria Palmata Extract, Camellia Sinensis Leaf Extract, Lauroyl Lysine, Palmitoyl Tripeptide-5, Tocopherol, Triethoxycaprylylsilane, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Limonene, Linalool, Iron Oxides (CI77491, CI77492, CI77499).

Other information

Protect this product from excessive heat and direct sun.

Questions or comments?

Call toll free 866.426.5673

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton

colorescience[®]

MATTIFYING PRIMER

3-IN-1 FACE PRIMER

- + Helps reduce oil and shine
- + Minimizes pore appearance
- + Extends makeup wear

20 Broad Spectrum SPF 20 Sunscreen PA+++

ALL-MINERAL ACTIVES WATER/SWEAT RESISTANT (40 MINUTES)

Net Wt. 1 fl. oz. / 30 mL



Back In Matte

Help control shine and blur imperfections of oily or blemishprone skin. Colorescience Mattifying Primer SPF 20 is formulated with rice proteins and peptides to smooth and even skin tone, extend makeup wear, and leave skin with a silky finish. Zinc oxide and titanium dioxide deliver all-mineral UVA/UVB sunscreen and environmental protection.

- Dermotologist Tested
- Non-comedogenic

How to Use

Dispense half a pump to fingertips. Dot product around the face and blend, ensuring even coverage. Can be worn alone or under your favorite foundation.

How to Use (EU)

Do not stay too long in the sun, even while using a sunscreen product.
Keep babies and young children out
of direct sunlight. Over-exposure to
the sun is a serious health threat. Reducing the quantity of sunscreen product applied will lower the level of protection significantly. Generously apply sunscreen products before sun exposure. Keep out of eyes. Stop use and ask a doctor if adverse reaction occurs. Re-apply frequently to maintain protection, especially after perspiring, swimming or toweling.

Manufactured for / Fabriqué pour colorescience® Carlsbad, CA 92011 colorescience.com

RP BIORIUS EU: WAVRE, BE



DAILY USE

UK: LONDON WC2H9JQ, GB 1710020

Patent: www.colorescience.com/patents

For USA only

Drug Facts

Active ingredients Purpose Zinc Oxide 4.5%Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

- = Apply liberally 15 minutes before sun exposure. Works best on moisturized skin.
- = Reapply:
- = After 40 minutes of swimming or sweating,
- " Immediately after towel drying.
- = At least every 2 hours.
- Children under 6 months: ask a doctor.
- = Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other
 - = Limit time in the sun, especially
 - . Wear long-sleeved shirts, pants, hats, and sunglasses.

Continued on opposite side panel

MATTIFYING PRIMER

3-IN-1 FACE PRIMER

- + Helps reduce oil and shine
- + Minimizes pore appearance
- + Extends makeup wear

Broad Spectrum SPF 20 Sunscreen PA+++

ALL-MINERAL ACTIVES WATER/SWEAT RESISTANT (40 MINUTES)

Net Wt. 1 fl. oz. / 30 mL

For USA only

Drug Facts (continued)

Inactive ingredients: Cyclopentasiloxane, Dimethicone Crosspolymer, Caprylic/Capric Cytolopentasinotale, Dimedicione Cytolopentasinotale Crosspolymer, Capryllo/Capric Tiglycaride, Water, Clycerin, Dimethicone / Virnyl Dimethicone Crosspolymer, Tocopherol Acetate, Mica, Simmondsia Chinensis (Jojoba) Seed Oil, Hydrolyzed Rice Protein, Dimethiconol, Avena Sativa (Oat) Kernel Protein, Salicylic Acid, Spirulina Maxima Extract, Aliumina, Silica, Jojoba Esters, Polyhydroxystearic Acid, Glyceryl Behenate/Eicosadioate, Alpe Barbadensis Leaf Extract, Metaleuca Alternifolia (Tea Tree) Leaf Oil, Lavandula Angustifolia (Lavender) Oil, Citrus Reticulata (Tangerine) Peel Oil, Palmeria Palmata Extract, Camellia Sinensis Leaf Extract, Camellia Sinensis Leaf Extract, Lauroyl Lysine, Palmitoyl Tripeptide-5, Tocopherol, Triethoxycaprylysilane, Phenoxyethanol, Ethylhexylglycerin, Sodium Benzoate, Limonene, Linalool, Iron Oxides (Q77491, Linalool, Iron Oxides (CI77491, CI77492, CI77499).

Other information:

Protect this product from excessive

Questions or comments? Call toll free 866,426,5673


Ingredients (EU)

Cyclopentasiloxane, Dimethicone Crosspolymer, Caprylic/Capric Triglyceride, Titanium Dioxide, Zinc Oxide, Aqua, ¡Glycerin, Dimethicone/Vinyl Dimethicone Crosspolymer, Tocopherol Acetate, Mica, Simmondsia Chinensis Seed Oil, Hydrolyzed Rice Protein, Dimethiconol, Avena Sativa. Kernel Protein, Salicylic Acid, Spirulina | Kernel Protein, Salicylic Acid, Spirulina Maxima Extract, Alumina, Silica, Jojoba istens, Polyhydroxysteanic Acid, Glyceryl Behenate/Eicosadioate, Aloe Barbadensis Leaf Extract, Melaleuca Alternifolia Leaf Olf, Lavandulla Angustifolia Olf, Citrus Reticulata; Peel Olf, Palmeria Palmata Extract, Carnellia Sinensis Leaf Extract, Lauroyl Lyaine, Palmitoyl Tripeptide-5, Tocopherol, Triethoxycapnylyfaliane, Phenoxyethanol, Ethylhexylgycerin, Sodium Bertzoate, Limonene, Linalod, Iron Oxides C177491, C177492, C177499.

FCS LOGO FPO







MATTIFYING PRIMER SPF 20

titanium dioxide and zinc oxide liquid

Produ	ıct I	Inform	ation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68078-039

Route of Administration TOPICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	50 mg in 1 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	4.5 mg in 1 mL	

Inactive Ingredients	
Ingredient Name	Strength
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
WATER (UNII: 059QF0KO0R)	
Glycerin (UNII: PDC6A3C0OX)	
Dimethicone (UNII: 92RU3N3Y10)	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
Mica (UNII: V8A1AW0880)	
JOJOBA OIL (UNII: 724GKU717M)	
DIMETHICONOL (100000 CST) (UNII: OSA9UP217S)	
OAT (UNII: Z6J799EAJK)	
Salicylic Acid (UNII: O414PZ4LPZ)	
ARTHROSPIRA MAXIMA (UNII: 9K7IG15M0Q)	
ALUMINUM OXIDE (UNII: LMI2606933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
GLYCERYL BEHENATE/EICOSADIOATE (UNII: 73CJJ317SR)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
TEA TREE OIL (UNII: VIF565UC2G)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
MANDARIN OIL (UNII: NJO720F72R)	
PALMARIA PALMATA (UNII: 7832HOY4ZQ)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	

Lauroyl Lysine (UNII: 113171Q70B)	
Palmitoyl Tripeptide-5 (UNII: 2A3916MQHO)	
Tocopherol (UNII: R0ZB2556P8)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Ethylhexylglycerin (UNII: 147D247K3P)	
Sodium Benzoate (UNII: OJ245FE5EU)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX43802MRT)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	

F	Packaging			
#	tem Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68078-039- 01	1 in 1 CARTON	01/01/2020	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	01/01/2020	

Labeler - Colorescience (128731929)

Revised: 12/2023 Colorescience