CHILDRENS TYLENOL- acetaminophen tablet, chewable Johnson & Johnson Consumer Inc.

Childrens TYLENOL

Drug Facts

Active ingredient (in each chewable tablet)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

 if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use.
- do not give more than directed (see overdose warning)
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets) *		
under 24	under 2 years	ask a doctor		
24-35	2-3 years	1 tablet		
36-47	4-5 years	1½ tablets		
48-59	6-8 years	2 tablets		
60-71	9-10 years	2 ¹ / ₂ tablets		
72-95	11 years	3 tablets		

* or as directed by a doctor

Other information

• store between 20-25°C (68-77°F). Avoid high humidity. Protect from light.

 do not use if neck band or foil inner seal imprinted with "TYLENOL" is broken or missing

Inactive ingredients

anhydrous citric acid, cellulose acetate, crospovidone, D&C red no. 7 calcium lake, dextrose, flavor, magnesium stearate, povidone, sucralose

Questions or comments?

call 1-800-458-1635 (toll-free) or 215-273-8755 (collect)

PRINCIPAL DISPLAY PANEL

NDC 50580-521-24

Children's

TYLENOL ®

Acetaminophen

Pain Reliever Fever Reducer

Ibuprofen Free

Aspirin Free

Pain+Fever Ages 2-11

Chewables

Chew or crush tablets completely

before swallowing

160 mg

Per Tablet

24 Chewable Tablets

160 mg each

Actual Size

Bubble Gum Flavor



CHILDRENS TYLENC	L					
acetaminophen tablet, chew	able					
Product Information						
Product Type	HUMAN OTC DRUG	ltem Code (Source)		NDC:50580-521		
Route of Administration	ORAL					
Active Ingredient/Active	Moiety					
Ingredient Name			Basis of Strength		Strength	
ACETAMINOPHEN (UNII: 3620917	L9D) (ACETAMINOPHEN - U	NII:362O9ITL9D)	ACETAMINOPHE	EN	160 mg	
Inactive Ingredients						
Ingredient Name					Strength	
ANHYDROUS CITRIC ACID (UNII:	XF417D3PSL)					
CELLULOSE ACETATE (UNII: 3J2I	207GVB6)					

	TROSE, UNSPE	CIFIED FORM (UNII: IY9XDZ						
MAG			.35VV2)					
	GNESIUM STEAF	RATE (UNII: 70097M6I30)						
ΡΟν	IDONE, UNSPE	CIFIED (UNII: FZ989GH94E)						
5UC	RALOSE (UNII: 9	96K6UQ3ZD4)						
CRO	OSPOVIDONE (U	NII: 2S7830E561)						
Pro	oduct Chara	cteristics						
Col	or	pink	Score	Score		2 pieces		
Sha	аре	ROUND	Size	Size				
Flav	vor	BUBBLE GUM	Imprint Code		TY;160;HALF;HALF			
Con	ntains							
Pae #	ckaging Item Code	Package Desc	cription	Marketin	ng Start	Marketing End		
		i uckuge Dest		Date		Date		
1 ^N 2	IDC:50580-521- 4	in 1 CARTON		02/27/2017				
1		24 in 1 BOTTLE; Type 0: Not Product						
Ma	arketing l	nformation						
	Marketing Category	Application Numbe Citati			ting Start Date	Marketing End Date		

Labeler - Johnson & Johnson Consumer Inc. (878046358)

Revised: 3/2024

Johnson & Johnson Consumer Inc.