

AMARTE ULTRA VEIL ULTRA LIGHT SUNSCREEN FLUID- octinoxate, titanium dioxide, octisalate, zinc oxide cream
AMARTEINTERNATIONAL CO., LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT

Active Ingredients: Ethylhexyl Methoxycinnamate 7.0%, Titanium Dioxide 5.4%, Ethylhexyl Salicylate 5.0%, Zinc Oxide 3.0%

INACTIVE INGREDIENT

Inactive Ingredients:

cyclomethicone, water, cyclopentasiloxane, glycerin, butylene glycol, alcohol, silica, mica, cyclohexasiloxane, PEG-10 dimethicone, cetyl PEG/PPG-10/1 dimethicone, sorbitan sesquioleate, hexyl laurate, dimethicone, caviar extract, Ginkgo biloba nut extract, Phellinus linteus extract, sodium hyaluronate, elemental sulfur, Aspalathus linearis extract, Potentilla erecta root extract, Scutellaria, baicalensis root extract, human oligopeptide-1, Thymus serpyllum extract, stearic acid, alumina, isostearic acid, triethoxycaprylylsilane, stearylalkonium hectorite, disodium EDTA, fragrance, phenoxyethanol, BHT

PURPOSE

PURPOSE: SUNSCREEN

WARNINGS

Warnings:

For external use only

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Uses

Uses:

- helps prevent sunburn

- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Directions

Directions:

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months: Ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

amarte

As a practicing dermatologist, the care of skin is my passion. This is why I have personally tested and reviewed almost every skin care line on the market today. Since discovering Amarte, I am continually impressed by the innovation, simplicity, and honesty of the products. I am proud to say that every formula and claim is dermatologist tested, approved, and recommended - by me.

Craig Kraffert, MD
Board Certified Dermatologist



Developed in cooperation with
Bio-RIC Innovation Center
Seowon University, South Korea



ULTRA VEIL®
Ultra Light
Sunscreen Fluid
Broad Spectrum
SPF 50+

Water Resistant (40 Minutes)



UVA/UVB & ANTIOXIDANT

2.4 fl oz • 70 ml



8809280062584

amarte®

ULTRA VEIL®
Ultra Light
Sunscreen Fluid

Ultra Veil® knows you love the sunshine, so it wants to give you an ultra light aesthetic veil to protect your skin every day. Broad Spectrum SPF 50+ UVA/UVB protection works in concert with select antioxidants and botanical extracts to help you keep a cool glow.

Use: Shake well and apply to face before sun exposure.

DERMATOLOGIST TESTED

Love yourself. ♡ Love your skin.

Manufactured by Cnt Dream. Co
Distributed by Amarte USA, LLC
San Francisco, CA 94104
AmarteSkinCare.com
Made in Korea

The ingredients are just the beginning; how we prepare and combine them is the secret that makes you look so good.

Drug Facts

Active Ingredients		Purpose
Ethylhexyl Methoxycinnamate	7.0%	Sunscreen
Titanium Dioxide	5.4%	
Ethylhexyl Salicylate	5.0%	
Zinc Oxide	3.0%	

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only**
- Do not use** on damaged or broken skin.
- When using this product** keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor** if rash occurs.
- Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- reapply:
 - after 40 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive Ingredients

cyclomethicone, water, cyclopentasiloxane, glycerin, butylene glycol, alcohol, silica, mica, cyclohexasiloxane, PEG-10 dimethicone, cetyl PEG/PPG-10/1 dimethicone, sorbitan sesquioleate, hexyl laurate, dimethicone, caviar extract, Ginkgo biloba nut extract, Pheelinus linteus extract, sodium hyaluronate, elemental sulfur, Aspalathus linearis extract, Potentilla erecta root extract, Scutellaria, baicalensis root extract, human oligopeptide-1, Thymus serpyllum extract, stearic acid, alumina, isostearic acid, triethoxycaprylylsilane, stearylaluminum hectorite, disodium EDTA, fragrance, phenoxethanol, BHT

Other Information

- protect the product in this container from excessive heat and direct sun



AMARTE ULTRA VEIL ULTRA LIGHT SUNSCREEN FLUID

octinoxate, titanium dioxide, octisalate, zinc oxide cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69352-020	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
Octinoxate (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)		Octinoxate	4.9 mg in 70 mL	
Titanium Dioxide (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		Titanium Dioxide	3.78 mg in 70 mL	
Octisalate (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		Octisalate	3.5 mg in 70 mL	
Zinc Oxide (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)		ZINC CATION	2.1 mg in 70 mL	
Inactive Ingredients				
Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69352-020-01	70 mL in 1 CARTON; Type 0: Not a Combination Product	10/01/2014	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	10/01/2014		

Labeler - AMARTEINTERNATIONAL CO., LTD. (689060285)

Registrant - AMARTEINTERNATIONAL CO., LTD. (689060285)

Establishment

Name	Address	ID/FEI	Business Operations
Cnt Dream . Co_Cheonan Plant		694699750	manufacture(69352-020)

Revised: 9/2017

AMARTEINTERNATIONAL CO., LTD.