

FIRST AID ANTISEPTIC- povidone-iodine ointment
Rugby Laboratories

First Aid Antiseptic Ointment

Drug Facts

Active ingredient

Povidone Iodine USP 10% w/w (available iodine 1%)

Purpose

First aid antiseptic

Uses

first aid to help prevent infection in minor:

- cuts
- scrapes
- burns

Warnings

For external use only.

Do not use

- if you are allergic to any of the ingredients
- over large areas of the body
- longer than 1 week unless directed by a doctor
- in the eyes

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- clean the affected area
- apply a small amount of this product on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store at controlled room temperature 20° to 25°C (68° to 77°F)
- close cap tightly after use

Inactive ingredients

mineral oil, petrolatum

Questions or comments?

1-800-639-3803

Package Labeling:

Rugby®

First Aid Antiseptic Ointment

Povidone Iodine USP **10%**

First aid to help prevent infection in minor cuts, scrapes, and burns

Rugby®

First Aid Antiseptic Ointment

NET WT. 1 OZ (28.4 g)

NDC 0536-1271-80
Compare to active ingredient in
Betadine® Ointment*

Distributed by:
RUGBY® LABORATORIES

TAMPER-EVIDENT: Do not use if foil seal

Rev. 10/23 R-157 Re-order No. 370908
10000 0000 100000 0 100000 1 00 100 000

Indianapolis, IN 46268
Questions or comments?
Call (800) 616-2471
www.majorpharmaceuticals.com
Made in China

*Rugby® First Aid Antiseptic Ointment is not
manufactured or distributed by Purdue Frederick,
owner of the registered trademark Betadine®.

on tube is broken or missing



Drug Facts		Drug Facts (continued)
Active ingredient Povidone Iodine USP 10% w/w (available iodine 1%).....First aid antiseptic	Purpose First aid antiseptic	Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.
Uses first aid to help prevent infection in minor: ■ cuts ■ scrapes ■ burns		Directions ■ clean the affected area ■ apply a small amount of this product on the area 1 to 3 times daily ■ may be covered with a sterile bandage
Warnings For external use only. Do not use ■ if you are allergic to any of the ingredients ■ over large areas of the body ■ longer than 1 week unless directed by a doctor ■ in the eyes Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Stop use and ask a doctor if ■ condition persists or gets worse		Other information ■ store at controlled room temperature 20° to 25°C (68° to 77°F) ■ close cap tightly after use Inactive ingredients mineral oil, petrolatum
		Questions or comments? 1-800-639-3803

FIRST AID ANTISEPTIC

povidone-iodine ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1271
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	100 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1271-80	1 in 1 BOX	11/03/2020	
1		28.4 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	11/03/2020	

Labeler - Rugby Laboratories (079246066)