

REFRESH DIGITAL- carboxymethylcellulose sodium, glycerin, polysorbate 80 solution/ drops
Allergan, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

REFRESH® DIGITAL

Drug Facts

Active ingredients

Carboxymethylcellulose sodium 0.5%

Glycerin 1%

Polysorbate 80 0.5%

Purpose

Eye lubricant

Eye lubricant

Eye lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

Warnings

- **For external use only.**
- **To avoid contamination, do not touch tip of container to any surface. Replace cap after using.**
- **If solution changes color, do not use.**

Stop use and ask a doctor

if you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Use only if tape seals on top and bottom flaps are intact.
- Use before expiration date marked on container.
- Discard 90 days after opening.
- Store at 59°-77°F (15°-25°C).
- **RETAIN THIS CARTON FOR FUTURE REFERENCE.**

Inactive ingredients

Boric acid; carbomer copolymer type A; castor oil; erythritol; levocarnitine; purified water; PURITE[®] (stabilized oxychloro complex); and sodium hydroxide (to adjust pH).

Questions or comments?



1.800.678.1605

refreshbrand.com

v1.0DFL6952

PRINCIPAL DISPLAY PANEL

NDC 0023-6952-10

Refresh[®]

Digital

Lubricant Eye Drops

For Eye Dryness

with

HydroCell[™]

Fast-acting Relief

That Soothes Your Eyes

0.33 fl oz (10 mL) Sterile



Drug Facts (continued)

- Discard 90 days after opening.
- Store at 59°-77°F (15°-25°C).
- RETAIN THIS CARTON FOR FUTURE REFERENCE.

Inactive ingredients

Boric acid; carbomer copolymer type A; castor oil; ethylnol; levocarnitine; purified water; PURITE™ stabilized cyclohexanol complex; and sodium hydroxide (to adjust pH).

Questions or comments?

1.800.678.1605
refreshbrand.com

Spina Healthcare, 2019 REFRESH™
OD Recommendation Study

with
HydroCell™

Fast-acting Relief
That Soothes Your Eyes

0.33 fl oz (10 mL) Sterile

Refresh DIGITAL

Lubricant Eye Drops
For Eye Dryness

Refresh DIGITAL

Acts fast to relieve dryness, burning, irritation, and discomfort in the eyes. Expertly formulated with **HydroCell™** — our proprietary NaCl-free, glycerol-based technology, it delivers soothing hydration by supporting all three tear film layers, and helps prevent natural tears from evaporating due to lipid layer deficiencies.

TRUST YOUR EYES TO REFRESH.®

The brand with over 30 years of experience.

Allergan
an AbbVie company

Distributed by: Allergan USA, Inc.
Millsboro, NJ 07960
© 2021 Allergan. All rights reserved.
All trademarks are the property of their respective owners.
Refresh™. See www.allergan.com/refresh.
Made in the USA.

Drug Facts

| Active ingredients | Purpose |
|--------------------------------------|---------------|
| Carbopolymethylcellulose sodium 0.5% | Eye lubricant |
| Glycine 1% | Eye lubricant |
| Polysorbate 80 0.5% | Eye lubricant |

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- May be used as a protectant against further irritation.

Warnings

- For external use only.
 - To avoid contamination, do not touch tip of container to any surface. Replace cap after using.
 - If solution changes color, do not use.
- Stop use and ask a doctor if you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions Instill 1 or 2 drops in the affected eye(s) as needed.

Other information

- Use only if top seals, cap, and bottom flap are intact.
- Use before placing top flap over cap on container.

SEE THE BACK OF THE BOX FOR MORE INFORMATION.

67147US13

015799

TAPE
SEAL

carboxymethylcellulose sodium, glycerin, polysorbate 80 solution/ drops

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0023-6952 |
| Route of Administration | OPHTHALMIC | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|------------------|
| CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZI7B19X) | CARBOXYMETHYLCELLULOSE SODIUM | 5 mg in 1 mL |
| GLYCERIN (UNII: PDC6A3C00X) (GLYCERIN - UNII:PDC6A3C00X) | GLYCERIN | 10 mg in 1 mL |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) (POLYSORBATE 80 - UNII:6OZP39ZG8H) | POLYSORBATE 80 | 5 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| BORIC ACID (UNII: R57ZHV85D4) | |
| CARBOMER COPOLYMER TYPE A (UNII: 71DD5V995L) | |
| CASTOR OIL (UNII: D5340Y2I9G) | |
| ERYTHRITOL (UNII: RA96B954X6) | |
| LEVOCARNITINE (UNII: 0G389FZZ9M) | |
| WATER (UNII: 059QF0KO0R) | |
| SODIUM HYDROXIDE (UNII: 55X04QC32I) | |
| SODIUM CHLORITE (UNII: G538EBV4VF) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|---|-----------------------------|---------------------------|
| 1 | NDC:0023-6952-10 | 1 in 1 CARTON | 08/01/2020 | |
| 1 | | 10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |
| 2 | NDC:0023-6952-02 | 1 in 1 CARTON | 08/01/2020 | |
| 2 | | 2 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------------|---|-----------------------------|---------------------------|
| OTC monograph final | part349 | 08/01/2020 | |

Labeler - Allergan, Inc. (144796497)

