

PREVENT HYDROGEN PEROXIDE 3 PERCENT- hydrogen peroxide spray
Eco-Med Pharmaceuticals, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Prevent+ Hydrogen Peroxide 3% USP Spray

DRUG FACTS

ACTIVE INGREDIENT

Hydrogen Peroxide 3%

PURPOSE:

First Aid Antiseptic/Oral debriding agent

USES:

First aid to help prevent the risk of infection in minor cuts, scrapes and burns. Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth.

WARNINGS:

For external use only.

Do not use

in the eyes or apply over large areas of the body longer than one week. Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns.

When using this product:

Do not get into eyes. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor .

STOP USE AND ASK A DOCTOR IF:

Condition persists or gets worse.

If sore mouth symptoms do not improve in 7 days.

Irritation, pain or redness persists or worsens swelling, rash or fever develops.

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away.

DIRECTIONS:

For first aid antiseptic use: Clean affected area, apply small amount of product on affected area 1-3 times a day. May be covered with a sterile bandage, If bandaged, let dry first, For oral debriding agent (oral rinse): Adults and children 2 years of age and over: Mix with an equal amount of water, swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor. Children under 12 years

should be supervised in the use of this product. Children under 2 years of age: consult a dentist or doctor

OTHER INFORMATION:

Keep tightly closed and in a dark place at room temperature. Do not shake bottle. Hold away from face when opening.

INACTIVE INGREDIENT:

Purified water.

Questions:

1-844-432-6633 Mon- Fri 8am - 4 pm (EST) Email: info@eco-med.com

Package Labeling:



**Hydrogen Peroxide
Antiseptic Topical Solution**

3% USP
Spray-on

24x 100ml/3.38 fl.oz.

**FOR EXTERNAL USE ONLY
KEEP OUT OF REACH OF CHILDREN**

Manufactured by
eco+med
PHARMACEUTICAL

151 Carlingview Drive, Unit 14
Etobicoke, ON. Canada M9W 5S4

NDC ????



6 28055 65026 3



DRUG FACTS	
ACTIVE INGREDIENT: Hydrogen Peroxide 3%.....	PURPOSE: First Aid Antiseptic/Oral debriding agent
USES: First aid to help prevent the risk of infection in minor cuts, scrapes and burns. Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth.	
WARNINGS: For external use only. Do not use in the eyes or apply over large areas of the body longer than one week. Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns. When using this product: Do not get into eyes. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
STOP USE AND ASK A DOCTOR IF: <ul style="list-style-type: none"> • Condition persists or gets worse. • If sore mouth symptoms do not improve in 7 days. • Irritation, pain or redness persists or worsens swelling, rash or fever develops. Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.	
DIRECTIONS: For first aid antiseptic use: Clean affected area, apply small amount of product on affected area 1-3 times a day. May be covered with a sterile bandage. If bandaged, let dry first. For oral debriding agent (oral rinse): Adults and children 2 years of age and over : Mix with an equal amount of water, swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor. Children under 12 years should be supervised in the use of this product. Children under 2 years of age: consult a dentist or doctor	
OTHER INFORMATION: Keep tightly closed and in a dark place at room temperature. Do not shake bottle. Hold away from face when opening.	
INACTIVE INGREDIENT: Purified water.	
Questions : 1-844-432-6633 Mon- Fri 8am – 4pm (EST) Email: info@eco-med.com	

Reorder: 70HPS100

EM54-BC24

FRONT

BACK

HYDROGEN PEROXIDE 
prevent
Hydrogen Peroxide
Antiseptic Topical Solution

3% USP
 Spray-on

100ml/3.38 fl.oz.

FOR EXTERNAL USE ONLY
KEEP OUT OF REACH OF CHILDREN

Manufactured by

 151 Carlingview Drive, Unit 14
 Etobicoke, ON. Canada M9W 5S4
 NDC ?????

DRUG FACTS	
ACTIVE INGREDIENT: Hydrogen Peroxide 3%.....	PURPOSE: First Aid Antiseptic/Oral debriding agent
USES: First aid to help prevent the risk of infection in minor cuts, scrapes and burns. Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth.	
WARNINGS: For external use only. Do not use in the eyes or apply over large areas of the body longer than one week. Ask a doctor before use if you have deep or puncture wounds, animal bites or serious burns. When using this product: Do not get into eyes. Do not apply over large areas of the body. Do not use longer than one week unless directed by a doctor.	
STOP USE AND ASK A DOCTOR IF: <ul style="list-style-type: none"> • Condition persists or gets worse. • If sore mouth symptoms do not improve in 7 days. • Irritation, pain or redness persists or worsens swelling, rash or fever develops. Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.	
DIRECTIONS: For first aid antiseptic use: Clean affected area, apply small amount of product on affected area 1-3 times a day. May be covered with a sterile bandage. If bandaged, let dry first. For oral debriding agent (oral rinse): Adults and children 2 years of age and over: Mix with an equal amount of water, swish around in the mouth over affected area for at least 1 minute and then spit out. Do not swallow. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or doctor. Children under 12 years should be supervised in the use of this product. Children under 2 years of age: consult a dentist or doctor	
OTHER INFORMATION: Keep tightly closed and in a dark place at room temperature. Do not shake bottle. Hold away from face when opening.	
INACTIVE INGREDIENT: Purified water.	
Questions : 1-844-432-6633 Mon- Fri 8am - 4pm (EST) Email: info@eco-med.com	



Reorder: 70HPS100
 EM54-A



PREVENT HYDROGEN PEROXIDE 3 PERCENT

hydrogen peroxide spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:78835-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	0.03 mL in 1 mL

Inactive Ingredients

Ingredient Name			Strength	
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:78835-007-01	24 in 1 BOX	10/15/2020	
1		100 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part333A	10/15/2020		

Labeler - Eco-Med Pharmaceuticals, Inc. (249183435)

Revised: 10/2020

Eco-Med Pharmaceuticals, Inc.