

**COUGH RELIEF ADULT- dextromethorphan hbr liquid**  
**TOP CARE (Topco Associates LLC)**

-----  
**Drug Facts**

**Active ingredient (in each 5 mL)**

Dextromethorphan HBr 15 mg

**Purpose**

Cough suppressant

**Uses**

- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the impulse to cough to help you get to sleep

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Stop use and ask a doctor if**

cough lasts more than 7 days, cough comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**When using this product,**

**do not use more than directed**

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- shake well before using
- mL=milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours,
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

## Other information

- **each 5 mL contains:** sodium 3 mg
- store between 20-25°C (68°-77°F). Do not refrigerate.

## Inactive ingredients

anhydrous citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

## Questions or comments?

Call toll free 1-888-423-0139

## Principal Display Panel

### Cough Relief

DEXTROMETHORPHAN HBr 15 mg

COUGH SUPPRESSANT

RELIEF OF:

- Cough
- Minor Throat & Bronchial Irritation
- Impulse to cough

6-8 HOUR RELIEF

FOR ADULTS

FOR AGES 6+

**ORANGE FLAVOR**

FL OZ (mL)

Dosing Cup Included

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

DISTRIBUTED BY TOPCO ASSOCIATES LLC

ELK GROVE VILLAGE, IL 60007

[topcare@topco.com](mailto:topcare@topco.com)

[www.topcarebrand.com](http://www.topcarebrand.com)

**Package Label**

**Drug Facts**

**Active ingredient (in each 5 mL)** **Purpose**  
 Dextromethorphan HBr 15 mg.....Cough suppressant

**Uses**

- temporarily relieves
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the impulse to cough to help you get to sleep

**Warnings**

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- chronic cough that lasts as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Stop use and ask a doctor** if cough lasts more than 7 days, cough comes back, or occurs with fever, rash, or headache that lasts. These could be signs of a serious condition.

**When using this product, do not use more than directed.**

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**  
 In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- take recommended dosage or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- shake well before using
- mL = milliliter

age	dose
adults and children 12 years and over	10 mL every 6-8 hours not to exceed 4 doses in 24 hours
children 6 to 11 years of age	5 mL every 6-8 hours not to exceed 4 doses in 24 hours
children under 6 years of age	do not use

**Drug Facts (continued)**

**Other information**

- each 5 mL contains: sodium 3 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

**Inactive ingredients** citric acid, disodium EDTA, FD&C yellow #6, flavor, glycerin, high fructose corn syrup, hydroxyethyl cellulose, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sucralose, sucrose, xanthan gum

**Questions or comments?**  
 Call toll free 1-888-423-0139

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.**

**PARENTS:**  
 Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



Dosing Cup Included

DISTRIBUTED BY TOPCO ASSOCIATES LLC  
 ELK GROVE VILLAGE, IL 60007  
 ©TOPCO PLVA0521 QUESTIONS? 1-888-423-0139  
[topcareatopco.com](http://topcareatopco.com) [www.topcarebrand.com](http://www.topcarebrand.com)



Scan here for more information or call 1-888-423-0139



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

NDC 36800-509-04

**TopCare**  
 health

# Cough Relief

DEXTROMETHORPHAN HBr 15 mg  
 COUGH SUPPRESSANT

**RELIEF OF:**

- Cough
- Minor Throat & Bronchial Irritation
- Impulse to Cough

**6-8 HOUR RELIEF**

FOR ADULTS FOR AGES 6+

ORANGE FLAVOR

**4 FL OZ (118 mL)** ALCOHOL-FREE



0 36800 22450 6

PLD-J258C FC004555

Lot No.:

Exp. Date:

**TOPCARE HEALTH Cough Relief**

**COUGH RELIEF ADULT**  
 dextromethorphan hbr liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:36800-509
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>HYDROXYETHYL CELLULOSE (1500 MPA.S AT 1%)</b> (UNII: L605B5892V)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	ORANGE	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-509-04	1 in 1 BOX	03/31/2016	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/31/2016	

**Labeler** - TOP CARE (Topco Associates LLC) (006935977)

Revised: 6/2024

TOP CARE (Topco Associates LLC)