# SOLAR PROTECTION FORMULA SPF 65 SUNSCREEN - octinoxate, octocrylene, oxybenzone, titanium dioxide, zinc oxide lotion Fallien Cosmeceuticals, LTD.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **DRUG FACTS**

# **Active Ingredients:**

Octinoxate 6%

Octocrylene 7%

Oxybenzone 4%

Titanium Dioxide 4%

Zinc Oxide 5%

## **Purpose**

Sunscreen

Sunscreen

Sunscreen

Sunscreen

Sunscreen

#### Uses:

Helps prevent sunburn. If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings:

For external use only.

Do not use on damaged or broken skin.

Stop use and ask a doctor if rash occurs.

When using this product, keep out of eyes. Rinse with water to remove.

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### SHAKE WELL BEFORE USING

#### Other Information:

- Protect this product from excessive heat and direct sun
- May stain some fabrics

#### Directions:

- Apply liberally 15 minutes before sun exposure.
- Use a water resistant product if swimming or sweating.
- Reapply at least every 2 hours.
- Children under 6 months: Ask a doctor
- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - Limit time in the sun, especially from 10:00 a.m.-2 p.m.
  - Wear long-sleeved shirts, pants, hats, and sunglasses

# **Inactive Ingredients:**

Acrylates/Octylacrylamide Copolymer, Aluminum Starch Octenylsuccinate, Ascorbyl Palmitate, 5-Bromo-5-Nitro-1, 3-Dioxane, Beta-Carotene, Butylparaben, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Cetearyl Glucoside, Dimethicone, Disodium EDTA, Iron Oxides, Isobutylparaben, Isopropylparaben, Linoleamidopropyl Dimethylamine, Octyldodecyl Neopentanoate, Phenoxyethanol, Pinus Pinaster Bark Extract, Polysorbate 20, Propylene Glycol, Selenium Yeast Extract, Simethicone, Sorbitan Laurate, Talc, Tocopherol, Tocopheryl Acetate, Triethoxycaprylylsilane, Water

Solar Protection Formula combines Titanium Dioxide, Zinc Oxide, and Iron Oxide to form a complete wall of reflection against UVA/UVB damage.

Manufactured exclusively for Fallien Ltd., West Norriton, PA Made in USA

Principal Display Panel – 2 oz Carton Label

NDC 58892-265-59

**SOLAR** 

**PROTECTION** 

**FORMULA®** 

Oil Free

Non-comedogenic

**SPF 65** 

**Broad Spectrum** 

UVA/UVB

2 Fl. Oz. / 58.8ml



octinoxate, octocrylene, oxybenzone, titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58892-265
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	60 mg in 1 mL		
Octocrylene (UNII: 5A68WGF6WM) (Octocrylene - UNII:5A68WGF6WM)	Octocrylene	70 mg in 1 mL		
Oxybenzone (UNII: 9500S7VE0Y) (Oxybenzone - UNII:9500S7VE0Y)	Oxybenzone	40 mg in 1 mL		
Titanium Dioxide (UNII: 15FIX9 V2JP) (Titanium Dioxide - UNII:15FIX9 V2JP)	Titanium Dioxide	40 mg in 1 mL		
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	50 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
Alkyl (C12-15) Benzoate (UNII: A9EJ3J61HQ)	
Aluminum Starch Octenylsuccinate (UNII: 19 PJ0 O 6 29 4)	
Ascorbyl Palmitate (UNII: QN83US2B0N)	
5-Bromo-5-Nitro-1,3-Dioxane (UNII: U184I9QBNM)	
.BetaCarotene (UNII: 01YAE03M7J)	
Butylparaben (UNII: 3QPI1U3FV8)	
Cetostearyl Alcohol (UNII: 2DMT128M1S)	
Cetearyl Glucoside (UNII: 09FUA47KNA)	
Dimethicone (UNII: 92RU3N3Y1O)	
Edetate Disodium (UNII: 7FLD91C86K)	
Ferric Oxide Red (UNII: 1K09F3G675)	
Isobutylparaben (UNII: 0QQJ25X58G)	
Isopropylparaben (UNII: A6EOX47QK0)	
Linoleamidopropyl Dimethylamine (UNII: W142CF4WLF)	
Octyldodecyl Neopentanoate (UNII: X8725R883T)	
Phenoxyethanol (UNII: HIE492ZZ3T)	
Maritime Pine (UNII: 50JZ5Z98QY)	
Polysorbate 20 (UNII: 7T1F30V5YH)	
Propylene Glycol (UNII: 6DC9Q167V3)	
Sorbitan Monolaurate (UNII: 6W9PS8B71J)	
Talc (UNII: 7SEV7J4R1U)	
Tocopherol (UNII: R0ZB2556P8)	
.AlphaTocopherol Acetate (UNII: 9E8X80D2L0)	
Triethoxycaprylylsilane (UNII: LDC331P08E)	
Water (UNII: 059QF0KO0R)	

F	ackaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58892-265-59	1 in 1 CARTON		

1	58.8 mL in 1 BOTTLE				
Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	01/02/2004			

# **Labeler** - Fallien Cosmeceuticals, LTD. (958388357)

Establishment				
Name	Address	ID/FEI	Business Operations	
Custom Analytics LLC		144949372	ANALYSIS(58892-265)	

Establishment				
Name	Address	ID/FEI	Business Operations	
Process Technologies & Packaging		809172885	MANUFACTURE(58892-265)	

Revised: 12/2012 Fallien Cosmeceuticals, LTD.