

**YOUR LOGO HERE BANDAGE AID- benzethonium chloride and benzocaine aerosol, spray  
Dixon Investments, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**YOUR LOGO HERE BANDAGE SPRAY**

**Active Ingredients**

Benzethonium Chloride 0.2% w/w  
Benzocaine 3.2% w/w

**Purpose**

Topical Antiseptic  
Topical Anesthetic

**Uses**

First Aid to help protect against infection in  
minor cuts  
scrapes  
burns

**Warnings**

**For external use only**

**Flammable**

keep away from fire or flame  
contents under pressure  
do not puncture or incinerate container  
do not expose to temperatures above 120°(F)

**Do not use**

in or near the eyes or other mucous membranes  
in case of serious burn  
in deep puncture wounds  
for prolonged period of time  
on large portions of the body

**Stop use and ask a doctor**

if redness, swelling, or irritation occurs  
infection occurs  
condition persists or worsens  
symptoms persist for more than 7 days

### **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

clean the affected area  
shake can well before using  
hold can 4 to 6 inches away from injury and spray area until wet  
for adult institutional use only  
not intended for use on children

### **Other information**

avoid inhaling  
use only as directed  
intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal

### **Inactive Ingredients**

Ethyl Alcohol, PVP-VA Copolymer, N-Butane, Propane, Isobutane

### **Principal Display**

Your Logo  
Here

# BANDAGE SPRAY

- Water Soluble
- Protects cuts and abrasions
- Helps prevent infection

**FLAMMABLE**  
Contents Under Pressure

Contains no Fluorocarbons  
NET WT. 3 oz. (85g)

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active Ingredients</b> Benzethonium Chloride 0.2% w/w Benzocaine 3.2% w/w	Topical Anesthetic Topical Anesthetic
<b>Uses</b> First Aid to help protect against infection in • scrapes • burns	• minor cuts
<b>Warnings</b> For external use only	
<b>Flammable</b> • keep away from fire or flame • do not puncture or incinerate container • do not expose to temperatures above 120 degrees F	• contents under pressure
<b>Do not use</b> • in or near the eyes or other mucous membranes • in case of serious burn • in deep puncture wounds	
• for prolonged period of time • on large portions of the body	
<b>Stop use and ask a doctor</b> • if redness, swelling or irritation occurs • infection occurs • condition persists or worsens • symptoms persist for more than 7 days	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away	
<b>Directions</b> • clean the affected area • shake can well before using • hold can 4 to 6 inches away from injury and spray area until wet • for adult institutional use only • not intended for use on children	
<b>Other Information</b> • avoid inhaling • use only as directed • intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal	
<b>Inactive Ingredients</b> Ethyl Alcohol, PVP-VA Copolymer, N-Butane, Propane, Isobutane	

Manufactured for: Your Company Here

## YOUR LOGO HERE BANDAGE AID

benzethonium chloride and benzocaine aerosol, spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52982-105
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
BENZOCAINE (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)		BENZOCAINE	2720 mg in 85 g
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)		BENZETHONIUM CHLORIDE	170 mg in 85 g
Inactive Ingredients			
Ingredient Name			Strength
ALCOHOL (UNII: 3K9958V90M)			
COPOVIDONE K25-31 (UNII: D9C330MD8B)			
BUTANE (UNII: 6LV4FOR43R)			
PROPANE (UNII: T75W9911L6)			
ISOBUTANE (UNII: BXR49TP611)			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52982-105-03	85 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	04/05/2013	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	04/05/2013	

**Labeler** - Dixon Investments, Inc. (115315822)**Registrant** - Dixon Investments, Inc. (115315822)**Establishment**

Name	Address	ID/FEI	Business Operations
Dixon Investments, Inc.		115315822	manufacture(52982-105)

Revised: 1/2023

Dixon Investments, Inc.